MIRIAD QUEST LEISURE

QUEST ELITE® mql.co.uk

Liberty LEISURE OUTDOORS

QUEST leisure products

SKYPOD®

RETAIL CATALOGUE



ncc member www.thencc.org.uk

2025 : Edition One

WELCOME

MIRIAD QUEST LEISURE

We are thrilled to share some exciting news with you! Miriad Products and Quest Leisure, two of the most trusted names in the recreational vehicle and outdoor leisure trade, are rebranding to form a new and fresh look.

At MQL, our mission is

To support the recreational vehicle and outdoor leisure industry with exceptional service, innovation and reliability. To foster strong relationships with suppliers and retailers, continuously seeking innovative solutions to meet the evolving needs of the industry and be the first-choice supplier within the industry.

CONTACT US

MQL Miriad Quest Limited
Dovefields Industrial Estate
Uttoxeter
Staffordshire
ST14 8HU

sales@mql.co.uk

CONTENTS

Information

Welcome pages, contact us information and contents page 1 - 3

Awnings & Tents

Awnings, Tents, Canopies, Gazebos, Windbreaks, Accessories and Spares. 4 - 46

Outdoor Living

Chairs, Tables, Children Furniture, Pets, Cooking, Toys and Games, Accessories. 47 - 77

Household

Kettles, Pots and Pans, Kitchenware, Dining-ware, Laundry, Smoke Alarms and Bins. 78 - 94

Cleaning & Sanitation

Toilets, Spares, Cleaning, Chemicals, Accessories and spares. 95 - 123

Water

Tanks, Taps & Fittings 124 - 164

Gas

Heaters, Accessories and Spares. 165 - 183

Electrical

Lights, Chargers, Solar, Mains Cables, PMS, Accessories and Spares. 184 - 223

Heating & Cooling

Heaters, Fridges, Fans and more 224 - 244

TV and Satellite

Wifi Access, TV , Satellite 245 - 248

Furniture & Fixings

Locks, Handles, Legs & Fixings 249 - 268

Manoeuvring & Towing

Jockey wheels, Hitches, Mirrors, Locks, levels 269 - 280

Vehicle Accessories

Blinds, Covers, Wheels, Rims, Roof Bars, Swivel Bases, Accessories and Spares. 281 - 300

Security

Hitch locks, steering locks, wheel locks, AL-KO security 301 - 302

Refrigeration & Coolboxes

Refrigeration, Coolboxes, Accessories and Spares. 303 - 336

Windows & Rooflights

Complete Units, Spares & Parts 337 - 348

Cookware

Cookers, Hobs, Grills, Stoves, Microwaves, Accessories and Spares. 349 - 371



Skypod Lair

SKP001 : Skypod Lair roof top tent

- This is a premium, hard top roof top tent made from the very best materials, featuring various patented technology and design to elevate it above its rivals.
- Patent gas strut mechanism, easy and quick to set up and fold down
- New patented Z shaped style to allow for quicker, easier pitching, additional strength and an extremely low profile when closed.
- Black hard shell on top with texture, high quality, no concern while in bush, less wind noise during driving
- Track frame on sides to have more flexibility to mount solar lights or awning and Tarps etc.
- Includes two aluminium roof bars can bear 100kgs cargo on top of the hard shell so you still have additional loading capacity if required.
- Spacious inner space for 2-3 persons
- Big screened windows on three sides and double layer front door for easy entrance
- With integrated LED strip, detachable (battery pack not included)
- 7cm high-density mattress provides comfortable sleeping experience
- Two big shoes pockets, detachable and for more storage
- Telescopic aluminium alloy ladder included with a high maximum load of 150kg

Inner size (cm)	200 x 140 x 100
Closed Size (cm)	210 x 140 x 28
Total weight (kg)	75
Sleeping Capacity	2 - 3
Weight Capacity (kg)	300

Internal material	190G Rip-Stop Polycotton with P/U 2000mm HH
External material	220D Rip-Stop Poly-Oxford with Silver Coating and P/U 3,000mm
Mattress	Mattress: 5cm High Density Foam + 5cm EPE
Shell	Aluminium honeycomb plate
Frame	Patented aluminium gas strut assisted Z frame
Wind rating	Class 7



Skypod Rapide

SKP002 : Skypod Rapide roof top tent

- Introducing the SkyPod Rapide Roof Tent – a cutting-edge innovation in the world of outdoor adventure. This roof tent is designed to enhance your camping experience, providing convenience, comfort, and style in one compact package.
- The Skypod Rapide is lightweight and highly economical.
- Measures 2×1.2m and has a net weight of only 56kg, making it suitable for use not only with 4×4 vehicles but also with smaller vehicles. The SkyPod Rapide has a soft shell with a PVC cover that helps to protect it from the weather and is 100% waterproof. It comes with an aluminium telescopic ladder that can extend up to 2.3m in length. The Rapide includes a full dull silver heavy-duty fly with a PU coating that is both waterproof and UV resistant. Meshed bug windows and doors provide excellent ventilation and a great view.
- The high-density foam mattress is soft and cosy, ensuring a comfortable sleeping experience. Includes two shoe pockets and two inner mesh pockets for storing small items like keys and devices. It features a 5cm mattress with a skin-friendly thermal cover that offers a comfortable sleeping experience. There is even a sewn-in dimmable LED strip inside the roof tent for added convenience!
- The wind rating of the tent is Class 7 – which is upto 26 MPH

Inner size (cm)	200 x 140 x 75/120
Closed Size (cm)	223 x 160 x 28
Total weight (kg)	56
Sleeping Capacity	2 - 3
Weight Capacity (kg)	300

Internal material	190G Rip-Stop Polycotton with P/U 2000mm HH
External material	220D Rip-Stop Poly-Oxford with Silver Coating and P/U 3,000mm
Mattress	Mattress: 5cm High Density Foam + 5cm EPE
Frame	Extruded Aluminium Alloy
Wind rating	Class 7



Skypod Lite

SKP003 : Skypod Lite roof top tent

- Say hello to the SkyPod Lite Roof Tent. Right up there when it comes to compact convenience in our new range of rooftop tents.
- Compact and lightweight, the SkyPod Lite Roof Tent is crafted for those seeking the thrill of exploration whilst travelling 'lite". Its streamlined silhouette and sleek profile make it the perfect companion for smaller vehicles and adventurers prioritising a simple and agile setup.
- The wind rating of the tent is Class 7 – which is upto 26 MPH
- The SkyPod Lite can accommodate up to 2 people and weighs only 34 kilograms, making it extremely lightweight. It can be set up in just 5 minutes and is suitable for any vehicle, it makes an ideal choice for smaller vehicles. SkyPod Lite is designed to be compact, taking up minimal roof rack space. It has a large eave and full rain fly cover, providing excellent rain protection. Two big mesh bug windows and one rear window allow for good ventilation and prevent insects and flies from entering your space. The mattress is 3cm thick and made of high-density foam, ensuring a comfortable sleeping experience. SkyPod Lite also comes with a telescopic aluminium ladder that can support up to 150kgs.

Inner size (cm)	110 x 127 x 32
Closed Size (cm)	120 x 212 x 95
Total weight (kg)	34
Sleeping Capacity	1 - 2
Weight Capacity (kg)	300

Internal material	600D Rip-Stop Poly Oxford with PU 2000mm
External material	210D Rip-Stop Poly-Oxford with Silver Coating and PU 3,000mm, UPF50+
Mattress	Mattress: 3cm High Density Foam + 4cm EPE foam
Flooring	210D rip-stop Poly Oxford PU coated 2000mm HH
Frame	Extruded Aluminium Alloy in black
Wind rating	Class 7

Awnings & Tents



SkyPod Annex For Lair and Rapide

SKP201: Annex for Lair and Rapide

- The Annex adapts to vehicle heights between 170–225 cm and features three doors for easy access, making it highly convenient and flexible. Its multifunctional design includes full seam taping for water resistance, an optional back wall for added privacy, and a removable floor for easy cleaning and adaptability.
- Adds a large practical living space
- Easy set up within seconds
- Three doors for easy entrance
- Fits vehicle heights between 170-225cm
- Multifunctional design
- Full seam tape for water resistance
- Optional back wall and removable floor
- Material : 210D rip-stop Oxford coated PU
- Ratings: 3000 mm HH, UPF 50+
- Pole : Fibreglass aluminium, telescopic poles.

Annex Size (cm)	305 x 365 x 240
Pack Size (cm)	127 x 22 x 2211.5
Weight (kg)	11.5



Skypod ultralight chair

FC-347

- The skypod ultralight , ultra-small pack away chair.
- Size: 48 x 31 x 37/69 cm
- Frame: 13mm Alutube Frame • Seat: 420D PVC Fabric



Skypod 5v Heated blanket

HB9-447-5V

- This portable heated blanket ensures a restful night's sleep, no matter the weather. Powered by a 5V USB connection, it's perfect for use with power banks or in your vehicle.



Skypod Inflatable Pillow

XP-7311

- Self inflating pillow, small pack size and extra comfort when sleeping.



Skypod Anti Theft 1 X Lock System

SKP202

- Protect your SkyPod roof tent with the SkyPod Anti-Theft Locking Nut, designed to offer peace of mind on every adventure. This durable locking nut set fits standard M8 bolts and secures your tent firmly in place with two nuts for each mounting position.

Awnings & Tents

Westfield

Top Quality Concept

PREMIUM PLUS

ADVANCED AIR SYSTEM®

MEHLER TEXNOLOGIES

TENCATE OUTDOOR FABRICS

The premium plus range of awnings are simply the very best in premium awnings with additional performance benefits thanks to the advanced fabrics.

Simply the very best of everything in one awning.

PREMIUM

ADVANCED AIR SYSTEM®

HydroTech® COTTON TOUCH

The premium range of awnings are luxurious, premium made awnings with outstanding fabrics and performance, thanks to their exclusive fabrics and design.

For those after a premium awning with no compromises.

PREMIUM LITE

AES AIR ERECT SYSTEM®

ADVANCED AIR SYSTEM®

HydroTech® RIPSTOP


The premium lite range of awnings are true premium made awnings, but thanks to the amazing HydroTech ripstop fabric, lighter weight than all their rivals.


For those after a premium awning that is lighter and easier to use.


Westfield
Top Quality Concept

PREMIUM PLUS









Galaxy 2 Premium Plus Air Awning
Westfield Outdoors full caravan air awning

Item Code	12030370800002	12037090000002	12037100000002	12037110000002
Size (cm)	946 - 980 : Size 8 : S	981 - 1015 : Size 9 : M	1016 - 1050 : Size 10 : L	1051 - 1085 : Size 11 : XL
Pack Size (cm) Comes in two bags	115 x 33 x 24 115 x 35 x 38	115 x 33 x 24 115 x 35 x 38	115 x 33 x 24 115 x 35 x 38	115 x 33 x 24 115 x 35 x 38
Total Weight (kg)	22.4 + 23	24 + 23	24 + 24	24.5 + 24
Pitching Weight*	22.4 kg	24 kg	24 kg	24.5 kg
Matting width **	600 cm	650 cm	650 cm	700 cm

* The pitching weight is the weight that you will pull through the awning rail on your caravan
** This is the best fit matting size. It is not exact due to the differences in awning sizes (i.e. each size has an adjustment of 35cm).

- Ten Cate Roof fabric
- Mehler Airtex panel fabric
- Advanced Air System (AAS) : Single point inflation
- 2 year warranty
- 10,000mm Hydrostatic Head
- UV 50+ Protection
- Double mud walling
- Mosquito nets on both side panels
- Panoramic windows
- Draught skirt with ventilation
- Generous space
- Two transport bags
- Pump and storm straps included
- Veranda pole included
- Breathable wall fabric allows for minimal condensation.
- Built in Germany.
- Shady Pro ready : Can be extended with the shady pro sun canopy at the front of the awning.

ADVANCED AIR SYSTEM

MADE IN GERMANY

MEHLER TEXNOLOGIES


TENCATE OUTDOOR FABRICS


The universal annex , Premium Lite Eris or Premium Eris annexes can be attached on either side of the Galaxy 2 full awning.


Westfield
Top Quality Concept

PREMIUM









Pluto 2 Premium Air Awning
Westfield Outdoors full caravan air awning

Item Code	12020370700002	12020370800002	12020370900002	12020371000002	12020371100002	12020371200002
Size (model)	Size 7 : XS	Size 8 : S	Size 9 : M	Size 10 : L	Size 11 : XL	Size 12 : XXL
Size (cm)	915 - 945	946 - 980	981 - 1015	1016 - 1050	1051 - 1085	1086 - 1121
Pack Size (cm) (Two bags)	115 x 33 x 33 115 x 34 x 24	115 x 33 x 33 115 x 34 x 24	115 x 33 x 33 115 x 34 x 24	115 x 33 x 33 115 x 34 x 24	115 x 33 x 33 115 x 34 x 24	115 x 33 x 33 115 x 34 x 24
Total Weight (kg)	19 + 19	20 + 20	20 + 21	21 + 21	22 + 22	22 + 24
Pitching Weight*	19 kg	20 kg	20 kg	21 kg	22 kg	22 kg
Matting width **	550 cm	600 cm	650 cm	650 cm	700 cm	750 cm

* The pitching weight is the weight that you will pull through the awning rail on your caravan
** This is the best fit matting size. It is not exact due to the differences in awning sizes (i.e. each size has an adjustment of 35cm).

- Featuring the luxury, any season, Hydrotech cotton touch fabric.
- Non fade and Anti - Condensation fabric
- Advanced Air System and Super-Tubes with single inflation.
- Anti-weather system for added protection.
- Full ventilation front and side panels, plus permanent, built in ventilation to minimise condensation.
- Veranda pole and emergency support air beam system included.
- Interchangeable side panels gives door layout flexability.
- Four doors (2 front, 2 side) to give maximum options.
- Double mudwall gives protection inside and out.
- Reflective storm straps with strap tidy pockets.
- Full front canopy to keep the rain off.
- Unique window-doors gives you added views and light.
- Perfect views with large super-clear windows with zipped blinds.
- Annex ready - can be extended with one or two annexes.
- Comes in two bags to make it easier to carry, store and use.
- Shady Pro ready : Can be extended with the shady pro sun canopy at the front of the awning.

ADVANCED AIR SYSTEM®


HydroTech® COTTON TOUCH


The universal annex , Premium Lite Eris or Premium Eris annexes can be attached on either side of the Pluto 2 full awning.


Westfield
Top Quality Concept

PREMIUM









Pluto 2 XL Premium Air Awning
Westfield Outdoors full caravan air awning

Item Code	12020378003002	12023709030002	12023710030002	12023711030002
Size (model)	Size 8 : S	Size 9 : M	Size 10 : L	Size 11 : XL
Size (cm)	946 - 980	981 - 1015	1016 - 1050	1051 - 1085
Pack Size (cm) (Two bags)	115 x 33 x 33 115 x 36 x 26	115 x 33 x 33 115 x 36 x 26	115 x 33 x 33 115 x 36 x 26	115 x 33 x 33 115 x 36 x 26
Total Weight (kg)	22 + 20	22 + 21	23 + 21	24 + 22
Pitching Weight*	20 kg	21 kg	21 kg	22 kg
Matting **	600 cm	650 cm	650 cm	700 cm

* The pitching weight is the weight that you will pull through the awning rail on your caravan
** This is the best fit matting size. It is not exact due to the differences in awning sizes (i.e. each size has an adjustment of 35cm).

- Featuring the luxury, any season, Hydrotech cotton touch fabric.
- Non fade and Anti - Condensation fabric
- Advanced Air System and Super-Tubes with single inflation.
- Anti-weather system for added protection.
- Full ventilation front and side panels, plus permanent, built in ventilation to minimise condensation.
- Veranda pole and emergency support air beam system included.
- Interchangeable side panels gives door layout flexability.
- Four doors (2 front, 2 side) to give maximum options.
- Double mudwall gives protection inside and out.
- Reflective storm straps with strap tidy pockets.
- Full front canopy to keep the rain off.
- Unique window-doors gives you added views and light.
- Perfect views with large super-clear windows with zipped blinds.
- Annex ready - can be extended with one or two annexes.
- Comes in two bags to make it easier to carry, store and use.
- Shady Pro ready : Can be extended with the shady pro sun canopy at the front of the awning.

ADVANCED AIR SYSTEM®


HydroTech® COTTON TOUCH


The universal annex , Premium Lite Eris or Premium Eris annexes can be attached on either side of the Pluto 2 XL full awning.


Westfield
Top Quality Concept

PREMIUM LITE









Ceres Premium Lite Air Awning
Westfield Outdoors full caravan air awning

Item Code	12020607000001	12020608000001	12020609000001	12020601000001	12020601100001	12020601200001
Size (model)	Size 7 : XS	Size 8 : S	Size 9 : M	Size 10 : L	Size 11 : XL	Size 12 : XXL
Size (cm)	915 - 945	946 - 980	981 - 1015	1016 - 1050	1051 - 1085	1086 - 1121
Pack Size (cm) (Two bags)	115 x 34 x 24 115 x 34 x 34	115 x 34 x 24 115 x 34 x 34	115 x 34 x 24 115 x 34 x 34	115 x 34 x 24 115 x 34 x 34	115 x 35 x 25 115 x 35 x 35	115 x 35 x 25 115 x 35 x 35
Total Weight (kg)	16.3 + 18	16.3 + 18.5	16.3 + 19	16.3 + 19.5	16.3 + 20	16.3 + 20.5
Pitching Weight*	16 kg	16.5 kg	17 kg	17.5 kg	18 kg	18.5 kg
Matting width **	550 cm	600 cm	650 cm	650 cm	700 cm	750 cm

* The pitching weight is the weight that you will pull through the awning rail on your caravan
** This is the best fit matting size. It is not exact due to the differences in awning sizes (i.e. each size has an adjustment of 35cm).

- Featuring the premium, lightweight HyoTech ripstop fabric.
- Non fade and Anti - Condensation fabric
- Advanced Air System and Super-Tubes with single inflation.
- Anti-weather system for added protection.
- Full ventilation front and side panels, plus permanent, built in ventilation to minimise condensation.
- Veranda pole and emergency support air beam system included.
- Interchangeable side panels gives door layout flexibility.
- Four doors (2 front, 2 side) to give maximum options.
- Double mudwall gives protection inside and out.
- Reflective storm straps with strap tidy pockets.
- Full front canopy to keep the rain off.
- Unique window-doors gives you added views and light.
- Perfect views with large super-clear windows with zipped blinds.
- Annex ready - can be extended with one or two annexes.
- Comes in two bags to make it easier to carry, store and use.
- Shady Pro ready : Can be extended with the shady pro sun canopy at the front of the awning. (2023 batches onwards)

ADVANCED AIR SYSTEM®


HydroTech® RIPSTOP


The universal annex or Premium Lite Eris annexes can be attached on either side of the Ceres full awning.


Westfield
Top Quality Concept


PREMIUM











Vega 200 Premium Air Awning
Westfield Outdoors caravan porch air awning or motor home static air awning

Item Code	12020402002352	12020402002852
Size (model)	Caravan	Motor Home
Width x height (cm)	200 x 235 - 260	200 x 260 - 285
Pack Size (cm)	98 x 38 x36	98 x 40 x 36
Total Weight (kg)	22.94	23.2
Pitching Weight*	18 kg	18.3 kg
Matting width **	200 cm	200 cm



* The pitching weight is the weight that you will pull through the awning rail on your caravan
** This is the best fit matting size.

- Featuring the luxury, any season, Hydrotech cottom touch fabric.
- Non fade and Anti - Condensation fabric.
- Advanced Air System with single inflation.
- Anti-weather system for added protection.
- Full ventilation side panels, plus permanent, built in ventilation to minimise condensation.
- Interchangeable side panels gives door layout flexibility.
- Two doors (2 side).
- Double mudwall gives protection inside and out.
- Reflective storm straps with strap tidy pockets.
- Large super-clear windows with toggled blinds.
- Small size makes it easier to carry and store away.
- Adjustable beams (Top) to allow better fitting for motor homes and uneven ground.
- Double beading to allow connection into 4 and 6mm channels.
- Double pad (motor home version only) for better fitting when used in conjunction with roll out canopies.

ADVANCED AIR SYSTEM®

HydroTech® COTTON TOUCH


TWO HEIGHTS
The Vega has different height models to allow it to be used on both Caravans and Motor homes.


Westfield
Top Quality Concept


PREMIUM














Vega (330 and 375) Premium Air Awning
Westfield Outdoors caravan porch air awning or motor home static air awning

Item Code	12020402350002	12020403750002	12020402850002	12020375028502
Size (model)	Caravan	Caravan	Motor Home	Motor Home
Width x height (cm)	330 x 235 - 260	375 x 235 - 260	330 x 260 - 280	375 x 260 - 285
Pack Size (cm) (Two bags)	98 x 32 x 30 98 x 26 x 24	98 x 33 x 31 98 x 26 x 24	98 x 34 x 33 98 x 26 x 24	98 x 34 x 33 98 x 26 x 24
Total Weight (kg)	14.3 + 16.3	14.9 + 17	15.8 + 17	16.5 + 17.6
Pitching Weight*	13.3 kg	13.9 kg	14.8 kg	15.5 kg
Matting width **	330 cm	375 cm	330 cm	375 cm

1202051100000: Mesh panels (front - 330 only)

* The pitching weight is the weight that you will pull through the awning rail on your caravan
** This is the best fit matting size.

- Featuring the luxury, any season, Hydrotech cotton touch fabric..
- Non fade and Anti - Condensation fabric
- Advanced Air System with single inflation.
- Anti-weather system for added protection.
- Full ventilation front and side panels, plus permanent, built in ventilation to minimise condensation.
- Interchangeable side panels gives door layout flexibility.
- Four doors (2 front, 2 side) to give maximum options.
- Double mudwall gives protection inside and out.
- Reflective storm straps with strap tidy pockets.
- Canopy mode - Can be used without the side panels as a canopy.
- Unique pano-doors gives you added views and light.
- Perfect views with large super-clear windows with zipped blinds.
- Annex ready - can be extended with one or two annexes.
- Comes in two bags to make it easier to carry, store and use.
- Shady Pro ready : Can be extended with the shady pro sun canopy at the front of the awning.
- Double beading to allow connection into 4 and 6mm channels.
- Double pad (motor home version only) for better fitting when used in conjunction with roll out canopies.
- Adjustable air beams : (bottom) to give better pitching options (Caravan models).
- Adjustable air beams : (Bottom and top) to give better pitching options and better fitting when used with roll out canopies (motor home models).

ADVANCED AIR SYSTEM®


HydroTech® COTTON TOUCH


The universal annex , Premium Lite Eris or Premium Eris annexes can be attached on either side of the Vega (330 or 375) awning.


Westfield
Top Quality Concept

PREMIUM PLUS











Luna Premium Plus Roll Out Full Awning
Westfield Outdoors roll out full awning

Item Code	12038070000000	12038080000000	12038090000000	12038100000000	12038110000000
Size (model)	Size 7 : XS	Size 8 : S	Size 9 : M	Size 10 : L	Size 11 : XL
Width (cm)	480	510	540	580	620
Pack Size (cm) (Two bags)	440 x 16 x 16 118 x 37 x 28	470 x 16 x 16 118 x 37 x 28	500 x 16 x 16 118 x 37 x 28	540 x 16 x 16 118 x 37 x 28	580 x 16 x 16 118 x 37 x 28
Total Weight (kg)	18.1 + 19.6	19.2 + 20.4	20.8 + 21.2	22.4 + 22.01	24.1 + 23.2
Sun Shady Pro Size	Size 9 (470)	Size 10 (500 cm)	Size 9 (510 cm)	Size 12 (550 cm)	Size 12 (550 cm)
Matting ** ***	450 cm	500 cm	550 cm	550 cm	550 cm

** This is the best fit matting size. It is not exact due to the differences in awning sizes (i.e. each size has an adjustment of 35cm).

- Featuring the luxury, any season, Hydrotech cotton touch fabric (walls).
- All season, European made TenCate roof.
- Awning made in Germany.
- Premium aircraft grade aluminium bar for max strength and min weight.
- Roll Out awning, so roof and legs stay on the side of the van at all times - simply roll out to use.
- Can be used as a premium canopy by simply rolling the canopy out, or a premium full awning by adding the side and front panels once the canopy is rolled out.
- Adjustable leg poles for uneven ground.
- Anti-weather system for added protection.
- Full ventilation side panels, plus permanent, built in ventilation to minimise condensation.
- Interchangeable side panels gives door layout flexibility.
- Four doors (2 front, 2 side) to give maximum options.
- Double mudwall gives protection inside and out.
- Reflective storm straps.
- Unique window-doors gives you added views and light.
- Perfect views with large super-clear windows with zipped blinds.
- Pop up inner tent ready - Can use a pop up inner tent inside the awning
- Shady Pro ready : Can be extended with the shady pro sun canopy at the front of the awning.

ADVANCED AIR SYSTEM®

MADE IN GERMANY

MEHLER TEXNOLOGIES

TENCATE OUTDOOR FABRICS

Westfield
Top Quality Concept

PREMIUM









Kari Premium Air Canopy
Westfield Outdoors caravan air canopy

Item Code	12020423000002	12020423001002	12020423002002	12020375028502
Model	Kari Air Canopy	Kari Sides (pair)	Kari front panel (mesh)	Kari front panel (windows)
Width (cm)	400 (280 at the channel)	N/A	400	400
Depth (cm)	250	250	N/A	N/A
Pack Size (cm)	100 x 28 x 30	56 x 18 x 16	48 x 15 x 10	60 x 23 x 14
Total Weight (kg)	11.8	5.6	2.05	3.05
Matting width **	400 cm	N/A	N/A	N/A

- Featuring the luxury, any season, Hydrotech cotton touch fabric..
- Non fade and Anti - Condensation fabric
- Advanced Air System with single inflation.
- Premium performance air canopy.
- Reflective storm straps with strap tidy pockets.
- Extremely easy to pitch.
- Can be pitched by a single person in minutes.
- Optional side panels and front panels available
- Small pack size
- Lightweight.






ADVANCED AIR SYSTEM®

HydroTech® COTTON TOUCH

Westfield
Top Quality Concept

PREMIUM







Can be used with the following models: **Galaxy Pluto • Luna Plus Ceres • Vega Mars**

Pitch Time 5 mins

SUN Canopy

Sun Shady Pro Premium Sun Canopy
Westfield Outdoors sun canopy

Item Code	12022235305000	12022235350000	12022235420000	12022235440000
Size (w x d) (cm)	305 x 220	350 x 220	Size 7 : 410 x 220	Size 8 : 440 x 220
Pack Size (cm)	115 x 26 x 17	115 x 26 x 17	115 x 26 x 17	115 x 26 x 17
Total Weight (kg)	5.15 kg	5.52 kg	6.08 kg	6.25 kg
Matting width **	300 cm	350 cm	400 cm	450 cm
Fits Awnings	Vega 330 Mars 330	Vega 375	Galaxy, Pluto size 7	Galaxy, Pluto, Luna Plus size 8, Ceres size 7

Item Code	12022235480000	12022235500000	12022235530000	12022235560000
Size (w x d) (cm)	Size 9 : 470 x 220	Size 10 : 500 x 220	Size 11 : 530 x 220	Size 12 : 570 x 220
Pack Size (cm)	115 x 26 x 17	115 x 26 x 17	115 x 26 x 17	115 x 26 x 17
Total Weight (kg)	6.42 kg	6.64 kg	6.97	7.7 kg
Matting width **	450 cm	500 cm	500 cm	550 cm
Fits Awnings	Galaxy, Luna Plus, Pluto size 9, Ceres size 8	Galaxy, Luna Plus, Pluto size 10, Ceres size 9	Galaxy, Pluto size 11, Ceres size 10	Galaxy, Pluto size 12, Ceres size 11

** This is the best fit matting size.

- Featuring the luxury, any season, Hydrotech cotton touch fabric.
- Made in Germany.
- Extremely lightweight.
- Extremely small pack size.
- Extremely easy to pitch.
- Can be pitched by a single person with ease.
- Adjustable leg poles for uneven ground and pitched roof pitching.
- Can be used stand alone directly in an awning channel or connected to various Westfield awnings (shown above).
- 24 Month warranty.

ADVANCED AIR SYSTEM®


MADE IN GERMANY


HydroTech® COTTON TOUCH

Westfield
Top Quality Concept


PREMIUM LITE











Mars Air Static Motor Home Awning
Westfield Outdoors premium lite air awning

12020501000001 : Mars awning ***1202051100000: Mesh panels (front)***

- HydroTech RipStop : A premium lightweight fabric that is thread dyed to stop fading, but also extremely strong and durable. The fabric feels like cotton, but has the durability and ease of use of polyester.
- Anti Condensation: The combination of the advanced coating and premium nature of the fabric means that condensation is kept to a minimum at all times.
- 2 Year warranty.
- Advanced Air System (AAS)
- Single or multiple inflation points - it is up to you, there are three inflation points, but the entire awning can be inflated from any one, or you can use all three. It also makes deflation easier as you can allow the air to come out of all three points at the same time.
- Single person pitch: This awning is easy enough to be pitched by one single person.
- Anti-Weather system.
- UV 50+ protection : Excellent protection from the suns rays and also helps to protect the awning fabric and increase it's lifespan.
- Annex ready : can be extended by adding one (or two) of the Universal, Eris standard or Eris premium annexes.
- Internal blinds.

Main awning size (cm)	330 x 250
Weight (kg)	19.5 kg (Pitching weight only 9.8 kg)
Fabric	150D Ripstop
Waterproof Rating	8,000 mm HH

UV Rating	50+
Frame	Advanced Air System (AAS) Air Beams
Pack Size (cm)	96 x 41 x 32 cm

ADVANCED AIR SYSTEM®

HydroTech® RIPSTOP

The universal annex or Premium Lite Eris annexes can be attached on either side of the Mars awning.

Westfield
Top Quality Concept

PREMIUM




Suitable for vehicles with a fitting height of **240 - 320cm**


Pitch Time 15 mins


AIR Drive Away

Annex Available

Inner Tent Available







Neptune 2 Air Drive Away Awning
Westfield Outdoors premium air drive away awning

12020364000002 : Main awning

12020362001001 : Fully fitted, velcro in groundsheet

12020364024002 : Mid connector / tunnel
12020364026002 : High connector/ tunnel
12020364028002 : X High connector / tunnel
12020364030002 : XX High connector / tunnel

- Featuring the luxury, any season, Hydrotech cotton touch fabric.
- Non fade and Anti - Condensation fabric
- Advanced Air System with single or multiple inflation points - it is up to you..
- Premium, any season awning.
- Reflective storm straps with strap tidy pockets.
- Single person pitch.
- Panoramic views.
- Anti-Weather system and rain safe canopy.
- Internal blinds (zipped).
- UV 50+ Protection.
- Annex ready : can be extended by adding one (or two) of the Universal, or Eris annexes.
- Ventilation side windows (very large) and built in ventilation
- Double beading.
- Deluxe floor ready. Can have an optional fully fitted and tubbed groundsheet to seal the awning against the weather.(purchased separately).
- All 4 Removable panels.
- Zip on / off tunnel (purchased separately)
- One way tinted windows for anti-glare.

Main awning size (cm)	400 x 250 x 220/240
Pack Size (cm)	100 x 50 x 50
Weight (kg)	34.1
Fabric	300D
Frame	Advanced Air System (AAS) Air Beams

Waterproof Rating	10,000 mm HH
UV Rating	50+
Tunnel Depth	90 cm
Mid Tunnel height	240 - 260 cm
High Tunnel height	260 - 280 cm
XHigh Tunnel height	280 - 300 cm
XXHigh Tunnel height	300 - 320 cm

ADVANCED AIR SYSTEM®

HydroTech® COTTON TOUCH

The universal annex , Premium Lite Eris or Premium Eris annexes can be attached on either side of the Neptune 2 drive away awning.

Westfield
Top Quality Concept

PREMIUM




Suitable for vehicles with a fitting height of **180 - 270cm**


Pitch Time 15 mins


AIR Drive Away

Annex Available

Inner Tent Available







Orion 2 Air Drive Away Awning
Westfield Outdoors premium air drive away awning

12020413000002 : Main awning

12020413010001 : Fully fitted, velcro in groundsheet

12020413004002 : Touring (Eriba) connector / tunnel
12020413001002 : Low connector / tunnel
12020413002002 : Mid connector / tunnel
12020413003002 : High connector / tunnel

- Featuring the luxury, any season, Hydrotech cotton touch fabric.
- Non fade and Anti - Condensation fabric
- Advanced Air System with single or multiple inflation points - it is up to you..
- Premium, any season awning.
- Reflective storm straps with strap tidy pockets.
- Single person pitch.
- Panoramic views.
- Anti-Weather system and rain safe canopy.
- Internal blinds (zipped).
- UV 50+ Protection.
- Annex ready : can be extended by adding one (or two) of the Universal, or Eris annexes.
- Ventilation side windows (very large) and built in ventilation
- Double beading.
- Deluxe floor ready. Can have an optional fully fitted and tubbed groundsheet to seal the awning against the weather.(purchased separately).
- All 4 Removable panels.
- Zip on / off tunnel (purchased separately)
- One way tinted windows for anti-glare.

Main awning size (cm)	300 x 250 x 200
Pack Size (cm)	98 x 34 x 34
Weight (kg)	21.2
Fabric	300D
Frame	Advanced Air System (AAS) Air Beams

Waterproof Rating	10,000 mm HH
UV Rating	50+
Tunnel Depths	65 cm (Eriba and Low tunnels)
	90 cm (Mid and High tunnels)
Low Tunnel height	180 - 210 cm
Mid Tunnel height	210 - 240 cm
High Tunnel height	240 - 270 cm

ADVANCED AIR SYSTEM®

HydroTech® COTTON TOUCH

The universal annex , Premium Lite Eris or Premium Eris annexes can be attached on either side of the Orion 2 drive away awning.

Westfield
Top Quality Concept

PREMIUM LITE




Suitable for vehicles with a fitting height of **180 - 270cm**


Pitch Time 15 mins

AIR Drive Away

Annex Available

Inner Tent Available





Zodiac Air Drive Away Awning
Westfield Outdoors premium lite air drive away awning

12020240330000 : Main awning

: Removable groundsheet

12020240331800 : Low connector / tunnel
12020240332100 : Mid connector / tunnel
12020240332400 : High connector / tunnel

- HydroTech RipStop : A premium lightweight fabric that is thread dyed to stop fading, but also extremely strong and durable.
- Anti Condensation: The combination of the advanced coating and premium nature of the fabric means that condensation is kept to a minimum at all times.
- 2 Year warranty.
- Air Erect System (AES)
- Dual inflation beams.
- Single person pitch: This awning is easy enough to be pitched by one single person.
- Anti-Weather system and rain safe canopy.
- UV 50+ protection : Excellent protection from the suns rays and also helps to protect the awning fabric and increase it's lifespan.
- Pop up inner tent ready.
- Zip on / off tunnel.
- Lightweight.
- Internal blinds.
- Three Removable panels.
- Annex ready - it can be extended by adding one or two Zodiac / Orion 1 annexes.
- Ground sheet ready : Can have an optional (removable) groundsheet added for protection from the ground.

Main awning size (cm)	280 x 220 x 220
Pack Size (cm)	100 x 35 x 30
Weight (kg)	17.3
Fabric	150D Ripstop
Frame	Air Erect System (AES) Air Beams

Waterproof Rating	8,000 mm HH
UV Rating	50+
Tunnel Depths	65 cm (Low tunnel)
	90 cm (Mid and High tunnels)
Low Tunnel height	180 - 210 cm
Mid Tunnel height	210 - 240 cm
High Tunnel height	240 - 270 cm

AES AIR ERECT SYSTEM®


HydroTech® RIPSTOP


The Zodiac / Orion V1 annex can be attached on either side of the Zodiac drive away awning.

Westfield
Top Quality Concept

PREMIUM LITE









Triton Air Drive Away Awning
Westfield Outdoors premium lite air drive away awning

12010273100001 : Main awning

12022233180210 : Low connector / tunnel
12022233210024 : Mid connector / tunnel
12022233240270 : High connector / tunnel

- HydroTech RipStop : A premium lightweight fabric that is thread dyed to stop fading, but also extremely strong and durable.
- Anti Condensation: The combination of the advanced coating and premium nature of the fabric means that condensation is kept to a minimum at all times.
- 2 Year warranty.
- Advanced Air System (AAS) with single or multiple inflation points - it is up to you.
- Single person pitch: This awning is easy enough to be pitched by one single person.
- Anti-Weather system and rain safe canopy.
- UV 50+ protection : Excellent protection from the suns rays and also helps to protect the awning fabric and increase it's lifespan.
- Pop up inner tent ready.
- Zip on / off tunnel.
- Lightweight.
- Internal blinds.
- All four side panels can be removed turning the drive away awning into an air shelter.

Main awning size (cm)	300 x 300 x 200/240
Pack Size (cm)	100 x 35 x 37
Weight (kg)	27.9
Fabric	150D Ripstop
Frame	Advanced Air System (AAS) Air Beams

Waterproof Rating	8,000 mm HH
UV Rating	50+
Tunnel Depths	65 cm (Low tunnels)
	90 cm (Mid and High tunnels)
Low Tunnel height	180 - 210 cm
Mid Tunnel height	210 - 240 cm
High Tunnel height	240 - 270 cm


ADVANCED AIR SYSTEM®


HydroTech® RIPSTOP

Did you know ?
All 4 of the sides on the Triton can be removed, which allows it to be used as a simple sun shelter as well !

Awnings & Tents







Fits:
Galaxy • Pluto • Ceres • Vega • Mars • Orion Omega Aries

Pitch Time 5 mins

AIR Annex

Eris Air Annex : premium annex for the Westfield awnings

12020612000000 : Eris premium lite air annex

- The Eris air annex is an all window annex for various westfield awnings.
- It comes in standard version and premium, the difference is the fabric. The standard version features the HydroTech RipStop fabric (premium lightweight fabric) and the premium features the HydroTech Cotton Touch (premium heavyweight fabric).
- It features windows all on sides, all with zipped internal blinds.
- It also comes with with storm bars, which are optional for use, but included all the same.
- Both version fit the following awnings : Vega (all versions and sizes) , Pluto (all versions and sizes), Ceres (all sizes) , Mars , Orion 2, Neptune 2, Galaxy 2 (all sizes).

12020612000002: Eris premium air annex

- **Annex Size** : 180 x 210 x 190/195 cm
- **Pack size** - 95 x 30 x 30cm
- **Total weight**: 11kg
- **Fabric**: 150D Ripstop or 300D
- **Waterproof rating** 8,000 / 10,000 mm HH
- **UV Rating** : 50+



12020370002000 Standard Version

Fits:
Galaxy • Pluto • Ceres • Vega • Mars • Orion Omega Aries

Pitch Time 5 mins

AIR Annex

12020413020000 Zodiac Version

Can be used with the following models:
Orion (v1) • Zodiac

Pitch Time 5 mins

AIR Annex

Universal air annex : premium lite annex for the Westfield awnings

12020370002000 : Universal (standard)

- The universal air annex is an all panel (no windows) air annex for various Westfield awnings.
- It comes in standard and an Orion 1 (pre 2023) and zodiac version.
- The standard version fits the following awnings : Vega (all versions and sizes) , Pluto (all versions and sizes), Ceres (all sizes) , Mars , Orion 2, Neptune 2, Galaxy 2 (all sizes).
- The Orion 1 (pre 2023) and Zodiac fits the Zodiac d and Orion 1 (pre 2023) drive away awnings only.

12020413020000: Orion 1 (pre 2023) and Zodiac

- **Annex Size** : 180 x 210 x 60 /165 cm
- **Pack size** - 95 x 30 x 30cm
- **Total weight**: 11kg
- **Fabric**: 150D Ripstop or 300D
- **Waterproof rating** 8,000 / 10,000 mm HH
- **UV Rating** : 50+

Awnings & Tents



Inner Tent for Universal Air Annex and Zodiac / Orion 1 (pre 2023) Annex

12020370004000 : Universal Air Annex Inner Tent

- The made to measure inner tent for the universal air annex.
- Simply clips into place in seconds and pegged down in each corner.
- Takes up 100% of the space of the universal annex.

12020413025000 : Zodiac / Orion 1 Air Annex Inner Tent

- Built in groundsheet for complete protection from the elements.
- Breathable upper for added comfort, with ventilation panels for air flow.
- Zip open / shut front door and 2/3 Berth usable space.



Vega Inner Tent

12020400002000

- Only for use with Vega 1.
- This is the inner tent made to be used inside your Vega awning.
- It clips into place inside the Vega awning using the clips inside the Vega, then it is pegged out in each corner.
- Simply and quick, one person and put the inner tent in place in a matter of two minutes.
- The inner tent features a built in waterproof ground sheet (non-breathable) for protection from the elements.
- It has a breathable upper for added comfort, plus ventilation for added air flow.
- A large zip door to the side allows you entry into the inner tent and allows you to close it up for privacy when required.

Pop Up Inner tent

A1002

- This quick and easy, pop up inner tent is perfect to use in any tent or awning when needing that extra bit of sleeping area without breaking the bank.
- It has a breathable fabric top, with PVC floor. A double layered door gives you a full mesh ventilation door for air flow and a full fabric door for privacy when required. Both are also double zipped allowing you to have them half open or at any position required.
- Dark grey for a better nights sleep
- Breathable fabric and PVC Floor.
- Easily fits double air bed.
- Pops up in seconds.
- Large double layered door.
- Double zipped door panel to allow the door to be opened to any position
- Double zipped mesh panel to allow the mesh panel to be opened to any position
- Free standing
- Packed size: 75 x 75 x 10 cm : Open size: 200 x 200 x 140 cm
- Weight 2.3 kg



Awnings & Tents

Below are just a few spares and additional items for the Westfield awnings.

PLEASE CALL OUR SALES TEAM FOR A COMPLETE LIST OF SPARES.



Westfield Electric pump

12930010000000

- Automatic Switching: Seamlessly transition from the first stage to the second stage for optimal inflation.
- Pressure Precision: Achieve the perfect pressure with a maximum of 20 PSI, ensuring your awning / paddle board / dingy is fully inflated and ready to go.
- Powerful 12V Compressor:
- Smart Auto-Off:
- Pressure Unit Selection: Choose your preferred pressure unit for accurate readings and effortless customization.



Spare storm straps

12933688400000

- Pack of 2 grey storm straps
- Quick clip and swivel ends for easy attachment and tangle free



Universal Steel Canopy Pole Kit (order in multiples of 20)

12010203503000

- Universal canopy pole kit, that allows you to turn a roll up panel into a canopy.
- Consists of 2 x fixed height canopy poles (spike on top, pegable foot on the other), plus two high vis guy lines and two pegs.



Universal Rear Leg Poles (1 pair - steel)

12010203504000

- Universal rear leg poles
- ! Pair of rear legs poles for use in porch awnings - holds the rear pads in place creating a better seal and stopping draughts.
- Length: 180 - 290 cm



Aluminium Spreader Pole (Short 90 - 165cm)

12020263502000

- Premium quality adjustable aluminium pole
- Pole: 19mm Aluminium
- Length: 90 - 165 cm.
- Weight: 0.32 kg.



Aluminium spreader pole (long - 165 - 225cm)

12930965100000

- Premium quality adjustable aluminium pole
- Pole: 19mm Aluminium
- Length: 165 - 225 cm.
- Weight: 0.4 kg.



Aluminium Roof Pole Storm Kit (order in multiples of 20)

12010203501000

- Aluminium roof pole kit. Consists of 1 x aluminium pole (hook one end, flat the other) plus 1 x pole bracket
- For use on Easy air and Dorado awnings




Universal Storm Leg Pole (order in multiples of 20)


12010203502000

- Universal storm leg pole.
- Flat end at top and pegable foot on the other.
- For use on Easy air and Dorado awnings
- Pole: 19mm Steel with Powder Coating
- Length: 160 - 225 cm.
- Weight: 1.1 kg.



Suitable for vehicles with a fitting height of **235 - 250 cm**







Pitch Time 10 mins

AIR Porch Awning

Falcon Base Air 200
Quest super lightweight air porch awning

A3519-MG

- This awning is made to fit the swift base camp caravan, but can be used on any standard caravan as well.
- The awning is all about ease of use and value. It features an easy to use, minimal quick-fit pole system. This pole system is quick to put together, lightweight and adjustable to help ensure the best pitching even on uneven ground. The pitching is easy enough to be done by a single person if required. It uses the modern Quest Tec Pro 150 fabric which is lightweight, quick drying and extremely waterproof making the awning easier to use and maintain. It is U.V. coated to help protect it from the harmful UV rays which helps extend its lifespan and gives you a U.P.F. rating of 50+ which is the highest possible giving you complete protection.
- The awning has additional features such as full mesh doors, roll down, half or full blinds, roll up front panels, sun canopy fronts (if used with the optional universal canopy pole kit). All this plus a very small pack size, light weight and amazing value makes the Falcon an excellent awning for the weekend, first timers, the budget conscious and just about anyone after an easy to use lightweight porch awning.

Awning size (cm)	200 x 235 (W x D)	**Fabric**	Quest Tec Pro 150
Connection Heights (cm)	235 - 250 cm (all standard caravans)	**Fabric Density**	150 D
Total Weight (kg)	8.55	**Frame**	Quest Fast Air Tech (FAT) Air Beam
Pitching Weight (kg)	7.55	**Waterproof Rating**	6,000 mm (Hydrostatic Head)
Packed Size (cm)	71 x 32 x 31	**UV Rating**	50+








Suitable for vehicles with a fitting height of **235 - 250 cm**

Pitch Time 10 mins

AIR Porch Awning



Falcon Pro Air
Quest super lightweight air porch awning

A3500A-MG : 220	*A3501A-MG : 260*	*A3502A-MG : 325*	*A3503A-MG : 390*

- The Falcon Air Porch is a true lightweight air awning. It combines the ease of use of an air porch awning with the added lightweight nature of a true lightweight porch to give you an extremely easy and quick to pitch porch. The awning will fit caravans with a height range between 235 - 250 cm and simply slides into the awning channel on the side of your caravan.
- The Falcon Air range uses a lightweight but strong 150D material giving you a perfect balance between light weight, quick drying, performance and price.
- The Fast Air Technology (FAT) system gives you a single main beam which only takes a minute to inflate and even less to deflate ! The airbeam is help in place by a reinforced sleeve which is then secured to the awning via another zipped sleeve making this extremely strong and reliable. The added storm straps give you added ground anchorage and protection from the wind and means you dont have to spend extra money on accessories.
- The Falcon Air range has a roll up front panel that can be used as a canopy when used in conjunction with steel canopy poles.


Packing Sizes and weights	
Falcon Pro Air 220	71 x 32 x 31 cm.| 8.65 kg
Falcon Pro Air 265	72 x 35 x 32 cm.| 9.1 kg
Falcon Pro Air 325	74 x 41 x 31 cm. | 11.4 kg
Falcon Pro Air 390	75 x 39 x 36.5 cm. | 12.7 kg

Fabric	Quest Tec Pro 150
Fabric Density	150 D
Frame	Quest Fast Air Tech (FAT) Air Beam
Waterproof Rating	6,000 mm (Hydrostatic Head)
UV Rating	50+









Suitable for vehicles with a fitting height of **235 - 250 cm**

Pitch Time 10 mins

POLED Porch Awning

Falcon Pro Poled
Quest super lightweight poled porch awning

A3500-MG : 220	*A3501-MG : 260*	*A3502-MG : 325*	*A3503-MG : 390*

- Available in four different widths (220, 260,325 and 390), this awning is all about ease of use and value. It features an easy to use, minimal quick-fit pole system. This pole system is quick to put together, lightweight and adjustable to help ensure the best pitching even on uneven ground. The pitching is easy enough to be done by a single person if required. It uses the modern Quest Tec Pro 150 fabric which is lightweight, quick drying and extremely waterproof making the awning easier to use and maintain. It is U.V. coated to help protect it from the harmful UV rays which helps extend its lifespan and gives you a U.P.F. rating of 50+ which is the highest possible giving you complete protection.
- The awning has additional features such as full mesh doors, roll down, half or full blinds, roll up front panels, sun canopy fronts (if used with the optional universal canopy pole kit). All this plus a very small pack size, light weight and amazing value makes the Falcon an excellent awning for the weekend, first timers, the budget conscious and just about anyone after an easy to use lightweight porch awning.

Packing Sizes and weights	
Falcon Pro Poled 220	73 x 28 x 23 cm.| 6.85 kg
Falcon Pro Poled 265	73 x 28 x 23 cm.| 7.15 kg
Falcon Pro Poled 325	73 x 31 x 23 cm.| 8.3 kg
Falcon Pro Poled 390	77 x 30 x 27 cm.| 9.5 kg

Fabric	Quest Tec Pro 75
Fabric Density	75 D
Frame	Frame : Minimal, quick fit frame
Waterproof Rating	6,000 mm (Hydrostatic Head)
UV Rating	50+

ANNEX AVAILABLE

Optional annex available for the Eagle drive away awning (purchased separately).



Eagle drive away awning (vehicles 180 - 210 or 240 - 270 high)
Available in air or poled versions and low or high versions

A3533-MG : Poled (low)
A3534-MG : Poled (high)

- Easy to use poled drive away awning with annex option.
- Minimal quick-fit pole system making it easy and quick to pitch.
- QTec75 pro very lightweight, very performant fabric.
- Quick drying, very lightweight, easy to fit and pitch.
- Rain safe canopy over main door.
- Built in, fully tubbed groundsheet for added weather protection.
- Doors on all sides for maximum flexibility.

Main awning size (cm)	300 x 300 x 230
Tunnel Size (cm)	80 x 250/300
Weight (kg)	Low: 14.4 | H igh: 14.8
Fits (Height of vehicle)	Low : 180 - 210 cm High: 240 - 270 cm.
Fabric	75D / 6000 mm HH
Frame	Fibreglass
Pack Size (cm)	77 x 31 x 30

A3533A-MG : Air (low)
A3534A-MG : Air (high)

- Easy to use air drive away awning with annex option.
- Featuring the Fast AirTec (FAT) system for quick and easy pitching.
- Lightweight, quick drying and durable QTec150 pro fabric for an extended lifespan.
- Rain safe canopy over main door.
- Built in, fully tubbed groundsheet for added weather protection.
- Doors on all sides for maximum flexibility.

Main awning size (cm)	300 x 300 x 230
Tunnel Size (cm)	80 x 250/300
Weight (kg)	Low: 16.4 | High: 16.8
Fits (Height of vehicle)	Low : 180 - 210 cm High: 240 - 270 cm.
Fabric	300D / 6000 mm HH
Frame	Fast Air Tech (FAT) Air beams
Pack Size (cm)	77 x 42 x 36

A3535-MG : Eagle Annex (poled) - Includes inner tent

Awnings & Tents



FREE CANOPY KIT

Includes a set of canopy poles to allow you to use any of the three panels as a sun canopy.

Kestral drive away tailgate awning (T5,6,6.1)
Available in air or poled versions.

A3530-MG : Poled

- Easy to use poled tailgate drive away awning.
- Minimal quick-fit pole system making it easy and quick to pitch.
- QTec75 pro very lightweight, very performant fabric.
- Quick drying, very lightweight, easy to fit and pitch.
- Roll up front door which can be used as a sun canopy with the included canopy pole kit.
- Clip in groundsheet for added weather protection.
- Tailgate opens up into the connection tunnel.


Main awning size (cm)	300 x 300 x 230
Tunnel Size (cm)	140 x 210/230
Weight (kg)	14.2
Fits (Tailgate models)	T5, T6, T6.1
Fabric	75D / 6000 mm HH
Frame	Fibreglass
Pack Size (cm)	72 x 28 x 28

A3530A-MG : Air

- Easy to use Air tailgate drive away awning.
- Featuring the Fast AirTec (FAT) system for quick and easy pitching.
- Lightweight, quick drying and durable QTec150 pro fabric for an extended lifespan.
- Very lightweight, easy to fit and pitch.
- Permanent built in ventilation for combating condensation and allowing air flow.
- Roll up front door which can be used as a sun canopy with the included canopy pole kit.
- Built in, fully tubbed groundsheet for added weather protection.
- Tailgate opens up into the connection tunnel.

Main awning size (cm)	250 x 300 x 230
Tunnel Size (cm)	140 x 210/230
Weight (kg)	15
Fits (Tailgate models)	T5, T6, T6.1
Fabric	150D / 6000 mm HH
Frame	Fast Air Tech (FAT) Air beams
Pack Size (cm)	70 x 38 x 41





Kite Tailgate VW camper van awning (T5,6,6.1)
Tailgate vans only

A3531-MG

- Does not require any poles, making it extremely easy and quick to pitch, so much so it can be done by a single person in a matter of minutes.
- QTec75 pro very lightweight, very performant fabric, which is very quick drying, very lightweight and easy to clean.
- Clip in, fully tubbed groundsheet for added weather protection.
- Tailgate opens up into the awning.

Awning size (cm)	200 x 195 x 208
Weight (kg)	4.6 kg.
Fits (Tailgate models)	T5, T6, T6.1
Fabric	75D / 6000 mm HH
Frame	Fibreglass
Pack Size (cm)	61 x 19 x 19





Osprey camper van rear sun canopy (T5,6,6.1)
Barn door vans only

A3532-MG

- Instant canopy area at the back of your camper van.
- Heavyweight and premium fabric for better performance, longer life and added durability.
- So easy it can be fitted by a single person in a matter of minutes. Clips into position, no need for pegging.

Canopy size (cm)	80 x 160 cm
Weight (kg)	2.1 kg.
Fits (Barn Door models)	T5, T6, T6.1
Fabric	300D / 6000 mm HH
Locking Pole	Aluminium
Pack Size (cm)	112 x 9 x 9

Awnings & Tents



Annex for Eagle drive away awning
Fits all versions of the Eagle drive away awning

A3535-MG

- Single pole system making it easy and quick to pitch.
- QTec75 pro very lightweight, very performant fabric.
- Quick drying, very lightweight, easy to fit and pitch.
- Simply zips onto the Eagle drive away awning to give you the perfect sleeping or storage pod.
- You can use up to 2 annexes on the same eagle awning.

Annex size (cm)	200 x 220 x 180
Weight (kg)	4.7 kg.
Fits	All eagle drive away awnings
Fabric	75D / 6000 mm HH
Frame	Fibreglass
Pack Size (cm)	65 x 20 x 18

Screen House 4 Mini

A5503-GR : Screen house 4 mini in grey

- Quest Tec75 very lightweight fabric.
- Single person pitch.
- Very lightweight.
- Small pack size.
- 60 seconds to erect.
- UV 50+ protection.
- Premium NoChill mesh PRO panels.
- Built in groundsheet.
- Premium hub system.
- Storm straps.
- Stable style door.
- Zipped carry bag.
- Quick drying.

Size (cm)	145 x 145 (+38)x 140/160
Weight (kg)	4.3
Pack Size (cm)	105 x 12 x 12





The Original

The Quest screen house is the original, one person, one minute shelter.

Often copied, but never equalled.

It is simply the easiest and quickest shelter available today.

Quest Screen House Pro shelter and drive away awning
Available in 4 or 6 sided versions

A3000 : Screen House 4 Pro (green)
A3000-GR : Screen House 4 Pro (grey)
A3005 -GR: Screen House 6 Pro (grey)

A5504 : Screen House Pro Canopy (fits all sizes)
A5505-GR : Screen House Pro Vehicle Connector

- Single person pitch: Easiest to use shelter on the market, with nothing to assemble, tension or inflate
- Full Quest No-Chill mesh sides, and double zipped front door, premium quality and strength throughout, plus full, sewn in Quest Tec 210 fabric sides with crystal clear windows and external blinds.
- Warmer in the wind and cooler in the sun
- U.V. coated protection giving a 50+ UV rating
- Premium hub : Latest generation frame system, maximising strength, whilst minimising weight and increasing performance
- Full accessory zip allowing for additional options (vehicle connector, screen shield and zipping screen hour pro's together)

Screen House 4 Pro	
Screen House size (cm)	240 x 240 x 180/220
Weight (kg)	12.8
Pack Size (cm)	173 x 20 x 25

Screen House 6 Pro	
Screen House size (cm)	300 x 360 x 180/220
Weight (kg)	18
Pack Size (cm)	185 x 25 x 25

CANOPY

Add a large canopy to your screen house pro (front or rear on the screen house 6 pro, front on the screen house 4 pro)

Canopy	
Size (cm)	180 x 180/240 (SH6 / SH4)
Weight (kg)	2.75 kg
Pack Size (cm)	85 x 18 x 18 cm

VEHICLE CONNECTOR

Turn your screen house pro into a drive away awning with the screen house pro vehicle connector

Vehicle Connector	
Size (cm)	90 x 260 x 180/210
Weight (kg)	1.4 kg
Pack Size (cm)	72 x 16 x 16

Awnings & Tents



Nest Shelter (Mid Grey)

A3562-MG

- This is an extremely easy and quick to pitch day shelter, that is also great on the pocket. It uses the extremely lightweight and waterproof Quest Tec Pro 75D fabric to help keep the weight down, whilst ensuring a high waterproof rating and protection from the UV rays. The simple frame is fibreglass poles, which can be put together quickly and easily by one person in just a couple of minutes.
- The Nest features a built in groundsheet giving you a full sealed unit and protection from the elements. There are two large doors and three windows giving you great views and ease of access. Internal toggle blinds on the inside giving you privacy when required. It is extremely lightweight and packs down extremely small when not in use.
- Fabric : Quest Tec Pro 75 D
- Waterproof rating: 6,000 mm
- Size : 250 x 250 x 215cm
- Packed Size: 56x23x23cm
- Fabric Weight: 3.5kgs
- Total Weight : 6.8kgs



Instant Utility and Toilet Tent

120010-GR

- High Quality Materials.
- Zero Tension Frame.
- Entire Tent is in One Bag.
- Durable Coating on Frame.
- In Built Removable Groundsheet.
- Zipped Front Door.
- Carry Bag.
- Can be Used as Shower Tent.
- Holder for Shower Unit.
- Multi Purpose Uses.



Instant Utility and Toilet Tent

A1004

- Extremely lightweight fabric
- Quick drying
- Single person pitch
- Seconds to erect
- Multiple uses
- Small pack size
- Zipped carry bag







Quest Louisiana Pop Up Folding Pavilion in grey
Available in 2 sizes, with optional sides

A3610 : Louisiana (300 x 300 cm)
A3611 : Louisiana (300 x 450 cm)

A3610SI : Sides for Louisiana (300 x 300 cm)
A3611SI : Sides for Louisiana (300 x 450 cm)

- More than a simple gazebo, this is the Louisiana folding pavilion. It has a premium, easy to use folding frame with an extremely tough and durable finish extending it's lifespan. The frame itself is very easy to use, you simply hold the corners and walk outwards, pulling the frame out which extends the roof beams automatically. You then simply extend the legs to the desired height (3 different heights). The legs are extremely simple to use thanks to the quick release locks enabling you to change the height in seconds.
- The roof is waterproof and UV resistant. The coating protects it and you from the suns UV rays extending the lifespan of the fabric. The coating also finishes the fabric off so it looks as good as it performs. Finished in a modern grey colour it compliments the frame making this pavilion stand out from the rest.
- The side walls are a complete set giving you protection from every side. Each set consists of 4 sides, 2 window panels and 2 door panels.
- They are lightweight and easy to attach. They velcro to the roof and the other sides, plus pegged at the bottom.

- 300 x 300 Pavilion pack size: 160 x 24 x 24cm
- 300 x 300 Pavilion weight: 21 kg
- 300 x 345 Pavilion pack size: 160 x 26 x 26 cm
- 300 x 450 Pavilion weight: 28 kg

Awnings & Tents






Quest Screen Shield Quad
Extendible windbreak system, available with or without windows

A5510-GR : 4 panels without windows	*A5512-GR : 4 panels with windows*
• Premium quality, strength and durability • Extremely easy to pitch, so much so it can be pitched by one person in one minute. • 4 Panels, Quad vision includes viewing window in each panel. • Extendible - Can be zipped to another Screen Shield Quad, or connected directly to a Screen House Pro. • Premium Hub 4 System • Solid fibreglass poles	• Includes storm straps • Each panel can be up turned up to 180 degrees from the last one. • Can be made into a four sided enclosure where the two ends zip together to form a fully sealed and safe enclosure for pets and more. • Comes with two storm pole kits (optional for use) for added strength. • Size : 500 x 120 cm (Each panel is 125 x 120 cm) • Weight: 3.1 kg • Packed Size : 105 x 15 x 15 cm

Image below shown with 3 panel and 1 panel connected together and connected to Screen House Pro



Quest Screen Shield.
Available in 3 panel or 1 panel

A5510 : 1 Panel in green	*A5512 : 3 Panel in green*
• Quest Tec210 lightweight fabric. • Single person pitch. • Lightweight. • 60 seconds to erect. • UV 50+ protection. • Premium hub system.	• Solid fibregalss poles for additional strength • Extendable - it can be connected to other screen shields or any screen house pro. • Zips directly to Screen House Pro (all models) to give you a protected area outside your screen house.	• Extra high panels gives you complete protection from the wind. • Viewing windows on every panel. • Guy lines and Aluminium stability pole(s) for additional stability and strength when pitched. • Zipped carry bag.

1 Panel size (cm)	180 x 180	**3 Panel size (cm)**	540 x 180
1 Panel Weight (kg)	3.1	**3 Panel Weight (kg)**	10.1
1 Panel Pack Size (cm)	134 x 14 x 14	**3 Panel Pack Size (cm)**	134 x 18 x 18

Awnings & Tents



Quest Falcon Airshield : quick and easy to use, extendable air windbreak. Available in a 3 pack, 1 pack or door.

A1038-MG : 3 Panel in mid grey
A1039-MG : 1 Panel in mid grey
A1038D-MG : Door Panel in mid grey

- QuestTec 150 lightweight performance fabric
- Falcon Air Technology (FAT) System
- Lightweight
- Single person pitch
- Small pack size
- Dual inflation/deflation points
- Independant panels
- UV 50+ Protection
- Large viewing windows
- Each panel zips together
- Extendable to any size
- Use as many or as few panels as you like
- Each panel can be angled
- Complete with pump (3 panel only)
- Complete with a kador strip to connect to your caravan (3 panel only)

1 Panel size (cm)	160 x 140
1 Panel Weight (kg)	2.4
1 Panel Pack Size (cm)	50 x 20 x 18

3 Panel size (cm)	500 x 140
3 Panel Weight (kg)	7.75
3 Panel Pack Size (cm)	77 x 33 x 26



Liberty Leisure Outdoors Shetland Windbreak. Available in 5 or 7 pole and in blue or charcoal stripe.

MQ0064 : 5 Pole in charcoal stripe
MQ0196: 7 Pole in charcoal stripe
MQ0207 : 5 Pole in blue stripe
MQ0203: 7 Pole in blue stripe
MQ0208 : Replacement pole for Shetland windbreak

- Lightweight fabric in charcoal or blue stripe
- Hardwood poles with pointed ends for easier driving into the ground.
- Steel spikes and end caps for ease of use
- Caravan beading : to connect it directly to your caravan, or connect multiple windbreaks together (requires figure of eight which is purchased separately)
- **Replacement Pole available for Shetland (or other) windbreaks**

5 Pole size (cm)	345 x 123
5 Pole Weight (kg)	3.25
5 Pole Pack Size (cm)	152 x 9 x 9

7 Pole size (cm)	520 x 123
7 Pole Weight (kg)	4.38
7 Pole Pack Size (cm)	152 x 12 x 10

Awnings & Tents



Westfield Outdoors Windshield Pro : The strongest and most extendable premium windbreak system Available in a Main unit (3 panel), additional panel, door, weather canopy and dog bars

12020304000000 : Main Unit (3 Panel)
12020304001000 : Additional Panel
12020304002000 : Door Panel
A1043 : Weather Canopy
1293446070000 : Dog Bar (Top cross bar)

- Lightweight and very small pack size.
- Pegs right down to the ground with no gap.
- Aluminium frame with a patented design
- Original free standing windbreak
- Windows
- No guy ropes or trip hazards, all the space is usable.
- Frame locks together forming an extremely strong and durable system that requires no guy lines.
- Extendable : You can join main units together, add additional panels, doors plus weather canopies.
- The windbreak can also be slide directly into a caravan awning channel.
- Super sleeves to allow the addition of a dog bar which creates a solid bar along the bottom of the windbreak.

Main unit size (cm)	480 x 140
Main unit Weight (kg)	6
Main unit Pack Size (cm)	110 x 25 x 15

Additional Panel size (cm)	160 x 140
Additional Panel Weight (kg)	2.2
Additional Panel Pack Size (cm)	110 x 15 x 10



Westfield Narvi : Quick, easy to use premium air windbreak. Available in a 2 panel or 1 panel.

120203050000000 : Narvi 2 panels
120203050010000 : Narvi 1 Panel

- 2 Year Warranty
- HydoTech RipStop premium fabric. Excellent strength, durability, anti-fading and built to last.
- Premium performance windbreak and fabrics.
- AAS Air system air beams gives you one all connected system, allowing for easy single inflation.
- Lightweight
- Extendable. You can connect as many of the Narvi's together as you like. They simple zip together to form a long and longer windbreak. Each unit can be angled separately.

1 Panel size (cm)	150 x 130
1 Panel Weight (kg)	3
1 Panel Pack Size (cm)	60 x 24 x 18

2 Panel size (cm)	300 x 130
2 Panel Weight (kg)	4.6
2 Panel Pack Size (cm)	80 x 25 x 22

Awnings & Tents



Quest SuperNova LED lights
Available as a main unit or extension unit

E0082: Main Unit	*E0083: Extension Unit*
• Low wattage, 180 LED's , 1200 Lumens • Super bright LED lights for maximum performance. • IP56 Water and dust rating • Can be used on 240V or 12V	• **Main Unit Consists of** : Light, remote 12V plug , 240v plug 5M cable, velcro straps, s hooks • **Extension Consists of** : Light, 5M cable, velcro straps, s hooks



Stormsure seam sealer

OSEAL 100ml

- Water-based, flexible, and waterproof sealant that dries clear.



Awning rail zip lubricant & general maintenance spray

7080 400ml

- Awning Rail Lubricant , Release or anti-stick spray , Instant Gloss Spray, General lubricant
- Colourless , Odourless
- Non-staining , Non-tainting



Pop up inner tent

A1002

- Fits all Falcon porch and drive away awnings.
- Free standing 2 berth inner tent
- Packed size: 75 x 75 x 10 cm
- Open size: 200 x 200 x 140 cm
- Weight 2.3 kg



3 Berth universal inner tent

4068

- Fabric (Top): Lightweight and breathable poly oxford , Fabric (floor) : Lightweight PVC
- Size: 200 x 180 x 175 cm (L x D x H)
- Pack Size: 40 x 30 x 18 cm
- Weight: 1.1 kg



Tornado rechargeable pump

A0093 28 x 9 x 9.5 cm

- Pressure capacity : 0.5 - 10PSI
- Power: 90W
- Battery capacity: 2000mAh
- Airflow rate: A500L/min B40L/min
- Weight: 0.9 kg



Cyclone high volume pump

A0049

- Double action stirrup pump.
- For use with air awnings, windbreaks, tents and SUP's.
- Comes with 8PSI dump valve (optional for use)



Hurricane 12V electric pump

A0092

- Lightweight, easy to carry and store away when not in use
- Runs on 12V with 5M power cable
- Inflates to a maximum of 16 PSI
- LCD for easy use

Awnings & Tents



Quest awning tie down kit

7035 Strap length :11M

- Fits awnings up to 6m



Dometic awning tie down kit

9103104000

- Helps keep your awning anchored down



Magnetic drive away kit

A2052 Total length :285cm

- Packed : 15 x 4 x 90 cm. , Weight: 1.7 kg.



Deluxe drive away kit (3M)

A2060 4 - 6 mm

A2062 6 - 6 mm

- 1 x Kador Strip , 4 x Figure 8 , 1 x storage bag



Deluxe dual drive away kit

A2064 3M

A2065 4M

- 1 x Kador Strip , 4/5 x Figure 8 , 1 x storage bag



Grey dual keder strip

A3574 4 and 6 to 6 mm

- Roll of 30M, cut to desired lengths



White awning rail protector

A3575 6 x 18 mm

- Total length : 12 M



Falcon storm pole

A3500SP

- For use in all falcon awnings



Deluxe extendable tarp poles

A2058 1 Pair

- Telescopic : 93 - 230cm , Twist lock
- Lightweight aluminium



Leisure vehicle wheel cover

A2050 65 x 64 x 21 cm

- Max wheel inc tyre depth: 21cm
- Max wheel inc tyre width: 65cm



Draughtstore deluxe draft skirt & organiser

A2051 50 x 580 cm

- Two storage areas with zipped dors



Inflatable draft skirt

A3525 270 x 40 cm

- Puncture resistant , hard wearing, easy clean

Awnings & Tents



W4 3/4” Pole flanged foot

37688

- Pole: 3/4 inch
- Foot: 19mm



W4 Guy line

37669

- Length: 6M



W4 Awning anti-friction sleeves

00082



W4 Awning channel protector

00052

- Length: 12M



W4 Awning Pole Bracket Pad

00035

- Pack of 3



W4 Awning pole ends

37683

- Size: 3/4 inch



W4 Awning pole hook

37685

- Size: 1 inch



W4 Awning pole hook

37684

- Size: 7/8 inch



W4 Awning pole marking kit

37676



W4 Awning pole mounting brackets

37672

- Pack of 2



W4 Awning rail care kit

00083



W4 Awning rail cleaning brush

00072



W4 Awning rail lubricant

00075



W4 Awning rail screws

37663



W4 Awning rail spreader

00041



W4 Awning skirt studs and screws

37661

- Pack of 5

Awnings & Tents



W4 Awning skirt studs, screws and poppers

37662

- Pack of 5 sets



W4 Awning stud popper closing tool

37678



W4 Awning Tie Down Kit

00040



W4 Ball loops

37692

- Size: 75mm
- Pack of 3



W4 Brass eyelets

37652

- Size: 1/2 inch
- Pack of 10



W4 Brass eyelets (9.5 mm)

37659

- Size: 3/8 inch
- Pack of 20



W4 Butterfly Pole End Clamp 21-23mm

37645

- Pack of 2



W4 Butterfly Pole End Clamp 25-28mm

37646

- Pack of 2



W4 Cavity Fixer Jacknut

37730

- Pack of 2



W4 Coat / Pole hooks

37665

- Pack of 3



W4 Ease It awning puller

00037



W4 Eyelets closing tool (13mm)

37653

- Size: 1/2 inch



W4 Eyelets closing tool

37660

- Size: 3/8 inch



W4 Figure 8

00058

- Length: 750 mm



W4 Glider for sliding door

37835



W4 Guy line runner bent

37654

- Pack of 5

Awnings & Tents



W4 Guy line runner flat

37655

- Pack of 5



W4 Heavy duty Elasticated cord

37690

- Length: 5M



W4 Inner Tent Clip (25mm)

37641

- Size: 1 inch
- Pack of 3



W4 Inner tent hooks (19mm)

37651

- Size: 3/4 inch
- Pack of 3



W4 Ladder bands

37673

- Pack of 5



W4 Long Cavity Fixer Rubber

37731

- Pack of 2



W4 plastic canopy hooks

37681



W4 Pole adjustment clamp

37680

- Size 1 1/8 inch



W4 Pole adjustment clamp

37686

- Size: 1 inch



W4 Pole adjustment clamp (19mm)

37656

- Size: 3/4 inch
- Pack of 2



W4 Pole adjustment clamp (22mm)

37657

- Size: 7/8 inch
- Pack of 2



W4 Pole C clip (19mm)

37666

- Size: 3/4 inch
- Pack of 2



W4 Pole C clip (22mm)

37667

- Size: 7/8 inch
- Pack of 2



W4 Pole Flanged Foot

37648

- Size: 1 inch



W4 Pole Flanged Foot

37647

- Size: 7/8 inch



W4 Pole ring with 2 pins

37649


Awnings & Tents



W4 Pole spike (19mm)

37668

• Size: 3/4 inch • Pack of 1



W4 Pole spring joint

37658

• Pack of 3

W4 Rain cowl

37689

• Pack of 2



W4 Self adhesive awning stud with 3M

37642

• Pack of 2



W4 Spring button

37650

• Pack of 3



W4 Suction cup with hook

37858



W4 Toggle bands pack of 5


37679

• Pack of 5



W4 Tent bands

37674 : Large (90 mm)
37687: XLarge (150 mm)



W4 Inner tent suspension bands

37675

• 5 Pack



Luggage elastics (45 cm)

00094

• 2 Pack



Luggage elastics (60 cm)

00096

• 2 Pack



Luggage elastics (76 cm)

00097

• 2 Pack



Luggage elastics (91 cm)

00099

• 2 Pack



W4 Cord lock

37859

• Pack of 2



W4 Plastic guy line runners

37695

• 5 Pack



W4 Airbed plug

37804

Awnings & Tents



Quest 12 inch long stake peg

A3506

- Extreme heavy duty use



20cm Drill pegs (Box Qty: 100)

A2034B

- Box of 100



22cm Plastic pegs (Box Qty: 200)

A2035B


- Box of 200



25cm Hard ground pegs (Box Qty: 100)

A2033B


- Box of 100



25cm Screw pegs (Box Qty: 100)

A2032B

- Box of 100



9cm Ground sheet pegs (Box qty: 200)

A2036B

- Box of 200



Samson heavy ground screw tent pegs

MQ1377

- Carry case of 20



Colossal hard ground glow pegs

MQ1375

- Carry case of 20



Colossal hard ground pegs

MQ1374

- Carry case of 20



T-Bar stoney ground pegs

MQ1373

- Carry case of 20



Apollon nylon screw pegs

LL1664

- Carry case of 15

Awnings & Tents



Goliath sand screw peg

LL1667

- 40cm long
- Extra large
- Extra strength
- Made for screwing into soft ground like sand



W4 Rippled angled tent peg 8 inch

37696



W4 Ground sheet pegs (90 mm)

37677

- 5 Pack



W4 Awning pegs

00069 : 5 Pack
00069B : 50 Pack



W4 Tent Peg extractor

00026

- Makes extracting pegs easier and quicker



Hex drill adapters

LL1722	17 mm
LL1772	19 mm



W4 Heavy duty peg


37697



W4 5.5 inch plastic pegs

37694

- 5 Pack



W4 7inch steel tent pegs

37693

- 5 Pack



W4 8” inch plastic tent pegs

37670

- 5 Pack



W4 9” inch steel tent pegs

37671

- 5 Pack



Quest pet anchor

A0064

- Size: 40 cm x 9cm
- Diameter: 8mm
- Attachment swivel to allow 360 degree movement



Quest pet anchor including 4M lead

A2038

- Size: 40 cm x 9cm
- Diameter: 8mm
- Lead length: 400 cm
- Attachment swivel to allow 360 degree movement



Westfield® OUTDOORS

The Westfield range of furniture is simply the very best available. It features exclusive fabric and frames, plus the very best production methods and is backed by the very best warranty.

- **DuraDore 3D Mesh**. This is a luxury fabric with the very best performance. It is a porous pad which means it is extremely comfortable, breathable, but when it rains the water runs through it allowing it to dry very quickly. It is also a stretch fabric, so it keeps its shape for longer.
- **DuraLite**. The DuraLite frames are another exclusive. This is a magnesium and aluminium alloy which is weatherproof, but lighter and stronger than aluminium, perfect for strength and lowering weight.



Westfield Avantgarde Noblesse folding chair (Charcoal grey)

101-101 CG 64 x 88 x 120 cm. • 4.8 kg

- Luxury brand and performance
- 5 Year warranty
- DuraLite SpaceBox frame, lighter and stronger than aluminium
- DuraDore 3D Mesh Fabric
- Fully padded and weatherproof
- Lightest padded chair in its class
- Seat Height: 47cm
- Seat Width: 50 cm
- Folded: 114 x 64 x 10 cm
- Max Load: 150 kg



Westfield Avantgarde Noblesse grande folding chair (Charcoal Grey)

101-102 CG 66 x 88 x 120 cm. • 5.1kg

- Luxury brand and performance
- 5 Year warranty
- DuraLite SpaceBox frame, lighter and stronger than aluminium
- DuraDore 3D Mesh Fabric
- Fully padded and weatherproof
- Lightest padded chair in its class
- Seat Height: 50 cm
- Seat Width: 53 cm
- Folded: 115 x 66 x 12 cm
- Max Load: 150 kg

Outdoor Living



New Colourway

Amazing , brand new 3D colour fabric adds extra depth to the look of the chair



DURADORE® 3D

DURALITE

ErgoShell®

5 years warranty

Westfield Avantgarde Noblesse folding chair (Brown Melange)

101-101 BM 64 x 88 x 120 cm. • 4.8 kg

- 5 Year warranty
- DuraLite frame, lighter and stronger than aluminium
- DuraDore 3D Mesh Fabric
- Seat Height: 50 cm.
- Seat width: 50 cm.
- Folded: 65 x 17 x 104 cm.
- Max Load: 150 kg.



New Colourway

Amazing , brand new 3D colour fabric adds extra depth to the look of the chair



DURADORE® 3D

DURALITE

ErgoShell®

5 years warranty

Westfield Avantgarde Noblesse grande folding chair (Brown Melange)

101-102 BM 66 x 88 x 120 cm. • 5.1kg

- 5 Year warranty
- DuraLite frame, lighter and stronger than aluminium
- DuraDore 3D Mesh Fabric
- Seat Height: 50 cm.
- Seat width: 55 cm.
- Folded: 70 x 17 x 109 cm.
- Max Load: 200 kg.



DURADORE® 3D

DURALITE

5 years warranty

Westfield Avantgarde Oblige leg rest (Charcoal grey)

101-806 CG 47 x 73 x 48 cm. • 1.9 kg

- 5 Year warranty
- DuraLite SpaceBox frame, lighter and stronger than aluminium
- DuraDore 3D Mesh Fabric
- All four adjustable legs, Folds flat
- Height: Up to 48 cm
- Folded: 47 x 73 x 9 cm
- Max Load: 100 kg



New Colourway

Amazing , brand new 3D colour fabric adds extra depth to the look of the leg rest

DURADORE® 3D

DURALITE

5 years warranty

Westfield Avantgarde Oblige leg rest (Brown Melange)

101-806 BM 47 x 73 x 48 cm. • 1.9 kg

- 5 Year warranty
- DuraLite SpaceBox frame, lighter and stronger than aluminium
- DuraDore 3D Mesh Fabric
- All four adjustable legs, Folds flat
- Height: Up to 48 cm
- Folded: 47 x 73 x 9 cm
- Max Load: 100 kg



Westfield Avantgarde Oblige table top

101-440 47 x 73 x 48 cm. • 1.9 kg

- 5 Year warranty
- Fits all Oblige leg rests
- Extremely lightweight
- Turns your Oblige leg rest into a table
- Can also be used as a tray
- Frame: Aluminium
- TableTop: Light wood
- Size: 67 x 53 x 5 cm.
- Weight: 1.8 kg.
- Max Load: 10 kg.



Westfield Performance Advancer folding chair (Anthracite grey)

201-884 AG 65 x 69 x 125 cm. • 5.8 kg

- 5 Year warranty
- DuraLite frame, lighter and stronger than aluminium
- DuraDore 3D Mesh Fabric
- Seat Height: 50 cm.
- Seat width: 50 cm.
- Folded: 65 x 17 x 104 cm.
- Max Load: 150 kg.



Westfield Performance Advancer XL folding chair (Anthracite grey)

201-883 AG 70 x 69 x 125. • 6.5 kg

- 5 Year warranty
- DuraLite frame, lighter and stronger than aluminium
- DuraDore 3D Mesh Fabric
- Seat Height: 50 cm.
- Seat width: 55 cm.
- Folded: 70 x 17 x 109 cm.
- Max Load: 200 kg.



Westfield Performance Advancer small folding chair (Anthracite grey)

201-886 AG 65 x 69 x 120 cm. • 5.4 kg

- 5 Year warranty
- DuraLite frame, lighter and stronger than aluminium
- DuraDore 3D Mesh Fabric
- Seat Height: 45 cm.
- Seat width: 50 cm.
- Folded: 65 x 17 x 104 cm.
- Max Load: 150 kg.



Westfield Performance Advancer ergofit folding chair (Anthracite grey)

201-882 AG 65 x 69 x 125. • 6.2 kg

- 5 Year warranty
- DuraLite frame
- DuraDore 3D Mesh Fabric
- Adjustable head rest
- Seat Height: 50 cm.
- Seat width: 50 cm.
- Folded: 65 x 20 x 90 cm.
- Max Load: 200 kg.

Outdoor Living



New Colourway
Amazing , brand new 3D colour fabric adds extra depth to the look of the chair



DURADORE® 3D
DURALITE
ErgoShell®
5 years warranty

Westfield Performance Advancer PRO folding chair (Dark Grey Melange)

201-1884 DGM 65 x 69 x 125 cm. • 5.8 kg

- 5 Year warranty
- DuraLite frame, lighter and stronger than aluminium
- DuraDore 3D Mesh Fabric
- Seat Height: 50 cm.
- Seat width: 50 cm.
- Folded: 65 x 17 x 104 cm.
- Max Load: 150 kg.



Low back
Smaller pack size

DURADORE® 3D
DURALITE
5 years warranty

Westfield Performance Salina low back compact folding chair (Anthracite grey)

201-898 AG 45 x 40 x 100 cm. • 4.24 kg

- 5 Year warranty
- DuraLite frame, lighter and stronger than aluminium
- DuraDore 3D Mesh Fabric
- Seat Height: 45 cm.
- Seat Width: 46 cm.
- Folded: 86 x 60 x 7 cm.
- Max Load: 120 kg.



Extreme Light Weight
Lightest in it's class

DURADORE® 3D
DURALITE
ErgoShell®
5 years warranty

Westfield Performance Royal folding chair (Anthracite grey)

301-885 AG 64 x 69 x 122 cm. • 4.4 kg

- 5 Year warranty
- DuraLite frame, lighter and stronger than aluminium
- DuraDore 3D Mesh Fabric
- Seat Height: 48 cm.
- Seat width: 50 cm.
- Folded: 64 x 12 x 110 cm.
- Max Load: 150 kg.



Extra small pack size
64 x 12 x 87 cm

DURADORE® 3D
DURALITE
ErgoShell®
5 years warranty

Westfield Performance Royal ergofit folding chair (Anthracite grey)

201-880 AG 64 x 69 x 122 cm. • 5.4 kg

- 5 Year warranty
- DuraLite frame,
- DuraDore 3D Mesh Fabric
- Adjustable head rest
- Seat Height: 48 cm.
- Seat width: 50 cm.
- Folded: 64 x 12 x 87 cm.
- Max Load: 150 kg.

Outdoor Living



Westfield BeSmart Majestic folding chair (Dark Smoke)

301-415 DS 121 x 64 x 68 cm. • 5.0 kg

- 5 Year warranty
- Aluminium frame
- DuraDore 2D padded fabric
- Folding back rest
- Seat Height: 48 cm.
- Seat width: 50 cm.
- Folded: 110 x 64 x 12 cm.
- Max Load: 140 kg.



Westfield BeSmart Majestic grande folding chair (Dark Smoke)

301-416 DS 121 x 67 x 68 cm. • 5.2 kg

- 5 Year warranty
- Aluminium frame
- DuraDore 2D padded fabric
- Folding back rest
- Seat Height: 50 cm.
- Seat width: 53 cm.
- Folded: 1116 x 67 x 12 cm.
- Max Load: 140 kg.



Westfield Advancer Focus leg rest (Anthracite grey)

201-812 AG 47 x 73 x 48 cm. • 1.9 kg

- 5 Year warranty, Adjustable front legs
- Aluminium frame, DuraDore 3D Mesh Fabric
- Height: Up to 48 cm
- Folded: 47 x 73 x 9 cm. , Max Load: 100 kg



Westfield Advancer Focus leg rest (Dark Grey Melange)

201-812 DGM 47 x 73 x 48 cm. • 1.9 kg

- 5 Year warranty, Adjustable front legs
- Aluminium frame, DuraDore 3D Mesh Fabric
- Height: Up to 48 cm
- Folded: 47 x 73 x 9 cm. , Max Load: 100 kg



Westfield BeSmart Focus leg rest (Dark Smoke)

301-827DS 47 x 73 x 48 cm. • 1.9 kg

- 5 Year warranty, Adjustable front legs
- Aluminium frame, DuraDore 2D padded fabric
- Height: Up to 48 cm
- Folded: 47 x 68 x 7 cm. , Max Load: 100 kg



Westfield Avantgarde Focus table top

201-4298 47 x 73 x 48 cm. • 1.9 kg

- 5 Year warranty
- Fits all focus leg rests
- Extremely lightweight
- Turns your Oblige leg rest into a table
- Can also be used as a tray
- Frame: Aluminium
- TableTop: Light wood
- Size: 67 x 53 x 5 cm.
- Weight: 1.8 kg.
- Max Load: 10 kg.



QUEST ELITE® Vienna Pro

Vienna Pro Range Features

- **Fabric: All weather Q-Tex 2D Mesh**. This is an excellent all weather breathable stretch fabric. It is not only extremely durable, but it dries quickly, is anti-fade and breathable so more comfortable on those hot days. It is also soft to the touch adding even more comfort.
- **Q-ShieldAL : Premium electro-plated aluminium**. This is a top end frame, based on premium grade aluminium to give lightness, strength and weather proof with an added electro plated coating which gives it more durability, but also makes the finish flawless and gives the furniture and even better look.
- **Exclusive side table**: All the chairs (except the double snug) feature our exclusive slide out side table which is perfect for drinks mobile phones, tablets and more. It can be slide out or away in seconds.



Vienna Pro relax xl chair with side table

F1363 80 x 80 x 118 cm. • 8.7 kg

- Seat height: 44 cm , seat width: 57 cm.
- Max Arm Height: 69 cm.
- Folded size: 80 x 15 x 95 cm.
- Max load: 120 kg.
- Side table max load: 5 kg.



Vienna Pro lounge camp bed / sun lounger with side table

F1364 70 x 175 x 190 cm. • 6.3 kg

- Can be used flat as a sun or camping bed
- Seat height: 51 cm., seat width: 64 cm.
- Seat length (when flat): 200 cm.
- Folded size: 70 x 20 x 82 cm.
- Max load: 120 kg., side table max load: 5 kg.



Vienna Pro double snug folding chair

F1368 127 x 58 x 90 cm. • 8.3 kg

- Complete with carry bag
- Folds away to small pack size.
- Seat height: 50 cm, seat width: 109 cm
- Folded size: 35 x 35 x 90 cm
- Max load: 2 x 120 (120 per seat) kg.



Vienna Pro recline chair with side table

F1361 59 x 69 x 114 cm. • 5.7 kg

- Seat height: 44 cm., seat width: 49 cm.
- Max Arm Height: 62 cm.
- Folded size: 59 x 11 x 96 cm.
- Max load: 120 kg.
- Side table max load: 5 kg.



Vienna Pro comfort chair with side table

F1362 63 x 70 x 120 cm. • 5.9 kg

- Seat height: 46 cm, seat width: 52 cm.
- Max Arm Height: 69 cm.
- Folded size: 61 x 11 x 120 cm.
- Max load: 120 kg.
- Side table max load: 5 kg.



Vienna Pro rest leg extension

F1365 48 x 100 x 46 cm. • 1.5 kg

- Ultra lightweight
- Fits recline and comfort chairs
- Rest height: 46 cm, rest width: 48 cm.
- Folded size: 48 x 90 x 9 cm.
- Max load: 30 kg.

Outdoor Living



QUEST ELITE®
Bordeaux Pro

Bordeaux Pro Range Features

- **Fabric: Padded Q-Tex 2D Mesh**. This is an excellent all padded breathable stretch fabric. It is not only extremely durable, but is anti-fade and breathable so more comfortable on those hot days. It is also soft to the touch, plus it has extra thick padding giving it the maximum level of comfort possible.
- **Q-ShieldAL : Premium electro-plated aluminium**. This is a top end frame, based on premium grade aluminium to give lightness, strength and weather proof with an added electro plated coating which gives it more durability, but also makes the finish flawless and gives the furniture and even better look.
- **Exclusive side table**: All the chairs (except the double snug) feature our exclusive slide out side table which is perfect for drinks mobile phones, tablets and more. It can be slide out or away in seconds.



Bordeaux Pro relax xl chair with side table

F1343 80 x 80 x 118 cm. • 9 kg

- Solid supportive arms and folds flat
- Seat height: 44 cm. , seat width: 57 cm.
- Max Arm Height: 69 cm.
- Folded size: 80 x 15 x 95 cm.
- Max load: 120 kg., side table max load: 5 kg.



Bordeaux Pro easy chair with side table

F1342 63 x 70 x 122 cm. • 6 kg

- Head rest doubles as a lumbar support
- Solid supportive arms and folds flat
- Seat height: 47 cm. seat width: 49 cm.
- Folded size: 63 x 8 x 115 cm.
- Max load: 120 kg. , side table max load: 5 kg.



Bordeaux Pro rest leg extension

F1345 48 x 100 x 46 cm. • 1.5 kg

- Ultra lightweight
- Fits recline and comfort chairs
- Rest height: 46 cm, rest width: 48 cm.
- Folded size: 48 x 90 x 9 cm.
- Max load: 30 kg.



Bordeaux Pro double snug folding chair

F1348 127 x 58 x 90 cm. • 8.3 kg

- Complete with carry bag
- Folds away to small pack size.
- Seat height: 50 cm, seat width: 109 cm
- Folded size: 35 x 35 x 90 cm
- Max load: 2 x 120 (120 per seat) kg.



Bordeaux Pro lounge camp bed / sun lounger with side table

F1344 70 x 175 x 190 cm • 6.3 kg

- Lounger can be used completely flat as a sun or camping bed.
- Seat height: 51 cm., seat width: 64 cm.
- Seat length (when flat): 200 cm.
- Folded size: 70 x 20 x 82 cm.
- Max load: 120 kg., side table max load: 5 kg.



QUEST ELITE® Naples Pro

Naples Pro Range Features

- **Fabric: All weather Q-Tex 2D Mesh**. This is an excellent all weather breathable stretch fabric. It is not only extremely durable, but it dries quickly, is anti-fade and breathable so more comfortable on those hot days. It is also soft to the touch adding even more comfort.
- **Q-ShieldAL : Premium electro-plated aluminium**. This is a top end frame, based on premium grade aluminium to give lightness, strength and weather proof with an added electro plated coating which gives it more durability, but also makes the finish flawless and gives the furniture and even better look.
- **Exclusive side table**: All the chairs (except the double snug) feature our exclusive slide out side table which is perfect for drinks mobile phones, tablets and more. It can be slide out or away in seconds.



Naples Pro relax xl chair with side table

F1323 80 x 80 x 118 cm. • 8.7 kg

- Solid supportive arms and folds flat
- Seat height: 44 cm , seat width: 57 cm.
- Max Arm Height: 69 cm.
- Folded size: 80 x 15 x 95 cm.
- Max load: 120 kg., side table max load: 5 kg.



Extra Padding
Extra Comfort

Naples Pro lounge camp bed or sun lounger with side table

F1324 70 x 175 x 190 cm. • 6.3 kg

- Lounger can be used completely flat as a sun or camping bed.
- Seat height: 51 cm., seat width: 64 cm.
- Seat length (when flat): 200 cm.
- Folded size: 70 x 20 x 82 cm.
- Max load: 120 kg., side table max load: 5 kg.



Naples Pro recline chair with side table

F1321 59 x 69 x 114 cm. • 5.7 kg

- Solid supportive arms and folds flat
- Seat height: 44 cm., seat width: 49 cm.
- Max Arm Height: 62 cm.
- Folded size: 59 x 11 x 96 cm.
- Max load: 120 kg. , side table max load: 5 kg.



Naples Pro comfort chair with side table

F1322 63 x 70 x 120 cm. • 5.9 kg

- Solid supportive arms and folds flat
- Seat height: 46 cm, seat width: 52 cm.
- Max Arm Height: 69 cm.
- Folded size: 61 x 11 x 120 cm.
- Max load: 120 kg. , side table max load: 5 kg.



Naples Pro rest leg extension

F1325 48 x 100 x 46 cm. • 1.5 kg

- Ultra lightweight
- Fits recline and comfort chairs
- Rest height: 46 cm, rest width: 48 cm.
- Folded size: 48 x 90 x 9 cm.
- Max load: 30 kg.



QUEST ELITE® Ragley Pro

Ragley Pro Range Features

- **Fabric: All weather Q-Tex 2D Mesh**. This is an excellent all weather breathable stretch fabric. It is not only extremely durable, but it dries quickly, is anti-fade and breathable so more comfortable on those hot days. It is also soft to the touch adding even more comfort.
- **Q-ShieldST: Premium electro-plated steel**. This is a premium frame, based on a steel core to give strength and longevity with an added electro plated coating which gives it more durability, but also makes the finish flawless and gives the furniture and even better look.
- **Exclusive side table**: All the chairs (except the double snug) feature our exclusive slide out side table which is perfect for drinks mobile phones, tablets and more. It can be slide out or away in seconds.



Ragley Pro Relax chair with side table

F1303 65 x 80 x 118 cm. • 10.5 kg

- Solid supportive arms and folds flat
- Seat height: 51 cm. , seat width: 53 cm.
- Max Arm Height: 66 cm.
- Folded size: 65 x 15 x 98 cm.
- Max load: 120 kg. , side table max load: 5 kg.



Aluminium Frame Extremely lightweight

Extra Padding Extra Comfort

Ragley Pro lounge camp bed / sun lounger with side table

F1303 70 x 175 x 190 cm. • 6.3 kg

- Lounger can be used completely flat as a sun or camping bed.
- Seat height: 51 cm., seat width: 64 cm.
- Seat length (when flat): 200 cm.
- Folded size: 70 x 20 x 82 cm.
- Max load: 120 kg., side table max load: 5 kg.



Ragley Pro recline with side table

F1301 59 x 69 x 114 cm. • 5.7 kg

- Solid supportive arms and folds flat
- Seat height: 44 cm. , seat width: 49 cm.
- Max Arm Height: 62 cm.
- Folded size: 59 x 11 x 96 cm.
- Max load: 120 kg. , side table max load: 5 kg.



Ragley Pro comfort with side table

F1302 63 x 70 x 120 cm. • 7.2 kg

- Solid supportive arms and folds flat
- Seat height: 46 cm. , seat width: 52 cm.
- Max Arm Height: 69 cm.
- Folded size: 61 x 11 x 120 cm.
- Max load: 120 kg. , side table max load: 5 kg.



Ragley Pro rest leg extension

F1305 48 x 100 x 46 cm. • 1.5 kg

- Ultra lightweight
- Fits recline and comfort chairs
- Rest height: 46 cm, rest width: 48 cm.
- Folded size: 48 x 90 x 9 cm.
- Max load: 30 kg.

Outdoor Living



QUEST ELITE®
Autograph

Autograph Range Features

- **Fabric: QTex Weave 600D**. This is a premium, hard wearing and durable fabric made for the outdoors. The coating gives it protection from the elements and a longer lifespan. Some of the models also feature extra padding for added comfort.
- **Q-ShieldST: Premium electro-plated steel**. This is a premium frame, based on a steel core to give strength and longevity with an added electro plated coating which gives it more durability, but also makes the finish flawless and gives the furniture and even better look.
- **Exclusive side table**: All the chairs (except the double snug) feature our exclusive slide out side table which is perfect for drinks mobile phones, tablets and more. It can be slide out or away in seconds.

Extreme Padding
Extreme Comfort



Autograph Cleveland pack away chair [Black Edition]

F3030BL

87 x 65 x 93 cm.

5.3 kg

- Folds away easily
- Extra wide & extreme padding for the absolute maximum comfort
- Complete with carry bag
- Seat Height: 46 cm.
- Seat Width: 51 cm.
- Folded: 25 x 30 x 103 cm.
- Max Load: 120 kg.



Autograph Norfolk pack away high camp bed [Black edition]

F3036BL 187 x 65 x 93 cm. • 6.9 kg

- Premium Quilted Q-tex weave fabric and Q-ShieldST frame
- Bed Height: 37 cm.
- Bed Width: 71 cm.
- Folded: 25 x 15 x 105 cm.
- Max Load: 120 kg.



Autograph Devon pack away stool & foot rest [Black edition]

F3029BL 33 x 33 x 44 cm. • 0.75 kg

- Packs away to an extremely small size
- Includes carry bag
- Seat Height: 40 cm. , width: 33 cm.
- Folded: 8 x 8 x 58 cm.
- Max Load: 100 kg.



Autograph Atlas carry cart trolley [Black edition]

F2063BL 92 x 51 x 59 cm. • 8.5 kg

- Folds away for easy storage when not in use
- Cart Size: 84 x 46 x 26 cm.
- Handle Height: 101 cm.
- Folded: 53 x 79 x 20 cm.
- Max Load: 80 kg.



Autograph Eddie carry cart trolley [Black edition]

F2064BL 44x29.5x79 cm. • 11.9 kg

- Includes fold down tailgate for easy loading
- Extra wide wheels for better travel over different terrains and folds away for storage
- Size: 44 x 29.5 x 79 cm
- Folded : 42 x 32 x 78 cm , Max Load 80kg

Outdoor Living



Autograph Concert pack away chair [Black edition]

F2050BL

93 x 58 x 109 cm. • 3.7 kg

- Packs away to a small size
- Adjustable arms for additional support
- Includes carry bag
- Designed in the UK, for use in the UK
- Seat Height: 50 cm.
- Seat Width: 58 cm.
- Folded: 15 x 15 x 105 cm.
- Weight: 3.7 kg.
- Max Load: 120 kg.



Autograph Festival pack away chair [Black edition]

F2051BL

84 x 48 x 90 cm. • 2.4 kg

- Packs away to a very small size
- Adjustable arms for additional support
- Includes carry bag
- Designed in the UK, for use in the UK
- Seat Height: 39 cm.
- Seat Width: 51 cm.
- Folded: 13 x 13 x 89 cm.
- Max Load: 120 kg.



Autograph Cumbria pack away chair [Black edition]

F3020BL

62 x 78 x 106 cm. • 5.9 kg

- Premium Quilted Q-tex weave fabric
- Premium Q-ShieldST frame
- 36 month warranty
- Solid arms for maximum support
- Pack away chair that also reclines for additional comfort
- Includes carry bag
- Designed in the UK, for use in the UK
- Folded: 96 x 26 x 22 cm.
- Seat height: 46 cm.
- Seat width: 54 cm.
- Max load: 120 kg.



Autograph Concert pack away chair (Black edition)

F3021BL

91 x 61 x 109 cm. • 3.8 kg

- Premium Quilted Q-tex weave fabric
- Premium Q-ShieldST frame
- 36 month warranty
- Packs away to a small size
- Adjustable arms for additional support
- Includes carry bag
- Designed in the UK, for use in the UK
- Seat Height: 46 cm.
- Seat Width: 57cm.
- Folded: 18 x 18 x 97 cm.
- Max Load: 120 kg.

Extra Padding
Extra Comfort



Autograph Kent pack away chair [Black edition]

F3025BL

60 x 53 x 92 cm. • 3.1 kg

- Premium padded Q-tex weave fabric
- Premium Q-ShieldST frame
- 36 month warranty
- Packs away to a small size
- Wrap around comfort and warmth
- Designed in the UK, for use in the UK
- Seat Height: 42 cm.
- Seat Width: 46 cm.
- Folded: 20 x 15 x 82 cm.
- Max Load: 120 kg.



Autograph Surrey fold away chair [Black edition]

F3027BL

58 x 48 x 86 cm. • 5.6 kg

- Premium Quilted Q-tex weave fabric
- Premium Q-ShieldST frame
- Folds away flat for easy storage
- Fold out side table
- Solid arms for maximum support
- Designed in the UK, for use in the UK
- Seat Height: 45 cm.
- Seat Width: 49 cm.
- Folded: 48 x 15 x 81 cm.
- Max Load: 120 kg.
- Side Table Max Load: 5 kg.



QUEST ELITE®

Kew Range

The Bliss Chair

This is a premium quality chair with amazing levels of comfort. This could be the most comfortable chair you will ever try. Firstly the hammock style seat gives elevated levels of comfort as you sink into position and are firmly yet comfortably held in perfect comfort by the chair. The also has added levels of padding which gives even greater comfort giving you that sink in feeling of quality and comfort.

- **Q-ShieldAL : Premium electro-plated aluminium**. This is a top end frame, based on premium grade aluminium to give lightness, strength and weather proof with an added electro plated coating which gives it more durability, but also makes the finish flawless and gives the furniture and even better look.



Quest Elite bliss relax chair

F6021CR : Cream ***F6021GR : Grey*** 82 x 67 x 97 cm.

- Amazing levels of comfort
- Extra deep padding
- Seat simply un-clips to be stored away when not in use
- Waterproof fabric
- Q-ShieldAL Max frame
- Boxed Size: 109 x 37 x 85 cm
- Max load: 120kg



Quest Elite bliss relax folding chair

F6027GR : Grey 74 x 55 x 47/98 cm. • 7 kg

- Amazing levels of comfort
- Extra deep padding
- Waterproof fabric
- Q-ShieldAL frame
- Includes carry bag
- Seat Height: 47 cm , width: 74 cm
- Folded size: 25 x 25 x 102 cm.
- Max load: 120 kg.



QUEST leisure products

Quest Furniture

Quest furniture is high quality, performance furniture designed in the UK, for use in the UK. They feature exclusive features, designs and fabric's that you may not find elsewhere.

These are combined with high quality production techniques to create furniture that not only looks great, but performs as well.

Canterbury Plus Range

The Canterbury plus range features **QTex fabric**, which is a higher quality 2 x 2 textilene fabric which is weatherproof, stronger and more durable than standard textilene. It is combined with a strong steel frame with a high quality powder coated finish for added durability and weather resistance.



Quest Canterbury Plus relaxer chair

F2121 66 x 70 x 110 cm. • 6.8 kg

- Goes from horizontal to vertical.
- Locks in any position for maximum comfort
- Folded: 85 x 11 x 64cm
- Seat height: 47cm. , width: 52cm
- Max load: 120kg



Quest Canterbury Plus recline chair

F2125 68 x 55 x 113 cm. • 4.5 kg

- Back reclines for added comfort.
- Solid arms for added support.
- Folded 104 x 9.5 x 55 cm
- Seat height 42 cm. , width 44 cm
- Max load 120 kg



Quest Canterbury Plus lounger

F2124 188 x 57 x 30 cm. • 5.75 kg

- Can be used as a camp bed or sun lounger
- Folded 75 x 15 x 58 cm
- Bed height 30 cm. , width 56 cm
- Bed length (flat) 188 cm
- Max load 120 kg



Full cushion (relaxer)

F2035 50 x 160 cm. • 1.3 kg

- Fits relax chairs



Full cushion (recline)

F2034 50 x 100 cm. • 1 kg

- Fits recline chairs



Full cushion (lounger)

F2036 50 x 185 cm. • 1.35 kg

- Fits lounger



Clip on drinks tray

F2032

- Fits recline and relax

Outdoor Living



Liberty®
LEISURE OUTDOORS

Liberty Furniture

Liberty furniture is a quality, outdoor leisure furniture range designed with a balance of performance and value in mind. They contain all the features you need and none of the ones you don't. They give you the very best level of performance and value based in one package.

Hygrove Range

The Hygrove range features a textilene fabric which is weatherproof, durable and breathable. It is combined with a strong steel frame with a high quality powder coated finish for added durability and weather resistance.



Liberty Hygrove relaxer zero gravity chair

LL1612 66 x 80 x 110 cm. • 6.3 kg

- Locks in any position with an adjustable head rest and ergonomic arm rests
- Folded: 93 x 14 x 66 cm
- Seat Height: 47cm. , width: 52cm
- Max load: 120 kg



Liberty Hygrove recline chair

LL1613 68 x 55 x 113 cm. • 4.5 kg

- Adjustable recline plus a removable, padded head rest for additional comfort.
- Folded: 104 x 9.5 x 55 cm
- Seat Width: 44cm, Height: 42cm
- Max load: 120 kg



Liberty Hygrove captains chair

LL1615 54 x 62 x 84 cm. • 2.9 kg

- Low back means very small pack size, making it easy to store away
- Folded: 78 x 54 x 7 cm
- Seat height: 41cm. , width: 44cm
- Max load: 120 kg



Full cushion (relaxer)

F2035 50 x 160 cm. • 1.3 kg


- Fits relax chairs



Full cushion (recline)

F2034 50 x 100 cm. • 1 kg

- Fits recline chairs



Clip on drinks tray

F2032

- Fits recline and relax



Liberty® LEISURE OUTDOORS

Liberty Furniture

Liberty furniture is a quality, outdoor leisure furniture range designed with a balance of performance and value in mind. They contain all the features you need and none of the ones you don't. They give you the very best level of performance and value based in one package.

Liberty Range

The Liberty range features a fun and bright 600D fabric which is both comfortable and great to look at. It is combined with a strong steel frame with a high quality powder coated finish for added durability and weather resistance.



Liberty folding chair (Order in multiples of 4)

LLFC-1 : Blue
LLFC-2 : Grey
LLFC-3 : Lime
LLFC-4 : Orange
LLFC-5 : Red

63 x 42 x 48/101 cm. • 6.6 kg

- Packs away when not in use.
- Carry bag, Padded for comfort.
- Hard arms for added support.
- Extra wide seat Load spreading feet.
- Seat Height: 49 cm.
- Seat Width: 61 cm.
- Folded Size : 105 x 23 x 18 cm.
- Max Load : 120 kg.



Liberty director chair (Order in multiples of 2)

LLDC-1 : Blue ***LLDC-3 : Lime*** ***LLDC-5: Red***
LLDC-2: Grey ***LLDC-4 : Orange***

- Fold out side tray
- Size: 90 x 63 x 49 cm
- Folded Size : 90 x 50 x 27 cm
- Weight: 5.9 kg , Max Load: 120 kg



Liberty comfort chair (Order in multiples of 6)

LLCC-1 : Blue ***LLCC-3 : Lime*** ***LLCC-5: Red***
LLCC-2: Grey ***LLCC-4 : Orange***

- Carry bag, Padded for comfort.
- Size: 48 x 45 x 44/100 cm.
- Folded Size : 104 x 20 x 20 cm.
- Weight: 3.7 kg , Max Load: 120 kg

Outdoor Living



childrens QUEST

A range of children's furniture made specifically for children. Easier to clean, fun and bright colours and designs .

- **Safety :** Made with children in mind we ensure the furniture is safe to use for children. This includes adding safety locks where possible and ensuring as little finger traps and sharp edges as possible.
- **Fun and Lightweight** : We try to make this furniture as fun as possible, using bright colours and great designs, so children love their own furniture, We also make it as light as possible, so they can carry their own furniture which helps make it feel more like their very own furniture.



Childrens Unicorn Garden Set

SP2024

- Umbrella: 96 cm Diameter
- Umbrella Height: 76 - 106 cm.
- Umbrella Weight: 0.46 kg.
- Table: 50 cm Diameter
- Table: 50 cm height
- Chair: 36 x 38 x 50 cm.
- Seat Height: 26 cm.



Childrens Dinosaur Garden Set

SP2025

- Umbrella: 96 cm Diameter
- Umbrella Height: 76 - 106 cm.
- Umbrella Weight: 0.46 kg.
- Table: 50 cm Diameter
- Table: 50 cm height
- Chair: 36 x 38 x 50 cm.
- Seat Height: 26 cm.



Quest Kids Dinosaur Moon Chair

SP2037

- Seat Height: 28 cm.
- Folded Size: 48 x 45 x 5 cm.
- Max load: 35 kg



Quest Kids Unicorn Moon Chair

SP2035 48 x 45 x 48 cm. • 1.6 kg

- Seat Height: 28 cm.
- Folded Size: 48 x 45 x 5 cm.
- Max load: 35 kg

Outdoor Living



Quest Childrens Tiger folding chair

5203

57 x 33 x 66 cm. • 1.3 kg

- Integrated Cup Holder.
- Lightweight.
- Strong Steel Frame.
- Powder Coated for Weather Resistance.
- Durable and Easy Clean Fabric.
- Built in Safety Lock.
- Folds Away for Easy Storage.
- Colour Coded Carry Bag.
- Small Pack Size.
- Seat Height: 27 cm.
- Seat Width: 34 cm.
- Folded: 10 x 13 x 60 cm.
- Max Load: 45 kg.



Quest Childrens Elephant folding chair

5203E

57 x 33 x 66 cm. • 1.3 kg

- Integrated Cup Holder.
- Lightweight.
- Strong Steel Frame.
- Powder Coated for Weather Resistance.
- Durable and Easy Clean Fabric.
- Built in Safety Lock.
- Folds Away for Easy Storage.
- Colour Coded Carry Bag.
- Small Pack Size.
- Seat Height: 27 cm.
- Seat Width: 34 cm.
- Folded: 10 x 13 x 60 cm.
- Max Load: 45 kg.



Quest Childrens Monkey folding chair

5203M

57 x 33 x 66 cm. • 1.3 kg

- Integrated Cup Holder.
- Lightweight.
- Strong Steel Frame.
- Powder Coated for Weather Resistance.
- Durable and Easy Clean Fabric.
- Built in Safety Lock.
- Folds Away for Easy Storage.
- Colour Coded Carry Bag.
- Small Pack Size.
- Seat Height: 27 cm.
- Seat Width: 34 cm.
- Folded: 10 x 13 x 60 cm.
- Max Load: 45 kg.



Quest Childrens Sloth folding chair

5203S

57 x 33 x 66 cm. • 1.3 kg

- Integrated Cup Holder.
- Lightweight.
- Strong Steel Frame.
- Powder Coated for Weather Resistance.
- Durable and Easy Clean Fabric.
- Built in Safety Lock.
- Folds Away for Easy Storage.
- Colour Coded Carry Bag.
- Small Pack Size.
- Seat Height: 27 cm.
- Seat Width: 34 cm.
- Folded: 10 x 13 x 60 cm.
- Max Load: 45 kg.



Quest Childrens Unicorn folding chair

5203U

57 x 33 x 66 cm. • 1.3 kg

- Integrated Cup Holder.
- Lightweight.
- Strong Steel Frame.
- Powder Coated for Weather Resistance.
- Durable and Easy Clean Fabric.
- Built in Safety Lock.
- Folds Away for Easy Storage.
- Colour Coded Carry Bag.
- Small Pack Size.
- Seat Height: 27 cm.
- Seat Width: 34 cm.
- Folded: 10 x 13 x 60 cm.
- Max Load: 45 kg.



Quest Childrens Dinosaur folding chair

5203T

57 x 33 x 66 cm. • 1.3 kg

- Integrated Cup Holder.
- Lightweight.
- Strong Steel Frame.
- Powder Coated for Weather Resistance.
- Durable and Easy Clean Fabric.
- Built in Safety Lock.
- Folds Away for Easy Storage.
- Colour Coded Carry Bag.
- Small Pack Size.
- Seat Height: 27 cm.
- Seat Width: 34 cm.
- Folded: 10 x 13 x 60 cm.
- Max Load: 45 kg.



Westfield Performance Aircolite 80 table (BL)

201-27271 80 x 60 cm. • 6.5 kg

- Warranty: 60 months (5 years)
- Weatherproof
- Frame: Premium aircraft grade aluminium
- TableTop: Aircolite
- Height: 63 - 74 cm.
- Folded: 80 x 60 x 8 cm.
- Max Load: 30 kg.



Westfield Performance Aircolite 100 table (BL)

201-27261 100 x 68 cm. • 7.8 kg

- Warranty: 60 months (5 years)
- Weatherproof
- Frame: Premium aircraft grade aluminium
- TableTop: Aircolite
- Height: 63 - 74 cm.
- Folded: 100 x 68 x 8 cm.
- Max Load: 30 kg.



Westfield Performance Aircolite 115 table (BL)

201-27281 115 x 70 cm. • 10.8 kg

- Warranty: 60 months (5 years)
- Weatherproof
- Frame: Premium aircraft grade aluminium
- TableTop: Aircolite
- Height: 63 - 74 cm.
- Folded: 115 x 70 x 8 cm.
- Max Load: 30 kg.



Westfield Performance Aircolite 120 table (BL)

201-27251 120 x 80 cm. • 11.5 kg

- Warranty: 60 months (5 years)
- Weatherproof
- Frame: Premium aircraft grade aluminium
- TableTop: Aircolite
- Height: 63 - 74 cm.
- Folded: 120 x 80 x 8 cm.
- Max Load: 30 kg.



Westfield BeSmart Alicante Table 80

1502001079 80 x 60 cm. • 4 kg

- Warranty: 60 months (5 years)
- Weather resistant
- Frame: All weather Aluminium
- TableTop: Weather resistant
- laminated MDF
- Height: 56 - 72 cm.
- Folded: 80 x 60 x 8 cm.
- Max Load: 30 kg.



Westfield BeSmart Alicante Table 100

1502002079 100 x 68 cm. • 6 kg

- Warranty: 60 months (5 years)
- Weather resistant
- Frame: All weather Aluminium
- TableTop: Weather resistant
- laminated MDF
- Height: 63 - 74 cm.
- Folded: 100 x 68 x 8 cm.
- Max Load: 30 kg.



Quest Elite Lomond slatted table in light wood

F4000LW 90 x 70 cm. • 4.72 kg

- Tabletop: Electro-Plated Aluminium Slats
- Finish: Light Wood
- Frame : Electro-Plated Aluminium
- Warranty: 24 Months
- Table Height:71 cm.
- Folded: 22.5 x 15 x 101 cm.
- Max Load: 30 kg.



Quest Elite Neagh slatted table in light wood

F4002LW 115 x 79 cm. • 6.12 kg

- Tabletop: Electro-Plated Aluminium Slats
- Finish: Light Wood
- Frame : Electro-Plated Aluminium
- Warranty: 24 Months
- Table Height: 73 cm.
- Folded: 27 x 15.5 x 113 cm.
- Max Load: 30 kg.



Quest Elite Derwent slatted table in light wood

F4004LW 140 x 79 cm. • 6.58 kg

- Tabletop: Electro-Plated Aluminium Slats
- Finish: Light Wood
- Frame : Electro-Plated Aluminium
- Warranty: 24 Months
- Table Height: 70 cm.
- Folded: 23 x 15 x 136.5 cm.
- Max Load: 30 kg.



Quest Elite Brenig slatted table in black

F4006BL 90 x 52 cm. • 4.3 kg

- Tabletop: Electro-Plated Aluminium Slats
- Finish: Gloss Black
- Frame : Electro-Plated Aluminium
- Warranty: 24 Months
- Table Height: 40 - 70.5 cm.
- Folded: 17 x 15 x 94 cm.
- Max Load: 30 kg.



Quest Elite Colliford slatted table in black

F4008BL 122 x 70 cm. • 6.3 kg

- Tabletop: Electro-Plated Aluminium Slats
- Finish: Gloss Black
- Frame : Electro-Plated Aluminium
- Warranty: 24 Months
- Table Height: 56 - 76 cm.
- Folded: 25 x 15 x 79 cm.
- Max Load: 30 kg.



Quest Elite Rutland lightcomb folding table

F4010BM 100 x 70 cm. • 5.76 kg

- Tabletop: Quest Lightcomb
- Finish: Black Marble
- Frame : Electro Plated Aluminium
- Weatherproof
- Warranty: 24 Months
- Table Height: 57 - 77 cm.
- Folded: 107 x 12 x 78 cm.
- Max Load: 30 kg.

Outdoor Living



Speedfit Gloucester deluxe folding picnic set (Onyx Edition)

F4850ON

86 x 67 cm. • 8.5 kg

- Seats 4 Adults.
- Folds away into its own carry case.
- All weather aluminium frame.
- 4 Separate seats
- Lightweight.
- Extremely easy to use.
- Locking legs and seats.
- Exclusive pro effect table top.
- Shower proof table top.
- Frame: Aluminium.
- Table top: pro effect shower proof top
- Total size: 133 x 86 x 67 cm.
- Folded size: 86 x 33 x 10 cm.
- Max Load (Per seat): 100 kg.



SpeedFit Evesham folding table (Onyx Edition)

F4843ON 34 x 56 cm. • 1.6 kg

- Frame: Aluminium
- Heights: 23 and 45 cm.
- Folded: 34 x 56 x 3.5 cm.
- Max load 30kg



SpeedFit Brean folding table (Onyx Edition)

F4845ON 90 x 60 cm. • 3.7kg

- Frame: Aluminum
- Heights: 36 and 68 cm.
- Folded: 45 x 60 x 7 cm.
- Max Load 30kg



SpeedFit Cleeve folding table (Onyx Edition)

F4849ON 80 x 40 cm. • 2.8 kg

- Frame: Aluminium
- Heights: 31, 44 and 68 cm.
- Folded: 40 x 40 x 7 cm.
- Max Load 30kg



SpeedFit Langford folding grill table (Onyx Edition)

F4851ON 120 x 60 cm. • 4.7 kg

- Frame: Aluminium
- Heights: 36 and 68 cm.
- Folded: 60 x 60 x 7 cm.
- Max Load 30kg

Outdoor Living



Superlite Stow folding table

F0112B

120 x 60 cm. • 4.2 kg

- Lightweight
- Compact
- Portable
- Durable
- 3 Heights
- Independently adjustable, levelling feet
- Leg extensions stow away under table
- Folds away into its own carry case
- Black pro effect top
- Powder coated frame
- Integrated carry handle
- Frame: Powder coated aluminium
- Table Top: Shower Proof Covered MDF
- Table Height: 54.5, 61.5 and 69.5 cm.
- Folded Size: 60 x 60 x 7 cm.
- Max Load 30kg



Superlite Shipston folding table

F0113B 34 x 56 cm. • 1.6 kg

- Frame: Aluminium
- Heights: 23 and 45 cm.
- Folded: 34 x 56 x 3.5 cm.
- Max load 30kg



Superlite Burford folding table

F0114B 90 x 60 cm. • 3.7kg

- Frame: Aluminum
- Heights: 36 and 68 cm.
- Folded: 45 x 60 x 7 cm.
- Max Load 30kg



Superlite Witney folding table

F0115B 80 x 40 cm. • 2.8 kg

- Frame: Aluminium
- Heights: 31, 44 and 68 cm.
- Folded: 40 x 40 x 7 cm.
- Max Load 30kg



Superlite Elsfield folding stool/table (Removable table top)

F0116B 40 x 40 cm. • 2.5 kg

- Frame: Aluminium
- Height: 70 cm.
- Folded: XX x XX x X cm.
- Max Load 30kg

Outdoor Living



Quest Jet Stream Grassmoor table and bench set

F0104

Table : 108 x 60 cm. • 7.6 kg
Bench : 89 x 21 cm. • 3.4 kg

- Material: HDPE (blow mould)
- Frame: Powder coated steel
- HDPE Panel: 4 cm.
- Table Height: 71 cm.
- Bench Height: 41 cm.
- Bench Width: 20 cm.
- Bench Folded: 89 x 21 x 5 cm.
- Total folded: 108 x 60 x 7.5 cm.
- Table Max Load: 100 kg.
- Bench Max Load: 200 kg.
- Total weight: 14.4 kg.



Quest Jet Stream Helvellyn table 6ft

F0101 180 x 75 cm. • 11.5 kg

- Material: HDPE (blow mould)
- Frame: Powder coated steel
- HDPE Panel: 4 cm.
- Height: 74 cm.
- Folded: 90 x 75 x 8 cm.
- Max Load: 100 kg.



Quest Jet Stream Skiddaw table

F0102 118 x 61 cm. • 8.5 kg

- Material: HDPE (blow mould)
- Frame: Powder coated steel
- HDPE Panel: 4 cm.
- Folded: 8 x 61 x 61 cm.
- Table heights: 55 & 74.5 cm.
- Max load: 120 kg.



Quest Jet Stream Fairfield round table

F0105

80 cm. (diameter)
6.8 kg

- Material: HDPE (blow mould)
- Frame: Powder coated steel
- HDPE Panel: 4.5 cm.
- Height: 74 cm.
- Folded size: 80 x 102 x 6 cm.
- Max load: 100 kg



Quest Jet Stream Scafell folding chair

F0100

45 x 50 x 86 cm. • 3.85 kg

- Material: HDPE (blow mould)
- Frame: Powder coated steel
- HDPE Panel: 5.5 cm.
- Seat Height: 45 cm.
- Seat Width: 40 cm.
- Folded: 46 x 17 x 110 cm.
- Max Load: 150 kg.

Outdoor Living



Liberty Leisure Red Rum wood effect folding Table (Large)

LL2500 120 x 60 cm. • 5.4 kg

- Table Top : Coated MDF Board
- Frame : Powder Coated Steel
- Table Heights : 54, 61 and 70 cm
- Folded Size : 60 x 60 x 7 cm.
- Max Load: 30 kg.



Quest Fleetwood master table (grey)

F0019G 60 x 80 cm. • 2.53 kg

- Frame: Powder Coated Steel.
- Table Top: Solid Plastic.
- Height: 50 & 62 cm cm.
- Folded Size: 60 x 80 x 3 cm.
- Max Load 30kg



Liberty Leisure Shergar wood effect folding table (medium)

LL2501 80 x 60.5 cm. • 3.18 kg

- Table Top : Coated MDF Board
- Frame : Powder Coated Steel
- Table Height : 69 cm
- Folded Size : 80 x 60 x 3.5 cm.
- Max Load: 30 kg.



Liberty Leisure Frankel wood effect folding table (small)

LL2502 60 x 40 cm. • 1.78 kg

- Table Top : Coated MDF Board
- Frame : Powder Coated Steel
- Table Height : 46 cm
- Folded Size : 60 x 40 x 4 cm.
- Max Load: 30 kg.



Liberty Leisure Arkle folding table (Small)

LL2503 60 x 40 cm. • 1.34 kg

- Table Top : Coated MDF Board
- Frame : Powder Coated Steel
- Table Height : 24 cm
- Folded Size : 30 x 40 x 4 cm.
- Max Load: 30 kg.



Quest Fleetwood high table (grey)

F0016G 37 x 52 cm. • 1.7 kg

- Frame: Powder Coated Steel.
- Table Top: Solid Plastic.
- Height: 68 cm.
- Folded Size: 75 x 4 x 49 cm.
- Max load 15kg



Quest Fleetwood low table (grey)

F0018G 52 x 37 cm. • 1.4 kg

- Frame: Powder Coated Steel.
- Table Top: Solid Plastic.
- Height: 47 cm.
- Folded Size: 57 x 49 x 4 cm.
- Max Load 15kg



Quest Fleetwood slatted side table (grey)

F0020G 44.5 x 38.5 cm. • 1.3 kg

- Frame: One piece plastic
- Height: 50 cm.
- Folded Size: 44.5 x 59 x 7 cm.
- Max Load 15kg

Outdoor Living



Quest Oregano kitchen stand (black)

F3101

66 x 34 x 79 cm. • 8.8 kg

- Easy to use - it folds open in seconds.
- Lightweight.
- Two levels of aluminium slatted table tops, two fold out side tables and a storage cupboard.
- Includes carry bag.
- Includes wind shield.
- Table slats: Aluminium
- Frame: Powder coated all aluminium.
- Folded: 78 x 49 x 11 cm.
- Max Load: 30 kg



Quest Rosemary kitchen stand (black)

F3100 64 x 34.5 x 79/71 cm. • 7.74 kg

- Easy to use, lightweight, folds open in seconds
- Table Slats: Aluminium.
- Frame: Powder coated steel and aluminium.
- Folded: 87 x 50 x 11 cm.
- Max Load: 30 kg.



Quest Basil kitchen stand (black)

F3102 106.5 x 34.5 x 83/114 cm. • 8.5 kg

- Easy to use, lightweight, folds open in seconds
- Table Slats: Aluminium.
- Frame: Powder coated steel and aluminium.
- Folded: 66 x 55 x 11 cm.
- Max Load: 30 kg.



Quest Chudleigh washing up stand with bowl (black)

F3120 71.5 x 42 x 82 cm. • 3 kg

- Stand: Powder coated steel
- Bowl : PP and TPR plastic
- Stand Folded: 110 x 4.2 x 5.5cm
- Bowl Size: 37.5 x 14cm , Folded: 37.5 x 5 cm
- Max Load: 10kg



Quest Chistlehurst cupboard - (black)

F3200 60 x 51 x 97.5 cm. • 7.54 kg

- Quick & easy frame system, opens in seconds
- Table top and inner shelf tops all included.
- Side storage pockets and carry bag.
- Frame; Powder coated steel and aluminium
- Folded: 60 x 58 x 12 cm. , Max load: 30 kg



Quest Royston cupboard (black)

F3201 60 x 66 x 141 cm.. • 9.42 kg

- Quick & easy frame system, opens in seconds.
- Rear vents, table top & inner shelf tops all included, side storage pockets & carry bag.
- Frame; Powder coated all aluminium
- Folded: 82 x 61 x 11 cm. , Max load: 30 kg



Quest Wooky Hole cupboard (black)

F3202 110.5 x 54 x 89.5 cm. • 10.48 kg

- Quick & easy frame system, opens in seconds.
- Rear vents, table top & inner shelf tops all included, side storage pockets & carry bag.
- Frame; Powder coated all aluminium
- Folded: 110.5 x 56 x 12 cm. , Max load: 30 kg

Outdoor Living



Portable gas stove

66091c 34 x 26 x 8 cm

- Material: Durable steel construction, high-speed cast alloy burner
- Fuel Type: Butane gas canisters (not included)
- Power: 2.5 kW cast alloy burner for efficient cooking
- Automatic piezo ignition, plus safety Mechanism: Pressure-sensitive safety device, safety locking mechanism for gas canister



Butane gas cartridges (Pack of 4)

68238C

- This 4 pack of 220g butane gas cartridges is great value . Each 220g butane gas cartridge has added propane for consistent gas pressure and cold weather use.
- 220g butane gas cartridges are designed to be used with portable gas camping stoves and portable camping heaters.



Clipper tube plus gas flame lighter (Order in of 12's)

1186c

- Makes lighting a barbecue or any gas appliance easier and safer. A high quality tube flame lighter from the best selling brand of clipper. Comes in a display box of 12 individually carded lighters in 4 different colours.
- Colours: Black, White, Red, Blue
- Gas: Butane
- Size: 19 x 3 x 2 cm.



Clipper 300ml gas refill (Order in multiples of 6)

1184

- Easy to use replacement clipper gas match. Fills all major lighter brands fast and efficiently .
- Easy to Use
- Fits all major brands
- Fast and Efficient
- Capacity: 250ml



TR2 TurboFlame ranger

E0109

- Twin laser jet flames
- Flip top safety cap allows easy one handed operation
- Visible gas-level indicator
- Adjustable 1300°C Clean Burn Laser Jet flames
- Heavy duty metal alloy body with rubberised coating
- Operates in any orientation - even upside down (without bending the flame)
- Works up to 3000M (9,800ft) altitude
- Electronic piezo igniter (10,000 ignitions)
- Wind resistant
- Lanyard Fastening hoop



TurboFlame V-Flame windproof lighter

E0110

- Twin laser jet V flames
- Nonslip rubberised coating
- Flip top safety cap that allows easy one handed operation
- Visible gas-level indicator
- Adjustable 1300°C Clean Burn ©V flames
- Heavy duty metal alloy body with rubberised coating
- Operates in any orientation - even upside down (without bending the flame)
- Works up to 3000M (9,800ft) altitude
- Electronic piezo igniter (10,000 ignitions)
- Wind resistant
- Lanyard Fastening hoop

Outdoor Living



Westfield table bag

201-787 : 80 x 60
201-786 : 100 x 68
201-783 : 115 x 70
201-785 : 120 x 80



Westfield chair bag

201-788: 2 x Royals
201-789: 2 x Advancers



Quest Furniture carry bag

F124900



Quest Elite spare elastics for relaxers

124901



Black clip on drinks tray

F2032



Quest stick table (order in 20's)

092000



Table clip 5 colours (Order in 20's)

100029

- Comes in display box of 4 different colours



Lounge full seat cushion

F2036



Recline full seat cushion

F2034



Relax full seat cushion

F2035



Universal clamp on sun shade

118914DP



Quest Fruit parasol and beach umbrella

SP2004

- Kiwi, Melon and Orange



Quest Parasol base

SP2075 : Large

- Size: 44 x 44 x 14 cm.
- Pole diameter: 19 - 32/38 mm



Quest Parasol base

SP2076 : Medium

- Size: 34 x 34 x 18 cm.
- Pole diameter: 19 - 28 mm



Easy lock floor tiles with edging strips

A340093

- Pack of 4tiles + edging strips

Outdoor Living



Washable home is where you park it

C0050N

- Camper Van design mat



Washable home is where you park it

C0051N

- Motor Home design mat



Washable home is where you pitch it

C0054N

- Tent design mat



Washable home is where you tow it

C0031N

- Caravan design mat



Heavy duty coir home is where you park it

C0052N

- Camper Van design mat



Heavy duty coir home is where you park it

C0053N

- Motor home design mat



Heavy duty coir home is where you pitch it

C0077

- Tent design mat



Heavy duty coir home is where you tow it

C0033N

- Caravan design mat



I love my caravan coconut door mat

51651

- Reimo caravan design mat



I love my motor home coconut door mat

51649

- Reimo motor home design mat



Infinity Scrapper door mat (12 pack)

C0028

- Size: 50 x 75 cm



Firth rile mat - rubber polyprop (12 pack)

C0025

- Size: 40 x 70 cm



Delta Wide ribbed mat

C0024

- Size: 40 x 70 cm



Tangier deluxe outdoor patio mat

C0072

- Size : 120 x 180 cm
- Assorted designs



Tangier deluxe outdoor patio mat

C0071

- Size : 150 x 210 cm
- Assorted designs



Casablanca deluxe beach mat

C0073

- Size: 70 x 180 cm

Outdoor Living



Liberty Leisure Airweave cushioned carpet

- Premium 400g m², 100% polypropylene woven tubing for the maximum performance and durability.
- Breathable, washable and rot-proof
- Fully edged with pegging tags
- Allows grass to breathe but keeps out bugs and dirt and a reversible design
- Supplied with zipped carry bag
- **LL0072** : 250 x 250 cm
- **LL0073** : 250 x 300 cm
- **LL0074** : 250 x 350 cm
- **LL0075** : 250 x 400 cm
- **LL0076** : 250 x 450 cm
- **LL0077** : 250 x 500 cm
- **LL0275** : 250 x 550 cm
- **LL0276** : 250 x 600 cm
- **LL0277** : 250 x 650 cm
- **LL0278** : 250 x 700 cm
- **LL0279** : 250 x 750 cm
- **LL0280** : 250 x 800 cm

Liberty Leisure Breathweave carpet

- Breathable & washable
- Rot-Proof
- Fully hemmed & eyeletted
- Allows grass to breathe but keeps out bugs and dirt
- 100% High-Density Polyethylene (HDPE), 225 grams per square metre
- Supplied with zipped carry bag
- **LL0299** : 250 x 250 cm
- **LL0300** : 250 x 300 cm
- **LL0301** : 250 x 350 cm
- **LL0302** : 250 x 400 cm
- **LL0303** : 250 x 450 cm
- **LL0304** : 250 x 500 cm
- **LL0305** : 250 x 550 cm
- **LL0306** : 250 x 600 cm
- **LL0307** : 250 x 650 cm
- **LL0308** : 250 x 700 cm
- **LL0309** : 250 x 750 cm
- **LL0310** : 250 x 800 cm



Multiple widths
Available in 200, 250 and 300 cm widths



Quest Marrakech outdoor cushioned carpet

- Perfect for patios, gardens, tents, awnings, padded and comfortable
- Breathable, so allows grass underneath to breath when used
- Available in three different widths

- **A1102-02** : 200 x 180 cm
- **A1102-01** : 250 x 200 cm
- **A1102-03** : 250 x 250 cm
- **A1102-04** : 250 x 300 cm
- **A1102-05** : 250 x 330 cm
- **A1102-07** : 250 x 370 cm
- **A1102-09** : 250 x 400 cm
- **A1102-11** : 250 x 450 cm
- **A1102-13** : 250 x 500 cm
- **A1102-15** : 250 x 550 cm
- **A1102-17** : 250 x 600 cm
- **A1102-19** : 250 x 650 cm
- **A1102-21** : 250 x 700 cm
- **A1102-23** : 250 x 450 cm
- **A1102-25** : 250 x 750 cm
- **A1102-27** : 250 x 800 cm
- **A1102-30** : 300 x 300 cm
- **A1102-34** : 300 x 400 cm
- **A1102-35** : 300 x 500 cm
- **A1102-36** : 300 x 600 cm

Outdoor Living



Quest Kills Racket Zapper

C0090

- Say goodbye to those annoying pests. The racket zapper is easy to use and effective
- Simply press the button on the handle to activate the zappers head which conducts a low voltage charge which is deadly to insects and bugs but non-harmful to humans or pets.
- Effective
- Low voltage charge
- Deadly to insects and bugs
- Non-harmful to humans and pets
- Battery operated
- Works instantly
- Size: 46 x 17 x 2.9 cm.
- Battery: 2 x AA



Quest magnetic door flyscreen

C0023 100 x 210 cm

- Stops insects at the door
- Allows a delicate breeze to flow
- Installs in minutes
- Magnetic easy close system
- Fits a wide selection of doors
- No tools needed



Quest Kills double action lantern and insect killer

C0091

- USB re-chargeable
- Wireless
- Rainproof
- Insect killer
- Extra bright LED
- Wireless - does not need to be plugged in
- Easy to clean
- Inside and outside use
- 2000mH rechargeable battery
- Built in180 Lumens light
- 3 Light settings : 20% (30 Lumens) , 50% (90 Lumens), 100% (180 Lumens)
- Hanging hook
- Ultraviolet LED
- Charging indicator



Quest Kills mains insect killer

C0088 27 x 13 x 13 cm. • 0.55 kg

- Low wattage
- Up to 20 square metres coverage
- 800 - 1000V grid
- Overheat protection
- Removable collection tray
- Lightweight
- 3W UV tube
- Tough and durable





Quest Kills extending fly swat

C0089 26 -72 x 8.5 x 1.5 cm. • 0.03 kg

- Small, robust and deadly!
- This extending Fly Swat is perfect for everybody to help get rid of those pesky flies in the summertime.
- Available in a variety of colours



Mosquito netting

00020	100 x 100 cm
00021	100 x 150 cm
00022	100 x 200 cm

- For leisure or home use.
- Easy to cut, it will not fray and can be easily stitched by hand or a sewing machine. Fit with velcro tape or expanding curtain wire

Outdoor Living



Car & caravan model set

M0031

- Display box of 9



Camper van & speedboat model set

M0032

- Display box of 9



Ice cream van model set

M0033

- Display box of 12



Motorhome model set (2 assorted designs)

M0043

- Display box of12



Giant puffer ball (assorted colours)

M0042

- Display box of 6



10in Flying ring (assorted colours)

M0044

- Display box of 48



Unicorn water game

M0046

- Display box of 24



Dinosaur water game

M0047

- Display box of 24



Fun Sport 5 inch Soft Soccer Ball

M0007

- Display box of 12



Cricket set (size 5)

M0036



Rounders set

M0037

- Outer carton of 12



Wooden beach bat set

M0048



Fun sport boules set with carry case

M0023

- Outer carton of 8



Bubble wand

M0035

- Display box of 24




Archery set

M0038

- Display box of 12

Outdoor Living



Dog Ball Thrower

M0041

- Makes throwing a ball easy
- Includes tennis ball



Quest pet anchor

A0064 40 x 9 cm. • 0.3 kg

- High Quality Solid Steel.
- Secure Staking Point.
- 360 Degree O-ring.
- Display Box of 20.



Quest Pet anchor with 4M lead

A2038 40 x 9 cm.

- High Quality Solid Stainless Steel.
- Secure Staking Point.
- Easy To Use.
- 360 degree anti-tangle ring.
- Easy grab hande.
- Material: Stainless steel
- Lead Length: 400 cm



Quest Collapsible Pet Bowl

K0245 15.4 x 15.4 x 8.5 cm. • 0.07 kg

- Collapses down when not in use
- Key ring attachment point
- Easy to clean
- Lightweight
- Size: 15.4 x 15.4 x 8.5 cm
- Volume : 150 ml
- Collapised Size : 15.4 x 1cm
- Weight : 0.07 kg



Quest Collapsible Dual Pet Bowl

K0246 35 x 13 x 5.5 cm. • 0.13 kg

- Collapses down and folds in half when not in use
- Key ring attachment point
- Easy to clean
- Lightweight
- Size: 35 x 13 x 8.5 cm
- Collapsed Size : 13.5 x 1 cm
- Weight : 0.13 kg



Pet bowl (medium)

11399AE 19 x 19 x 5.5cm

- Blue, white and dark grey (mixed)
- Order in multiples of 12



Pet bowl (large)

11397AE 23 x 23 x 6.5 cm

- Blue, white and dark grey (mixed)
- Order in multiples of 12

Household



Universal oven shelf

031249

- Expandable shelf, No assembly
- Straight replacement
- Width: 32 cm
- Length: 36 - 56 cm
- Weight: 0.6 kg



2 Piece pan set

K0059

- Made in the UK
- Non stick coating, Easy to clean
- Dishwasher safe
- Milk Pan: 14 cm
- Frying pan: 20 cm



3 Piece pan set

K0068

- 3 pan set all with glass lids
- Made in the UK
- Non-stick coating
- Pans: 14 cm. , 18 cm. , 20 cm.
- Weights: 0.5 kg, 0.64 kg, 0.8 kg.



BBQ/ Oven range oven tray

K0067 Pan size : 28 cm

- Made in the UK
- Non stick coating
- Enamel finish
- Easy to clean



BBQ/ Oven range 28cm roaster

K0066 Pan size : 28 cm

- Made in the UK
- Non stick coating
- Enamel finish
- Easy to clean



BBQ/ Oven range grill pan with removable handle

K0065 Pan size : 35 cm

- Made in the UK
- Dishwasher safe
- Non-stick coating , easy to clean
- Removable handle
- Total Size: 35 x 47 cm.



Egg poacher

K0060

- Made in the UK
- Non stick coating , Easy to clean
- Dishwasher safe
- Bakelite handle
- Size: 35 x 24 x 10 cm



BBQ/ Oven range pizza pan

K0062 Pan size : 26 cm

- Made in the UK
- Non stick coating
- Easy to clean
- Dishwasher safe
- Total Size: 40.5 x 28 cm



Frying pan with removable handle

K0063 Pan size : 20 cm

- Dishwasher safe
- Non-stick coating, easy to clean
- Removable handle
- Size (no handle) : 25 x 24.5 cm
- Total Size: 41.5 x 24.5 cm.



Frying pan with removable handle

K0064 Pan size : 24 cm

- Dishwasher safe
- Non-stick coating, easy to clean
- Removable handle
- Size (no handle) : 26 x 24.5 cm
- Total Size: 43 x 26 cm.



BBQ/ Oven range griddle pan

K0061 Pan size : 24 cm

- Made in the UK
- Non stick coating, easy to clean
- Dishwasher safe
- Bakelite handle
- Total Size: 25.5 x 43 cm



BBQ/ Oven range grill pan with removable handle

K0069 Pan size : 29 cm

- Dishwasher safe
- Non-stick coating , easy to clean
- Removable handle
- Size (no handle) : 28 x 22 x 4 cm
- Total Size: 28 x 41 x 8 cm.

Household



Quest deluxe maxi frypan

K0051

31 x 42 x 14 cm • 1.9 kg

- Low wattage.
- Cast aluminium
- Healthier cooking.
- Non-stick grill.
- Adjustable temperature.
- Easy to clean and maintain.
- Glass lid with steam escape.
- Size: 31 x 42 x 14 cm.
- Grill Area: 30.5 x 30.5 cm.
- Weight: 1.9 kg.
- Voltage : 230v.
- Wattage: 1200w.
- Frequency: 50 / 60hz.



Quest large low wattage healthy griddle

K0012 55 x 24 x 10 cm • 1.7 kg

- Low wattage
- Dual cooking areas
- Non-stick coating
- Cool touch handle
- Adjustable heat
- Voltage: 220 - 240v
- Wattage: 1400w
- Hertz: 50/60Hz



Quest Low wattage white hot plate (single)

K0010 22 x 22 x 7.5 cm • 1.4 kg

- Lightweight, Portable, Low Wattage.
- Easy to Clean , Overheat Cut Off.
- Variable & automatic temperature control.
- Cooking Ring: 15.5 cm., Cord Length: 1m
- Wattage: 1000w. , Voltage: 220 - 240V



Quest low wattage toaster oven

7506 34.3 x 26 x 21.5 cm • 2.6 kg

- Temperature: Up to 230oc, Capacity: 9 L
- Usage: 800W 220-240V
- Low wattage , Compact size, easy to clean
- Includes cooking grill and baking tray with removable handle



Daewoo 700W Microwave 20L (white)

K0073 46 x 34.4 x 25.8 cm • 10 kg

- Large Capacity (20L) , low wattage
- Wattage: 700W , Voltage : 220 - 240V
- Auto Defrost Function
- 5 Power Levels , 35 Minute Manual Timer
- Subtle Wave Design.



Daewoo 800W Microwave 20L (grey)

K0074 47.8 x 35.8 x 28.8 cm • 10 kg

- Large Capacity : 20L, low wattage
- Wattage: 800W , Voltage : 220 - 240V
- Auto Defrost Function
- 5 Power Levels , 35 Minute Manual Timer
- Increased power for faster cooking times



Russell Hobbs microwave 800W 20L (black)

RHM2063AH 36 x 44 x 26 cm • 11.3 kg

- Large Capacity : 20L, low wattage
- Wattage: 800W , Voltage : 220 - 240V
- Auto Defrost Function
- 5 Power Levels , Manual Timer
- Original fit microwave for bailey caravans



Dometic MWO 240 microwave oven

9600028283 35 x 28 x 45 cm. • 10.8 kg

- Illuminated to easily check on the microwave's contents , Defrosting function
- Integrated, easy-to-clean ceramic plate
- Approved by leading manufacturers
- LED display and cooking end signal

Household



Liberty blue 2.5L whistling kettle

CW-T056-B1BL

- Body: Stainless Steel
- Bottom: Stainless steel
- Size: 22.5 x 19 x 20 cm
- Weight: 0.45
- Capacity: 2.5L



Liberty black 2.5L whistling kettle

CW-T056-B1BLA

- Body: Stainless Steel
- Bottom: Stainless steel
- Size: 22.5 x 19 x 20 cm
- Weight: 0.45
- Capacity: 2.5L



Liberty green 2.5L whistling kettle

CW-T056-B1G

- Body: Stainless Steel
- Bottom: Stainless steel
- Size: 22.5 x 19 x 20 cm
- Weight: 0.45
- Capacity: 2.5L



Liberty red 2.5L whistling kettle

CW-T056-B1R

- Body: Stainless Steel
- Bottom: Stainless steel
- Size: 22.5 x 19 x 20 cm
- Weight: 0.45
- Capacity: 2.5L



Liberty silver 2.5L whistling kettle

CW-T056-B1S

- Body: Stainless Steel
- Bottom: Stainless steel
- Size: 22.5 x 19 x 20 cm
- Weight: 0.45
- Capacity: 2.5L



Liberty copper 2.5L whistling kettle

CW-T056-B1Copper

- Body: Stainless Steel
- Bottom: Stainless steel
- Size: 22.5 x 19 x 20 cm
- Weight: 0.45
- Capacity: 2.5L



Liberty cream 2.5L whistling kettle

CW-T056-B1Cream

- Body: Stainless Steel
- Bottom: Stainless steel
- Size: 22.5 x 19 x 20 cm
- Weight: 0.45
- Capacity: 2.5L



Liberty purple 2.5L whistling kettle

CW-T056-B1Purple

- Body: Stainless Steel
- Bottom: Stainless steel
- Size: 22.5 x 19 x 20 cm
- Weight: 0.45
- Capacity: 2.5L



Hamilton stainless steel whistling kettle

K0056CR

- Folding handle
- Colour: cream , Capacity: 2L
- Size: 19 x 14.5 x 22 cm.
- Folded size: 19 x 14.5 x 15 cm.
- Weight: 0.38 kg.



Hamilton stainless steel whistling kettle

K0056SL

- Folding handle
- Colour: slate , Capacity: 2L
- Size: 19 x 14.5 x 22 cm.
- Folded size: 19 x 14.5 x 15 cm.
- Weight: 0.38 kg.



Hamilton stainless steel whistling kettle

K0056SS

- Folding handle
- Colour: silver , Capacity: 2L
- Size: 19 x 14.5 x 22 cm.
- Folded size: 19 x 14.5 x 15 cm.
- Weight: 0.38 kg.



Olton whistling kettle

K0054SL Capacity: 1L

- Colour: slate
- Easy pour spout
- Aluminium base
- Size: 16 x 16x 14 cm. • 0.21 kg.
- Usage: Gas hobs or real flames

Household



Olton whistling kettle

K0055SL Capacity: 2L

- Colour: slate
- Easy pour spout
- Aluminium base
- Size: 18 x 18 x 17 cm. • 0.26 kg.
- Usage: Gas hobs or real flames



Scotsman low wattage kettle

K0032CR Capacity: 1L

- Colour: cream
- Cordless, lightweight
- High quality plastic body
- Size: 20 x 12 x 22 cm. • 0.64kg
- Voltage: 230V, Wattage: 850W



Scotsman low wattage kettle

K0032SL Capacity: 1L

- Colour: slate
- Cordless, lightweight
- High quality plastic body
- Size: 20 x 12 x 22 cm. • 0.64kg
- Voltage: 230V, Wattage: 850W



Scotsman low wattage kettle

K0033 Capacity: 1L

- Colour: white
- Cordless, lightweight
- High quality plastic body
- Size: 20 x 12 x 22 cm. • 0.64kg
- Voltage: 230V, Wattage: 850W



Scotsman low wattage kettle

K0030 Capacity: 1.7 L

- Colour: black
- Cordless, lightweight
- High quality plastic body
- Size: 24 x 14 x 26 cm , • 0.85kg
- Voltage: 230V, Wattage: 1000W



Scotsman low wattage kettle

K0030CR Capacity: 1.7 L

- Colour: cream
- Cordless, lightweight
- High quality plastic body
- Size: 24 x 14 x 26 cm , • 0.85kg
- Voltage: 230V, Wattage: 1000W



Scotsman low wattage kettle

K0030SL Capacity: 1.7 L

- Colour: slate
- Cordless, lightweight
- High quality plastic body
- Size: 24 x 14 x 26 cm , • 0.85kg
- Voltage: 230V, Wattage: 1000W



Rocket low wattage kettle

K0034CR Capacity: 1 L

- Colour: cream
- Cordless, lightweight
- Premium stainless steel body
- Size: 20 x 13 x 20 cm. • 0.85kg
- Voltage: 230V , Wattage: 1000W



Rocket low wattage kettle

K0034SL Capacity: 1 L

- Colour: slate
- Cordless, lightweight
- Premium stainless steel body
- Size: 20 x 13 x 20 cm. • 0.85kg
- Voltage: 230V , Wattage: 1000W



Rocket low wattage kettle

K0034SS Capacity: 1 L

- Colour: polished silver
- Cordless, lightweight
- Premium stainless steel body
- Size: 20 x 13 x 20 cm. • 0.85kg
- Voltage: 230V , Wattage: 1000W



Rocket low wattage kettle

K0035CR Capacity: 1.7 L

- Colour: cream
- Cordless, lightweight
- Premium stainless steel body
- Size: 22 x 15 x 24 cm. • 0.95kg
- Voltage: 230V , Wattage: 1000W



Rocket low wattage kettle

K0035SL Capacity: 1.7 L

- Colour: slate
- Cordless, lightweight
- Premium stainless steel body
- Size: 22 x 15 x 24 cm. • 0.95kg
- Voltage: 230V , Wattage: 1000W

Household



Guardsman light up kettle

K0057 Capacity: 1L

- Cordless, Lights up when in use
- Size: 20.5 x 24 x 17.5 cm.
- Weight: 0.95kg.
- Voltage: 220 - 240V
- Wattage: 1360-1630W



Mallard 12v kettle

K0025 Capacity: 1L

- Runs of 12V (cigarette lighter)
- Compact size
- Extremely low wattage
- Size: 19 x 19 x 14 cm. • 0.55 kg.
- Voltage: 12v , Wattage: 150w



Braunton collapsible kettle

K0026 Capacity: 0.8L

- Collapses & handle folds away.
- Size: 20.2 x 12.9 x 15.2 cm.
- Collapsed: 20.2 x 13 x 10.3 cm.
- Weight: 0.52 kg.
- Usage: 220 - 240v , 750W



Edgcumbe stainless steel & glass teapot

1177 Capacity: 0.9L

- Order in multiples of 12
- Tea bags or loose leaf tea
- Removable tea filter
- Stain resistant
- Size: 14 x 15 x 11 cm. , • 0.28 kg.



Scotsman low wattage toaster

K0036B Capacity : 2 Slice

- Colour: black
- Low wattage , Easy clean
- Browning control , Crumb tray
- Size: 25 x 13 x 17 cm. • 0.9 kg
- Usage: 230V , 800W



Scotsman low wattage toaster

K0036CR Capacity : 2 Slice

- Colour: cream
- Low wattage , Easy clean
- Browning control , Crumb tray
- Size: 25 x 13 x 17 cm. • 0.9 kg
- Usage: 230V , 800W



Scotsman low wattage toaster

K0036SL Capacity : 2 Slice

- Colour: slate
- Low wattage , Easy clean
- Browning control , Crumb tray
- Size: 25 x 13 x 17 cm. • 0.9 kg
- Usage: 230V , 800W



Scotsman low wattage toaster

K0036W Capacity : 2 Slice

- Colour: white
- Low wattage , Easy clean
- Browning control , Crumb tray
- Size: 25 x 13 x 17 cm. • 0.9 kg
- Usage: 230V , 800W



Rocket low wattage toaster

K0038CR Capacity : 2 Slice

- Colour: cream
- Premium stainless steel body
- Browning control , Crumb tray
- Size: 26 x 14.5 x 17 cm • 1.2 kg
- Usage: 230V , 900W



Rocket low wattage toaster

K0038SL Capacity : 2 Slice

- Colour: slate
- Premium stainless steel body
- Browning control , Crumb tray
- Size: 26 x 14.5 x 17 cm • 1.2 kg
- Usage: 230V , 900W



Rocket low wattage toaster

K0038SS Capacity : 2 Slice

- Colour: polished silver
- Premium stainless steel body
- Browning control , Crumb tray
- Size: 26 x 14.5 x 17 cm • 1.2 kg
- Usage: 230V , 900W



Pullman low wattage toaster

2068 Capacity : 2 Slice

- Colour: silver
- Low wattage , Easy clean
- Stainless steel body
- Size: 22 x 16 x 12 cm. • 0.79 kg.
- Usage: 220-240V. , 750W.

QUEST ELITE®
mql.co.uk

MADE FROM RECYCLED MATERIAL

This tableware is made from 100% rPET material. It is made from 100% recycled Japanese water bottles collected directly from schools. This means not only are we removing plastic waste from the environment, we are reducing the energy footprint for the dining set helping towards reducing harmful chemicals in our air. Being made from 100% rPET material also means that it is 100% recyclable afterwards.











Quest Elite Delphinium rPET dining set

QE1000 12 Piece / 4 Place settings

- ECO Friendly : 100% Recycled plastic bottles
- Use anywhere : Dishwasher safe, microwave safe.
- Durable : Extremely strong,break resistant, scratch resistant and durable.
- Safe to use : Certified food safe for all types of food.
- Anti-Slip : Anti-slip rings help keep them in place.



Quest Elite Florentina rPET dining set

QE1001 12 Piece / 4 Place settings

- ECO Friendly : 100% Recycled plastic bottles
- Use anywhere : Dishwasher safe, microwave safe.
- Durable : Extremely strong,break resistant, scratch resistant and durable.
- Safe to use : Certified food safe for all types of food.
- Anti-Slip : Anti-slip rings help keep them in place.



Quest Elite Wisteria rPET dining set

QE1002 12 Piece / 4 Place settings

- ECO Friendly : 100% Recycled plastic bottles
- Use anywhere : Dishwasher safe, microwave safe.
- Durable : Extremely strong,break resistant, scratch resistant and durable.
- Safe to use : Certified food safe for all types of food.
- Anti-Slip : Anti-slip rings help keep them in place.



Quest Elite Byzantina rPET dining set

QE1003 12 Piece / 4 Place settings

- ECO Friendly : 100% Recycled plastic bottles
- Use anywhere : Dishwasher safe, microwave safe.
- Durable : Extremely strong,break resistant, scratch resistant and durable.
- Safe to use : Certified food safe for all types of food.
- Anti-Slip : Anti-slip rings help keep them in place.

Liberty®
LEISURE OUTDOORS

BPA FREE tableware
High Quality
Dish washer safe



Liberty Sicily melamine dinner set

LL1378 12 Piece / 4 Place settings

- **High quality BPA Free melamine**
- Dishwasher (top shelf) safe , scratch resistant, fade resistant , lightweight
- 4 x dinner plates , side plates , bowls.
- Sizes: 27.6 cm. , 23 cm. , 19.5 cm.



Liberty Murano melamine dinner set

LL1380 12 Piece / 4 Place settings

- **High quality BPA Free melamine**
- Dishwasher (top shelf) safe , scratch resistant, fade resistant , lightweight
- 4 x dinner plates , side plates , bowls.
- Sizes: 27.6 cm. , 23 cm. , 19.5 cm.



Liberty Capri melamine dinner set

LL1382 12 Piece / 4 Place settings

- **High quality BPA Free melamine**
- Dishwasher (top shelf) safe , scratch resistant, fade resistant , lightweight
- 4 x dinner plates , side plates , bowls.
- Sizes: 27.6 cm. , 23 cm. , 19.5 cm.



Liberty Sardinia melamine dinner set

LL1384 12 Piece / 4 Place settings

- **High quality BPA Free melamine**
- Dishwasher (top shelf) safe , scratch resistant, fade resistant , lightweight
- 4 x dinner plates , side plates , bowls.
- Sizes: 27.6 cm. , 23 cm. , 19.5 cm.

Household



Liberty Linosa melamine dinner set

LL1397	12 Piece / 4 Place settings

- **High quality BPA Free melamine**
- Dishwasher (top shelf) safe , scratch resistant, fade resistant , lightweight
- 4 x dinner plates , side plates , bowls.
- Sizes: 27.6 cm. , 23 cm. , 19.5 cm.



Liberty cool bag with melamine set & mugs

LL1418	16 Piece / 4 Place settings

- **High quality BPA Free melamine**
- Dishwasher (top shelf) safe , scratch resistant, fade resistant , lightweight
- 4 x dinner plates , side plates , bowls , mugs
- Sizes: 26.8 cm. , 21.6 cm. , 20.4 cm. , 35 cl



Sumatra non slip ABS mug set

LL1570-AN : Anthracite
LL1570-BL : Blue
LL1570-CR : Cream
LL1570-DB : Dark Blue
LL1570-GR : Green
LL1570-LE: Lemon
LL1570-LG : Light Grey
LL1570-LI : Lime
LL1570-OR : Orange

4 Piece • Capacity: 35cl

- 4 ABS Mug Set
- Shatter proof, scratch resistant
- Can be used with boiling water
- Non slip bottom
- BPA Free
- Microwave safe
- Size: 9 x 11.5 x 10.5 cm.
- Weight: 0.13 kg.



16 Piece stainless steel cutlery set

LL1580	Light blue
LL1583	Anthracite
LL1584	Dark blue
LL1586	Sage Green
LL1587	Grey

- High quality, mirror polished SS430 stainless steel
- Durable, rust-resistant, easy to clean ensuring long-term use
- Lightweight yet sturdy
- Stainless steel adds strength, while ABS reduces overall weight
- Dishwasher-safe



Everlasting glassware

0180: Tumbler

8 x 7.5 cm. • Capacity: 250ml

0181: Hi tumbler

13.5 x 7.5 cm. • Capacity: 440ml

0182: Wine goblet

5 x 6.5 cm. • Capacity: 240ml

- Premium Quality , Virtually Unbreakable , Looks and Feels Like Glass.
- Made from a polycarbonate construction this range is incredibly durable.
- The Everlasting range is a great solution for outdoor entertaining.
- These glasses were made to be used outdoors, from pool parties and picnics to Holidays and weekend BBQ's.



Quest Elegance range tumbler

0184: Smoked ***0184BL : Blue*** ***0184L : Lime***

- A premium quality acrylic glass with a touch of class.
- Thanks to the durability and lightweight nature of this drinkware it is ideal for camping, travelling or any outdoor use.
- Available in three colours
- Size: 10 x 8 cm. • Volume: 280ml.
- Acrylic Weight: 8oz.



Quest Elegance range hi tumbler

0185: Smoked ***0185BL : Blue*** ***0185L : Lime***

- A premium quality acrylic glass with a touch of class.
- Thanks to the durability and lightweight nature of this drinkware it is ideal for camping, travelling or any outdoor use.
- Available in three colours
- Size: 15 x 6.5 cm. • Volume: 300ml.
- Acrylic Weight: 11oz.



Quest Elegance range wine glass

0186: Smoked ***0186BL : Blue*** ***0186L : Lime***

- A premium quality acrylic glass with a touch of class.
- Thanks to the durability and lightweight nature of this drinkware it is ideal for camping, travelling or any outdoor use.
- Available in three colours
- Size: 18 x 7 cm. • Volume: 280ml.
- Acrylic Weight: 10oz.



Quest Elegance range wine goblet

0187: Smoked ***0187BL : Blue*** ***0187L : Lime***

- A premium quality acrylic glass with a touch of class.
- Thanks to the durability and lightweight nature of this drinkware it is ideal for camping, travelling or any outdoor use.
- Available in three colours
- Size: 15 x 8 cm. • Volume: 400ml.
- Acrylic Weight: 10oz.

Household



Reimo cutlery tray

922582



Liberty Leisure cutlery tray


LL0921



LIberty Leisure EVA plate & cup holder

LL0926

- Ideal for caravans & motorhomes



Liberty Leisure EVA plate holder

LL0927

- Ideal for caravans & motorhomes



Liberty Leisure EVA cup holder

LL0071

- Ideal for caravans & motorhomes



Liberty Leisure EVA plate & cup holder

LL0928

- Ideal for caravans & motorhomes



Caravan door pillar bin

LL0069 Capacity: 6L

- Supplied with brackets



XL Caravan door pillar bin

LL0848 Capacity: 10L

- Supplied with brackets



Quest multi-height waste bin

K0048

- Pack of 12 (3different colours)



De-Luxe Dust Pan & Brush

1271

- Assorted colours



Liberty Leisure plate & pan protectors

LL1567 23 x 23 cm

- Pack of 6



Liberty Leisure large saucepan protectors

LL1568 38 x 38 cm

- Pack of 6



Spinflo grey plastic bowl for argent sink

03PVI0007

- Made for Thetford Argent sinks



Cushiontex non-slip matting

4701C 30 x 150 cm.


- Display box of 12



Comfortex non-slip matting

4766 65 x 150 cm.

- Display box of 12



Non-slip shower matting

4767 52 x 52 cm

Household



Quest folding dish drainer

031206 31 x 28 x 15 cm.

- Folded size : 31 x 30 x 7 cm.



Round washing bowl

11505AE 27 x 10 cm

- Blue, white and dark grey (mixed)
- Order in multiples of 12
- Capacity: 3L



6L Washing Bowl

11480AE 34 x 14 cm

- Blue, white and dark grey (mixed)
- Order in multiples of 12
- Capacity: 6L



Square washing bowl

11508AE 24.5 x 23 x 10.5 cm.

- Blue, white and dark grey (mixed)
- Order in multiples of 12
- Capacity: 3L



Square washing bowl

11509AE 31 x 29 x 12.5 cm.

- Blue, white and dark grey (mixed)
- Order in multiples of 12
- Capacity: 6L



Dish drainer with tray

11182AE 7 x 33 x 21 cm.

- Blue, white and dark grey (mixed)
- Order in multiples of 3



Rectangular dish drainer (medium)

11521AE 45 x 26 x 9 cm.

- Blue, white and dark grey (mixed)
- Order in multiples of 3



Cutlery drainer and holder

11717AE 16.5 x 8 x 13 cm.

- Blue, white and dark grey (mixed)
- Order in multiples of 6



Small Tter classic cutlery tray

11823AE 33 x 17.5 x 4 cm

- Blue, white and dark grey (mixed)
- Order in multiples of 12



Mini 3L oval basket

11918AE 18.5 x 24 x 12.5 cm.

- Blue, white and dark grey (mixed)
- Order in multiples of 12



Pedal bin 8L

12230AE 25 x 21 x 30 cm.

- Blue and grey (mixed)
- Order in multiples of 6



Classic 450ml bowl

12552AE 13.5 x 13.5 x 5 cm.

- Blue, white and dark grey (mixed)
- Order in multiples of 24



Classic dish 20cm

14078AE 20 x 20 x 2.7 cm.

- Blue, white and dark grey (mixed)
- Order in multiples of 24



Classic Dish 25cm

14068AE 25 x 25 x 3.5 cm.

- Blue, white and dark grey (mixed)
- Order in multiples of 12



Water Glass 40ml

12838AE 8.7 x 8.7 x 10 cm.

- Blue, white and dark grey (mixed)
- Order in multiples of 12



Square urban food containers (set of 5)

11859AE 19 x 19 x 10 cm.

- 5 Food containers in a set
- Order in multiples of 6

Household



Quest mini dish drainer

031200 30 x 22 x 6 cm.



King of all trays

C0063 76 x 38 x 3cm



Collapsible round bucket (10L)

K0200 Capacity: 10L

- Size: 24.8 x 31.5 cm.
- Collapsed: 31.5 x 6 cm.



Collapsibles dish rack with cutlery holder

K0201 Weight: 0.52 kg.

- Size: 36.5 x 31.5 x 11.5 cm
- Collapsed: 36.5 x 31.5 x 6 cm.



Collapsible bowl or wash basin

K0202 Capacity: 6.5 L

- Size: 37 x 27.5 x 11.5 cm
- Collapsed: 37 x 27.5 x 6 cm.



Collapsible round bowl or wash basin

K0203 Capacity: 8 L

- Size: 37.5 x 37.5 x 14 cm.
- Collapsed: 37.5 x 37.5 x 6 cm.



Collapsible washing bowl / chopping board

K0211 Capacity: 8 L

- Size: 37 x 27.5 x 11.5 cm.
- Collapsed: 40 x 31.5 x 3 cm.



Collapsible round bowl or wash basin

K0212 Capacity : 5 L

- Size: 32.5 x 32.5 x 12 cm.
- Collapsed: 32.5 x 32.5 x 5 cm.



Collapsible hipster laundry basket

K0209 Capacity: 36 L

- Size: 61 x 45.5 x 27.5 cm.
- Collapsed: 61.5 x 45.5 x 8 cm.



Collapsible dish rack, cutlery holder and sink drainer

K0210 Weight: 0.55 kg.

- Size: 37.5 x 27.5 x 12.5 cm.
- Collapsed: 37.5 x 27.5 x 6 cm.



Collapsible washing bowl or basket

K0242 Capacity: 9L

- Size: 38 x 29 x 15 cm.
- Collapsed: 38.5 x 28.3 x 5.5 cm.



Collapsible bowl or wash basin

K0243 Capacity: 9L

- Size: 32.4 x 23.5 x 16cm
- Collapsed: 32.4 x 23.5 x 5 cm



Collapsible basin with water outlet

K0244 Capacity: 8L

- Size: 30.5 x 30 x 20 cm.
- Collapsed: 30.5 x 30 x 7 cm.



Collapsible bin with lid

K0247 Capacity: 8L

- Size: 29.5 x 27.8 x 10 cm.
- Collapsed: 29.5 x 27.8 x 4 cm.



Non slip serving tray

K0240 41 x 29 x 5 cm.

- Weight: 0.4 kg.



Collapsible strainer

K0241 Weight: 0.18 kg

- Size: 36.5 x 23 x 9 cm.
- Collapsed: 36 x 23 x 3.8 cm.

Household



Fold flat stackable boxes

119027H	47.5 x 34.5 x 22.5 cm.

- Order in multiples of 6
- Weight: 0.75 kg , Volume : 35L



Flexitub

1166002	15L	***1187202***	25L	***11433***	43L

- Order in multiples of 12 , Black
- Three sizes to choose from (selection above)



Cavi corkscrew

240525

- Display box of 15
- 3 Mixed colours



Speedy vegetable peeler

242725

- Display box of 24
- 3 Mixed colours



Fritto splatter screen

206129

- Display box of 24



Jolly bottle opener

240102

- Display box of 24
- 3 Mixed colours


Household



Quest 4 arm rotary airer stand

4505

- 4 Adjustable arms for extra drying space
- Lightweight, Portable
- Pegging points on legs
- Includes pegs
- Folds away for
- Carry bag
- Frame: Aluminium
- Size: 135 x 135 x 140 cm.
- Folded: 18 x 25 x 85 cm.
- Hanging area: 1600 cm.
- Weight: 2.4 kg.



Balcondry

531155

- Will hold 12kgs spread over the complete unit.
- Each triangle will hold 6kg of clothing comfortably.



Caravan window airer

4068000001


- It can be used indoor or outdoors thanks to the coated frame.
- Simply hooks into place and opened
- Gives a large 7M of drying space.



Quest clothes hangers

031204 Pack of 8

- Non Slip Coating.
- Cut Out for Hanging Loops.



Quest folding clothes hangers

C0101W Pack of 3

- Set of three folding hangers.
- Folds away for easier storage when not in use.



ALCOR table top ironing board

4190210000 74 x 18 x 30cm.

- Removable and Washable Cover.
- Folded Size: 74 x 18 x 6cm. , Weight: 1.7 kg.



Soft touch clothes pegs

B1009 Pack of 24

- Display box of 12 packs
- Multiple colours in each pack



Round 16 peg hanging airer

C0034 30 x 3 x 30 cm

- Weight: 0.15 kg approx.



Oval 20 peg sock airer

C0035 40 x 3 x 30 cm

- Weight: 0.17 kg approx.

Household



Kidde fire extinguisher

KPS1FX 1000g

- Fire Class: A / B /C
- Pressure gauge
- 8 second discharge
- Easy-to-use and install
- Convenient mounting bracket included as standard



Gas safety alarm

K7CO

- Detects carbon monoxide



Fire alarm

DY29B

- Detects smoke



Fire and gas safety alarm

K10SCO

- Fire and gas detector in one
- Detects smoke and carbon monoxide



ABC Powder red aerosol fire extinguisher

7811 600g

- Easy to use
- 600g
- BS 6165
- For use with A, B and C type and electrical
- Not for use with deep fat fires



BC Powder red aerosol fire extinguisher

7812 950g

- Easy to use
- BS 6165
- For use with B and C type and electrical
- Not for use with wood, paper, textiles or deep fat fires



Square pack fire blanket

7814 110 x 110 cm

- Certified to BS EN 1869:2019
- Extinguishes cooking oil fires
- Effectively smothers flammable fuel fires with no reignition after removal
- Remains flexible with excellent draping qualities for full fire coverage
- Compact and practical
- Easy to access and simple to use
- Complete with holder in white

Household



Mini cabinet heater

505-122

43 x 40 x 60

- Butane regulator included & fitted
- Oxygen depelation system
- Piezo ignition
- 3 x Heat plaques
- Chrome wire guard
- Castors for easy mobility
- Bottle sizes: 7kg.
- Weight: 7.5 kg.
- Heat output: 4.2kW
- Heat settings range: 1.5kW - 4.2kW
- Gas type: Butane



Large cabinet heater

505-121

43 x 40 x 72 cm

- Butane regulator included & fitted
- Exclusive colour
- Premium finish
- Oxygen depelation system
- Piezo ignition
- 3 x Heat plaques
- Chrome wire guard
- Castors for easy mobility
- Bottle sizes: 7 & 15kg.
- Weight: 9 kg.
- Heat output: 4.2kW
- Heat settings range: 1.5kW - 4.2kW
- Gas type: Butane



Large cabinet heater

505-101

43 x 40 x 72 cm

- Butane regulator included & fitted
- Exclusive colour
- Premium finish
- Oxygen depelation system
- Piezo ignition
- 3 x Heat plaques
- Chrome wire guard
- Castors for easy mobility
- Bottle sizes: 7 & 15kg.
- Weight: 9 kg.
- Heat output: 4.2kW
- Heat settings range: 1.5kW - 4.2kW
- Gas type: Butane



Barbuda ceramic heater

E0092

12.5 x 11.7 x 18.5 cm

- PTC heating element
- Low wattage
- Quick to heat up
- Anti-tip security cut off
- Overheat security cut off
- Power indicator
- Lightweight and portable
- Weight: 500 g.
- Voltage: 230v
- Frequency: 50/60 Hz
- Wattage: 500W



Maui oil filled radiator

141001

33 x 39 x 10 cm
4.15 kg.

- Low wattage
- High heat output
- 7 Fins for good heat dispersion
- Full temperature control
- Overheat protection
- Power indicator
- Cord storage
- Carry handle
- Stability Feet
- Cable Length: 140 cm.
- Power: 800w.
- Voltage: 220-240v
- Frequency: 50/60hz.



Fuji gas cabinet heater

E0020

22.6 x 13.7 x 27.8 cm.
1.3 kg.

- Low wattage
- Heat in the winter
- Cooling fan in the summer
- Oscillating function
- Temperature control
- Overheat protection
- Fall over protection
- Adjustable heat and power
- Inbuilt handle
- Lightweight
- Heat: Heating wires and fan
- 220-240v
- 1800 - 2000W

Household



Belarus digital ceramic tower heater

E0131 8 x 18 x 54 cm

- Slim body design
- Power Settings: Fan/1200W/2000W
- Electronic temperature control:15-35C
- LED room temperature display and touch control
- Atmosphere led lights: Blue(Fan)/ Purple(low heat)/Red (high heat), can be turned off separately by remote
- Oscillation function
- Over-heat protection
- Safety tip-over switch
- Portable leather handle
- 0-9 hours timer , Remote control
- Children safety lock
- Fire-resistant ABS housing
- Weight: 2 kg
- Usage: 220-240 V , 50/60 Hz
- Wattage: 1200 or 2000 W



Belarus digital ceramic tower heater

E0132 13 x 13 x 23 cm

- PTC heating element
- Digital control
- Fan/Warm/Hot
- 5w/600w/1200w
- 15-35 setting
- Overheat protection
- 0-9 hours timer
- Oscillation function
- Tip-over switch function
- Fire-resistant ABS housing
- Weight: 1.1 kg
- Temperature Range: 15 - 35 C
- Timer Range: 0 - 9 hours
- Voltage: 220V-240V
- Frequency: 50Hz
- Wattage: 5 , 600, 1200W



Bali dual purpose ceramic heater

047519 16 x 14 x 23 cm. • 1.47 kg.

- Cools in the summer , Heats in the winter
- Dual temperature controls , Low wattage
- Quick to heat up , Oscillating function
- Anti-tip and overheat security cut off
- Usage: 220 - 240V , 750 or 1500W



Aruba slimline quartz heater

208414 23 x 8 x 35 cm. • 0.96 kg.

- Slim line, lightweight and portable
- Cool touch body , Tip over safety cut out
- Twin Quartz Tubes for Instant Heat.
- Folded size: 23 x 7 x 36 cm.
- Power: 400w, 800w.



Burundi 3-in-1 multi-cooling fan

E0137

34 x 34 x 100 cm

- Very low wattage
- 3 Different fan speeds.
- Oscillating function
- Lightweight
- Easy to use
- Weight: 2.3 kg
- Height: 100cm
- Fan: 34 cm.
- Voltage: 220V - 240V
- Frequency: 50-60 Hz
- Wattage: 45 W



Extreme Cooling

Bolivia evaporative cooler with remote control

E0134

26 x 24 x 57cm • 3.8 kg

- Cooler/Humidifier function
- Remote control
- Water Evaporation heat absorption,ice-crystal cooling,ice cooling
- 3 speed control:low/mid/high
- 0~7.5 hours timer
- Automatic horizontal air flow
- Manual vertical air flow
- Castors for easy movement
- Water tank capacity: 4L
- 220-240V
- Cooling power: 80W



Brunei ice cooling fan

E0136

23.5 x 15 x 25 cm.
0.9 kg

- USB powered ice cooling fan
- Ice box, which cools the air down allowing it perform even better
- Titling fan direction
- Ambient lighting : 7 different colours, plus multi mode which rotates though all 7.
- Fan: 18.5cm.
- Voltage: DC 5 V
- Wattage: 10 W
- USB Type : Type C (cable included, power supply not included)

THETFORD

Thetford toilets have the following code designations to help identify what type of toilet they are.	Type	Description
	S	Central water tank connection - no console
	CS	Central water tank connection - with high console
	CSL	Central water tank connection - with low console
	CW	Flush tank with manual flush control
	CWE	Flush tank with electronic flush control
	CB	Ceramic bowl versions



C220CW, C224CW cassette toilet

200856

OEM packed

727 x 394 x 580 mm

200869SP

Retail packed

727 x 394 x 580 mm

- Manual flush
- Waste level indicator
- Splash guard
- Swivel seat
- Easy roll wheels
- Self contained flush tank
- 18L waste tank
- 9L Flush tank



C220CS , C223CS cassette toilet

200851

OEM packed

534 x 394 x 580 mm

200868SP

Retail packed

534 x 394 x 580 mm

- Electric flush
- Waste level indicator
- Splash guard, Swivel seat
- Connects directly to cold water stream
- Easy roll wheels
- 18L waste tank
- Weight: 7.2 KG



C220S (C223S) cassette toilet

200850

495 x 365 x 580 mm

- Durable plastic
- Electric flush
- Efficient performance
- High level of comfort
- Central water tank connection
- 18L waste tank



C200S CS cassette toilet

23334

- Flush: electric (12v)
- Integrated pour-out-spout
- Connects to vehicle's central water tank
- 17L waste tank

Cleaning & Sanitation



C262CWE cassette toilet

93367SP

Standard bowl

93388SP

Ceramic bowl

847 x 417 x 603 mm

- Handle for emptying
- Easy roll wheels
- 17.5L waste tank
- 8L flush tank
- Electric flush
- Waste level indicator
- Splash guard
- 90° rotating bowl



C263S cassette toilet

93301

Standard bowl

488 x 341 x 603 mm

- Removable waste tank
- External flush controller
- 90° rotating bowl
- Pull out handle
- Uses flushing water from an on-board water tank
- Integrated wheels
- Built in toilet
- Central water tank connection
- 17.5L waste tank
- Weight: 7.1 kg



C263-S cassette toilet

93386SP

Ceramic bowl

511 x 341 x 600 mm

- 3 level indicators
- Electric flush system
- Removable waste tank
- Connects to central water tank
- Weight: 16.2 kg
- 17.5L waste tank



C263CS cassette toilet

93385SP

Standard bowl

93387SP

Ceramic bowl

750 x 417 x 603 mm

- Integrated wheels
- Pull out handle
- 90° rotating bowl
- Removable waste tank
- Central water tank connection
- Built in rear mounted flush controller
- 17.5L waste tank



LEFT HAND PART PICTURED

C403L cassette toilet

51708	Left hand
51679SP	Left hand Retail
51701	Right hand
51678SP	Right hand Retail

512 x 670 x 400 mm

- Durable plastic
- Electric flush
- Green accent colour
- High level of comfort
- Plumb directly into water system
- 19.3L waste tank

C402C cassette toilet

51695	Left hand
51698	Right hand

512 x 670 x 400 mm

- LED level indicator
- Electric push button
- Rotating spout
- Automatic pressure release vent
- 19.3L waste tank
- 15L flush tank

Cleaning & Sanitation



Thetford Porta Potti 145 Portable Toilet

92802 330 x 383 x 427 mm

- Doesn't require a connection to a drainage or water system
- Choice of flushing system
- Bellow pump
- Weight: 3.6 kg
- 15L flush tank
- 12L waste tank



Thetford Porta Potti 165 Portable Toilet

92806 330 x 383 x 427 mm

- Doesn't require a connection to a drainage or water system
- Choice of flushing system
- Bellow pump
- Weight: 3.8 kg
- 21L flush tank
- 15L waste tank



Thetford Porta Potti 335 / 345 / 365 Portable Toilet

92828 : 335	313 x 342 x 382 mm
92814 : 345	330 x 383 x 427 mm
92820 : 365	414 x 383 x 427 mm

- Durable plastic
- Piston pump flushing system
- Waste level indicator
- Easy and convenient emptying

335 Details
- 3.3 kg
- 10L Flush water tank | 10L Waste tank

345 Details
- 3.8 kg
- 15L Flush water tank | 12L Waste tank

365 Details
- 4 kg
- 15L Flush water tank | 21L Waste tank



Thetford Porta Potti 565E / 565P Portable Toilet

92306E : 565E
92305 : 565P 488 x 388 x 450 mm

- 565E : Electronic flush
- 565P : piston pump flush
- Waste level indicator
- Flush level indicator
- Integrated toilet paper holder
- Electric uses 6 x 1.5v AA batteries
- Weight (565P) : 5.8 kg
- Weight (565E) : 5 kg
- 21L flush water tank
- 15L waste tank



C502C right hand toilet after market

90564SP 502 x 739 x 410 mm

- Optimum seating and comfort of use, Lightweight, high-quality, durable
- Low-noise, yet powerful flushing system, over the entire toilet bowl

Cleaning & Sanitation



Thetford C250/C260 Cassette Fresh Up Set

9339362

- The toilet fresh-up set is an easy and economic way to make a used cassette toilet as good as new.
- Superior quality
- Practical in use
- Long durability
- Fresh up set includes waste holding tank, toilet seat and cover, plus 1 litre cassette tank cleaner and 50ml bathroom cleaner.



Thetford C2/3/4 Left Hand Fresh-Up Set

20057062

- Fresh up set includes waste holding tank, toilet seat and cover, plus 1 litre cassette tank cleaner and 50ml bathroom cleaner.



Thetford C2/3/4 Right Hand Fresh-Up Set

20057162

- Fresh up set includes waste holding tank, toilet seat and cover, plus 1 litre cassette tank cleaner and 50ml bathroom cleaner.



Thetford C200 Fresh Up Set with Wheels & Handle

2334062

- Fresh up set includes waste holding tank, toilet seat and cover, plus 1 litre cassette tank cleaner and 50ml bathroom cleaner.



Thetford C220 Fresh-Up Set

20087762

- Fresh up set includes waste holding tank, toilet seat and cover, plus 1 litre cassette tank cleaner and 50ml bathroom cleaner.



Thetford Fresh-up set C500

90558127

- Fresh up set includes waste holding tank, toilet seat and cover, plus 1 litre cassette tank cleaner and 50ml bathroom cleaner.



Dometic Toilet Renew kit Suits 3000/4000 Models

9600000458

- Complete set consists of:
- Toilet seat including lid.
- Flush ring cover.
- Waste holding tank.
- Sanitation additives.

Cleaning & Sanitation



Flush door 3 (retail)

2688280SP : White

- Item 59000 if lock & key required



Service door 3

2680527: Black
2680580: White
2680584: Light Grey

- 1 Lock, 1 push button



Service door 3 (retail)

21100780SP : White
21100784SP: Light grey

- 1 Lock, 1 push button



Service door 3 with rain divert (retail)

2693825SP: Dark grey

- No lock



Service door 3

21100280SP : White

- No lock, 1 push button



Service door 3 (retail)

2680727SP: Black

- No lock, 1 push button



Service door 4

2681880: White
2681884: Light grey

- 2 Locks



Service door 4

2662925: Dark grey

- TBC



Flush door 5 (retail)

2688880SP: White

- TBC



Service door 5

2682480: White

- 2 Locks



Service door 5

2663080: White
2663025: Dark grey

- 1 Lock, 1 push button



Service door 6

2686480: White

- 3 Locks



Service door 6

2663125: Dark grey

- 1 Lock, 1 push button



Service door 7

2644580: White

- LK/ZA



Waterfill door

2354280: White

- Zadi lock



SC200 waterfill door

2379180: White
2379184: Light grey

- Zadi lock

Cleaning & Sanitation



Thetford door seals

26901: Flush door 3
26601: Service door 3



Thetford door seals

26605: Service Door 4

- For use with service door 4



Thetford door seals

26917: Flush door 5 and battery box



Thetford door seals

26610: Service door 5
26611: Service door 6



Thetford door seals

26612: Service door 7

- For use with service door 7



Thetford service door hinge pins

26430

- For use with all service doors



Thetford SD345 and battery box hinge pins

26602



Thetford service door push button

2660380

- For use with all service doors



Thetford service door Zadi lock with 2 keys

26604

- For service doors 3,4,5,6 and 7



Thetford service door button housing

2660657 : Cream
2660680 : White

- For service doors 3,4,5,6 and 7



Thetford service door Zadi lock housing

2660780: White
2660784: Light grey

- For service doors 3,4,5,6 and 7



Thetford service door Fawo 2 lock housing

2660857: Cream
2660880: White

- For service doors 3,4,5,6 and 7



Thetford service door housing snake cut lock

2662180: White

- For use with all service doors



Thetford Service door locking door kit

2662580: White

- For service doors 6 and 7



Thetford Service door locking door kit

2662680: White

- For service doors 3,4 and 5



Thetford service door clips

26634

- Pack of 18

THETFORD C200 Series Toilet Spares



Lip seal

16175 : Until 2000



Lip seal

23721 : After 2000



Electric valve for SC200/S263-S

23709



Pump for C2, C200, C400 CW & CWE models

16374



SC200CW manual pump

2373962



SC200CW pump retainer

23845



LED level indicator

23718



C200 blade

23847



SPC200 bracket out side vent

23850



C200 bracket saddle

23848



C200 CS control panel assembly

2384662



C200 SC measuring cup

2581078



Automatic vent

2372274



SC200 automatic vent

2378874



Automatic vent seal

21528



SC200 blade opener yellow

2374378


THETFORD C200 Series Toilet Spares



Electronic flush
23792



SC200 flush switch
23716



Reed switch
2371462



SC200 flush tube white
2371062



SC200 hinge pins white
2370762



SC200 lock for waterfill door
2379080



SC200 seat and cover white
2334362



SC200/C400 hose connection
23851



SC200CW drain bung
2385274



SC200CW wiring harness
23738



SC200CWE bezel white
2377162



SC200S valve blade
2371374



SC3C200 / C623-S vacuum breaker
16833



3A fuses blade type pack of 2
21766



Sliding cover moon grey
2133374



Float arm C200 model
23726

THETFORD C234 Series Toilet Spares



SC4 mechanism moon grey

2032574



SC123 seat and cover white

1619462



SC1234 clip retainer yellow

1635078



SC1234 vent plug moon grey

1617674



SC2,3,4 blade opener moon grey

2145874



SC234 dump cap yellow

1638478



SC234 O ring

16731



SC234 vent button yellow

0752478



SC24 waterfill funnel grey

1638174



Pour out spout moon grey

1619674



SC3 flush tube white

2010362



SC3 relay

20106



SC4 bellow

21065



Waterfill draincap

1638578



Draintubes

21370 : Left hand
21371 : Right hand



Flush knob White

1637762

THETFORD C234 Series Toilet Spares



SC4 flush mechanism white

2029162



SC4 flush tube white

2029262



SC4 inlet tube

21066



Vent seal for C2,3,4

20339

THETFORD C220 Series Toilet Spares



SC220 waste holding tank

20097706

- Complete waste holding tank for use with the c220 series toilets.
- includes wheels and a pull-out handle.
- Capacity: 18L.
- Size: 480 x 27 x 25 cm



SC220 control PCB

200962



SC220 measuring cup

20096785



SC220 blade handle

20095307



SC220 blade opener

20097085



SC224CW pump

200980



C220 wall bracket

23058

THETFORD C250/260 Series Toilet Spares



C250 pump

50712



SC262 CWE replacement pump

93418



SC-263SWE pump

93435



SC260/C500 electric valve 90°

90717



C250 auto vent

50703



Automatic ventilator C250/C260 models

93417



SC250/260 vent lid

5074106



C250 complete mechanism

5072706



Sliding cover for C250 and C260 grey

5071806



C250 control FF

50711



C250 control SW

50710



C250/260 PCB SN

50709



C250 drain tube

50717



C250 filter for auto vent

50702



C250 Holding tank float

50725



C250 Holding tank kit

50732

THETFORD C250/260 Series Toilet Spares



C250 holding tank wheels

50726



SC250 telescopic system handle assembly

50728



C250 overlay

50708



C250 seal nozzle

50729



C250/C263-S saddle

50735



Vent button orange

0752492




C263-S bowl retainer bracket

50733



C250 reed switches

50713
50714: Single level
50715: Multi level



C263S reed switches

93408: Single level
93409: Multi level



C263-S seal

50749



SC250 blade opener orange

2374392



SC250 kit multi level

5075262



SC250 kit switch

5075062



SC250 pour out spout

5071992



SC250 reed switch housing

50716



SC250/260 handle

9340247

THETFORD C250/260 Series Toilet Spares



SC250/260 holding tank plate

5072306



SC250/260 ring blade mechanism

50760



Seal mechanism C250/C400

50724



SC250/60S water diverter

9342962



SC250/C260 handle / grip cover

5073792



SC250/SC260-S seat and cover

9340162



Wiring harness

50761: SC250S
50762: SC250CS



Wiring harness

50763: SC250CWE



Wiring harness

93421: SC260S
93422: SC260CS



Wiring harness

93423: SC260CWE



SC260 / S263S fan only

93411



SC260 electric blade

93415



SC260/C250 ceramic seat and cover

9341262



SC260/S263-S filter

93416



SC260 flush tube

9343062



SC263S control panel sticker

93403

THETFORD C400 Series Toilet Spares



Blade for C402

50731



C400 automatic vent

32305



C400 outside vent

32324



C400 pour out spout

3230606



C400 pull handle

5180516



Magnet retainer and float C400

32304



C400 wall seal

32311



C400 Waterfill extension green

3232916



C402 fill funnel

3231506



C402C reed switch housing

3231662



C402X reed switch PCB X/L

3231762



C402X shaft

51802



Control Panel Mk2 C402C

5181062



SC green measuring cup SC400

2581016



SC400 connector spare kit PCB

51808



SC400 Flush tube white

5180762

THETFORD C400 Series Toilet Spares



SC400 handle

5180362



SC400 Link

51806



SC400 MK2 control panel L

5181262



SC400 MK2 control panel X-model kit

5181162



Overlay

32314: C403L
32321: C402C



SC400 MK2 handle

5181362



SC400 MK2 Seat and cover

5181462



SC400 storage cover

5180962



SC-402 drain tube

5180474



Wire harness

32319: C402C/X



Sliding cover

3230106



Holding tank plate kit

3233106: C402 right hand
3233206: C402 left hand



Tank lock clip for SC400

5180116



Waterfill cap (green)

1684816



Green blade opener

3230016



Vent button cpl C400

3230716

THETFORD C500 Series Toilet Spares



Toilet seat and cover for the C500

9071362

- For use with C500 / SC500 toilet(s)



SC500 waste holding tank (left)

9070806

- For use with C500 / SC500 toilet(s)



SC500 pump

90714

- For use with the following toilets :
- C500
- SC500



SC500 control knob C version v2

9072562



C500 control knob L version V2

9072362



SC500 control knob X version V2

90724127



SC500 automatic vent

2372206



SC500 main PCB X version

90712



SC500 main PCB C version

90704



SC500 main PCB L version

90716

THETFORD Porta Potti Toilet Spares



Thetford Porta Potti Carry Bags

299901 : Large ***299902 : Small***

- Large: Fits porta potti models: 165 & 365
- Small : Fits porta Potti models: 145, 335, 345



Bellows white

0786262



Porta Potti excellence electric pump

9240207



Porta Potti ivory vent button

0752479



Measuring cup

2581006 Grey



Measuring cup

2581079 White



Measuring cup

2581079 Granite



Lip Seal

07101



Vent Seal

07102

THETFORD | Porta Potti Toilet Spares



White Piston pump for 165/345/65 toilets

2581879



S99 dump cap

2580379



Dump cap with seal

0749362



SPP QUBE signals

92905111	Water fill cap
92906111	Cap



White pour out spout assembly

0749262



Porta Potti inlet tube

07024



SPP floor plate

9241507



White flush tube assembly

0703179



SPP hold down kit

92922111



Water fill cap (white)

1290179



Grey flush tube assembly

0703162



Cap & spout seal for porta potti (also suits C2.3.4 models)

16195

DOMETIC



CTLP 4110 Toilet

9107100610 382.6 x 530 x 592.2 mm

- High power flush ring and vacuum break.
- The removable 19 litre cassette has wheel and a strong telescopic handle.
- Simple and accessible control panel makes for easy use.
- Power supply for flush: 12V, Power input - Max 0.5A with external pump.
- NOTE: An external access door is NOT provided, however you can use the Thetford door 3 with this toilet.
- Suitable For Fiat Ducato
- Capacity : 19 Litres
- Weight 10kg
- Material Ceramic Bowl
- Flush System 12V
- Position Landscape



972B Portable Toilet

9108557679 317 x 333 x 387 mm

- Space saving with a 9.8 l waste holding tank
- Weight 4.68 kg
- Portable so you can take it anywhere
- Less mess due to an extra-long, pivoting discharge spout
- Less pump with a push button operation
- Less splash as the tank level indicator protects against overflow
- Home comforts of an adult-sized seat


DOMETIC | Toilet Spares



Slider complete

4450017507

- Original Dometic spare part



Ventilation button

4450017501

- Original Dometic spare part



Water hose

242601596



Pump 12v DC

242602367



Reed switch harness

242601784

Toilet float

4450017503



Cap for water tank

385311530



Tank Cap

4450018058



Connection wiring with capacitor 6 POL

242601584

- Original Dometic spare part



Sensor with harness

242602254



CTW4050 activator, ventilation

2426014912

- Original Dometic spare part



Electromagnetic valve

4450019707

DOMETIC Toilet Spares



PCB TACT switch

242602148

- Original Dometic spare part



PCB TACT Switch

242602419

- Original Dometic spare part



Toilet controls

4450018660



Toilet flap lever slider opening

4450022499



Badge, operating panel

2426017295



Toilet control unit

4450018661



Vacuum breaker kit, without sprayer.

385316906



Flap door slider

4450031391



CT3110 seal

242601512



Angle bracket hose connection

2426015950



Discharge pipe comes with sealant

4450017401

- Original Dometic spare part



Locking cap for discharge Pipe

44500174048



Locking cap for discharge dipe

4450017398

Cleaning & Sanitation



Aqua Kem blue

30112AT: 2L

- Order in multiples of 6



Aqua Kem Blue (0.78L)

30621CX: Standard

- Order in multiples of 12



Aqua Kem Blue (0.78L)

30761CX: Eucalyptus

- Order in multiples of 12



Aqua Kem Blue (0.78L)

30627CX: Lavender

- Order in multiples of 12



Aqua Kem green

30645CX: 0.75L

- Order in multiples of 12



Aqua Rinse

30651CX: 0.75L

- Order in multiples of 12



Aqua Rinse spray

30831AK: 0.5L

- Order in multiples of 9



Concentrate duo pack bottles

30782DH

- Order in multiples of 6



Aqua Kem Blue sachets (15 +3)

30234AJ

- Order in multiples of 6



B-Fresh water additive

30547AQ: 2L Blue flush

- Order in multiples of 4



B-Fresh water additive

30552AQ: 2L Pink flush

- Order in multiples of 4



Bathroom cleaner

30905AK: 0.5L

- Order in multiples of 9



Duo tank cleaner

30771AK

- Order in multiples of 12



Grey water fresh

30700AK: 0.8L

- Order in multiples of 12



Toilet bowl cleaner

30337AK: 0.75L

- Order in multiples of 9



Silicone lubricant

30003ED: 0.2L

- Order in multiples of 12

Cleaning & Sanitation



Blue fluid

BLU02: 2L

- Order in multiples of 8



Blue (formaldehyde free) fluid

BLU02F: 2L

- Order in multiples of 8



Blue fluid

BLU04: 4L

- Order in multiples of 4



Blue (formaldehyde free) fluid

BLU04F: 4L

- Order in multiples of 4



Blue concentrated (formaldehyde free) and double rinse twin pack

+CBDR01P: 1L



Blue and pink twin pack

BP01: 1L

- Order in multiples of 6



Double blue and double rinse twin pack

DBR02X: 2L

- Order in multiples of 4



Pink rinse

PIN02: 2L

- Order in multiples of 8



Organic toilet fluid

ORG02: 2L

- Order in multiples of 8



Green fluid

GRE02: 2L

- Order in multiples of 8



Grey waste tank freshener

GREY02: 2L

- Order in multiples of 8



Water fresh

WATE01: 1L

- Order in multiples of 12

Cleaning & Sanitation



Solbio original

SOLBIO: 1.6L

- 40 Doses



Solbio black streak remover

SOLBIO-BSR



Solbio descaler

SOLBIO-DESC



Solbio kitchen & bathroom cleaner

SOLBIO-KBC

- Citrus and rose scent



Solbio water tank cleaner

SOLBIO-WTC



Ecoroll toilet rolls

B0004: 4 Pack

- Quick dissolve toilet roll



Aqua soft toilet rolls

202240: 4 Pack

- Order in multiples of 15



Aqua soft toilet rolls

202241: 6 Pack

- Order in multiples of 10



Puriclean powder

0004: 100g

- Order in multiples of 12
- Sterilises and cleans water systems



Puriclean powder

0008: 400g

- Order in multiples of 6
- Sterilises and cleans water systems



Aqua mini tab tablets

0025

- Order in multiples of 18
- Purifies water.



Aqua midi tab tablets

0016

- Order in multiples of 12
- Purifies water.



Aqua Sol liquid

0030

- Order in multiples of 6
- Purifies and deodorises.



D-Scale liquid

0043: 0.5L

- Order in multiples of 6
- De-scales and cleans.



D-Scale liquid

0044: 1L

- Order in multiples of 4
- De-scales and cleans.



Wasteguard liquid

0050

- Order in multiples of 6
- Deodorises waste water.

Cleaning & Sanitation

FENWICK'S

Developed in science
Run by family



Caravan cleaner

0106 : 1L

- Order in multiples of 10



Motor home cleaner

0304: 1L

- Order in multiples of 10



Bobby dazzler

0205 : 1L

- Order in multiples of 10



Black streak remover

0038 : 1L

- Order in multiples of 10



Waste and pipe tank cleaner

0410 : 1L

- Order in multiples of 10



Over wintering protector

0601 : 1L

- Order in multiples of 10



Top and tail toilet fluid

0502 : 2.5L

- Order in multiples of 8



Windowize

1356 : 100ml

- Order in multiples of 10



Awning & tent

1813 : 1L Re-proofer
1820 : 1L Cleaner

- Order in multiples of 10



Waterless wash & wax

PLA1 :



Extending deluxe wash brush

C002: 2M
C003: 3M

- C003 Includes squeegee
- Extendable
- Comfort Grips
- Aluminum handle
- Will not Scratch
- Connects to hose
- Cut off tap
- Rust Proof



250 Waterflow wash brush

C0002: 165
C0003: 250

- C0002 : 95 - 165 cm in length
- C0003 : 150 - 250 cm in length
- Soft microfibre brush head
- Telescopic pole
- Detachable to use as a hand cleaner

Cleaning & Sanitation

They clean up fast

- All Ultra-Grime wipes are made from 100% biodegradable plant-based fibres
- XXL wipes are all 38 x 25 cm - double the size of most other wipes



Sports & leisure XXL wipes

5260 20 wipes

Order in multiples of 6

- Double the Size of Common Wipes
- Powerful yet safe grime remover
- Flexible, recyclable packaging for less waste
- Hand safe & safe to use on all surfaces
- Kind to hands and surfaces
- Dispenses one wipe at a time
- Large absorbency capacity
- Made with 100% biodegradable plant-based fibres.



Multi Purpose XXL wipes

5411 40 wipes

Order in multiples of 6

- Double the Size of Common Wipes
- Powerful yet safe grime remover
- Flexible, recyclable packaging for less waste
- Hand safe & safe to use on all surfaces
- Kind to hands and surfaces
- Dispenses one wipe at a time
- Large absorbency capacity
- Made with 100% biodegradable plant-based fibres.



Anti bacterial XXL wipes

5440 40 wipes

Order in multiples of 6

- Double the Size of Common Wipes
- Dual action cleaner and sanitiser, with a Citrus Home Fresh scent
- Antibacterial – kills 99.99% of bacteria
- Sanitising efficacy exceeds EN1276
- Flexible, recyclable packaging for less waste
- Hand safe & safe to use on all surfaces
- Kind to hands and surfaces
- Dispenses one wipe at a time
- Large absorbency capacity



BBQ XXL wipes

5450 30 wipes

Order in multiples of 6

- Kind to skin yet tough on grease you can use them to clean your utensils, grill, and any other outdoor equipment. With a rough textured side to attack tough, burnt-on dirt.
- Flexible, recyclable packaging for less waste
- Hand safe & safe to use on all surfaces
- Kind to hands and surfaces
- Dispenses one wipe at a time
- Large absorbency capacity



Pet care XXL wipes

5470 40 wipes

Order in multiples of 6

- Perfect for pet clean-ups in the home and on-the-go: use on upholstery, tiles, leather, carpets, windows, food bowls, leads, and accessories, plus safe for your pet's fur, paws and ears
- Flexible, recyclable packaging for less waste
- Hand safe & safe to use on all surfaces
- Kind to hands and surfaces
- Dispenses one wipe at a time
- Large absorbency capacity



Glass & window XXL wipes

5280 20 wipes

Order in multiples of 6

- Remove streaks and add sparkle to glass & shiny surfaces with ease.
- 2-in-1 action for cleaning and buffing in one easy motion
- Double the Size of Common Wipes
- Flexible, recyclable packaging for less waste
- Hand safe & safe to use on all surfaces.
- Dispenses one wipe at a time
- Large absorbency capacity

fabsil | Industry leading Protection



Universal protector

FAB23001: 0.4L (aerosol)
FAB23002: 0.6L (aerosol)
FAB23003: 1L
FAB23004: 2.5L
FAB23005: 5L

- Highly Effective, Industry Leading, UV Treated.
- Dries Odourless and Colourless.
- Extends the Life of Fabric.

Coverages

- 0.4L: 2 - 8 sq metres.
- 0.6L: 3 - 10 sq metres.
- 1L: 5 - 18 sq metres.
- 2.5L: 12.5 - 45 sq metres.
- 5L: 25 - 90 sq metres.



Gold universal protector

FAB23006: 0.2L
FAB23008: 1L
FAB23009: 5L


- Super concentrated
- Highly Effective
- Industry Leading
- UV Treated.
- Dries Odourless and Colourless.
- Extends the Life of Fabric.



Tent and awning cleaner

FAB23011: 1L

- Easy-to-apply
- Prepares for waterproofing
- Refreshes
- Removes dirt
- Restores water repellency
- Spray-on formula
- Suitable for use on most types of fabric - Nylon, Polyester, Cotton Canvas, Hessian, Mohair, Ventile, Polycotton, Ripstop, GORE-TEX* , eVent



Seam sealer

FAB23012: 0.03L

- Easy-to-apply
- Seals seams
- Repairs tears
- Flexible and Waterproof Glue
- Ideal for Small Repairs on clothing, tents, bags, shoes, boots, and outdoor gear
- Quick drying
- Includes Applicator Brush for easy and precise application
- Drying Time: 5-6 hours (optimal results if left to dry longer)



Tent and gear cleaner and proof kit

FAB23013

- Contents: 1 Universal Cleaner, 1 Universal Waterproofer and 1 sponge
- Powerful cleaning
- Easy-to-apply
- UV protection
- Durable water-repellency
- Suitable for: Nylon, Polyester, Cotton Canvas, Hessian, Mohair, Ventile, Polycotton, Ripstop, eVent, GORE-TEX*

Cleaning & Sanitation



Kontrol mega moisture trap

MGN00017
MGN000120

- Helps Stop Condensation, Mildew and Musty Odours.
- Ergonomic Design.
- Fits almost Anywhere.
- Battery Free.
- Works Day and Night
- Lockable lid
- Lasts Approx 8-12 Weeks



Kontrol refil tabz

MGN00009

- Refill tabz for mega moisture trap



Kontrol mini moisture trap

MGN00006

- Order in multiples of 36
- Lavender scented



Kontrol streamline moisture trap

MGN00016

- Includes extra free 500g refill



Kontrol aqua trap

MGN00111

- A compact Non-spill dehumidifier solution that is perfect for use in confined spaces.



Kontrol aqua air

MGN00112

- USB powered
- Includes 450g refil tabz
- Works day and night
- Helps stop condensation, damp, moisture, mildew and musty odours



Kontrol Krystal refills

MGN00081
MGN00019
MGN00020

- MGN00081: 2.5kg (Linen scent)
- MGN00019: 2.5kg
- MGN00020: 1kg
- Refill bags for Kontrol moisture traps



Summit re-useable dehumidifier bag

SUM-900

- 0.35KG
- Simple and easy to use
- Absorbs excess moisture from the air & prevents condensation
- Keeps windscreen clear & fog free

Liberty® LEISURE OUTDOORS

Damp Control

- Quick and easy damp control solution
- No fuss, no hassle, no damp
- Great performance, great value



Moisture trap with 1000g crystals

LL0403

500g

- Easy to fill and empty moisture trap .
- Combats condensation and musty odours
- Standard moisture trap with 500g of crystals inside.
- Plus an additional 500g refill.
- Scent free
- Size: 25 x 8 x 11.5 cm



Crystals refill pack

LL0404

500g

- Combats condensation and musty odours
- Standard crystals' refill pack
- Simply open and pour into your moisture trap
- Designed for use with Liberty Leisure Outdoors® moisture traps, but can be used with others
- Scent Free
- Size: 16.8 x 25 x 5 cm



Crystals refill pack

LL0405

500g

- Combats condensation and musty odours
- Standard crystals' refill pack
- Simply open and pour into your moisture trap
- Designed for use with Liberty Leisure Outdoors® moisture traps, but can be used with others
- Ocean scent
- Size: 16.8 x 25 x 5 cm



Crystals easy pour refill pack

LL0410

2.5 kg

- Combats condensation and musty odours
- New 'Easy Pour' refill Pack
- Simply open and pour into your moisture trap
- Designed for use with Liberty Leisure Outdoors® moisture traps, but can be used with others
- Scent Free
- Size: 23 x 25.7 x 5 cm



Crystals easy pour refill pack

LL0411

2.5 kg

- Combats condensation and musty odours
- New 'Easy Pour' refill Pack
- Simply open and pour into your moisture trap
- Designed for use with Liberty Leisure Outdoors® moisture traps, but can be used with others
- Ocean scent
- Size: 23 x 25.7 x 5 cm

Water



Dometic Smev VA8005 sink

VA8005

420 x 370 x 145mm

- Dometic original sink
- Square sink
- Black glass lid
- Soft close lid



Dometic VA928 sink

9600027593 13 x 13 x 40 cm

- Stylish round hand basin
- Made from easy to clean , tough stainless steel
- Comes with siphon and rubber seal
- Taps (purchased separately) installed outside of the basin



VA8006 AM sink

9600027602 42 x 14.6 x 44 cm

- Heat-resistant safety glass lid providing more workspace when closed
- Robust stainless steel for long-life
- AC 540 siphon , Rubber seal
- Hole for tap (Ø 39 mm)



Thetford Linear sink short hinge

SBL1750 135 x 360 x 550 mm

- Cut Out: Width 315 x Depth 505mm
- Inside Bowl: 131 x 305 x 495 mm (H x W x D)
- Waste Hole - 45mm



Thetford stainless steel sink

SBL1052-SP 153 x 360 x 470 mm

- High quality materials and components
- Contemporary, home-like design
- Optimal use of space, Capacity: 9.5L
- Inside bowl size: 99 x 290 x 368mm (hxwxd)
- Weight: 3.2 kg



Dometic SMEV AC530 siphon angled waste fitting 25mm

9600050026 60 x 36.6 x 75 mm

- Smev dometic ac530 sink waste and plug.
- Angled 25 mm outlet.
- Sink hole size 35 mm.
- Plug size approx 37 mm. f
- For ac530.



Dometic SMEV AC540 angled waste fitting

9600050027 60 x 36.6 x 75 mm

- This siphon provides an effective flow of liquids and also prevents odours to return from the waste pipe.
- Effective flow, angled waste fitting
- Perfectly fits dometic sinks



Dometic SMEV AC530 25mm straight waste

105311577

- Prevents Odours – Blocks unwanted smells from the waste pipe , Straight Waste Fitting
- Designed for 25mm hose connections
- Durable & Reliable
- Efficient Drainage



Thetford rectangular sink Series 3/4

SBL3450-SP

- The quality and ergonomic layout of this range has been proven throughout the years.
- Stainless steel bowls make it easy to clean.
- Plus, you can combine them with matching hobs.
- A rectangular stainless steel bowl perfectly matching the basic line 345 hob.



Spinflo basic line RH triangle sink

SBL3351-SP 480 x 480 x 140 mm

- Complete with glass lid and tap hole.



Series 30 round bowl sink

SBL3051-SP 405 x 405 x 145 mm

- Black Lid , Includes Siphon (SAC0660)
- High quality materials and components
- Contemporary home like design
- Easy to clean , optimal use of space
- Excellent finishing



Thetford Black Argent Enamel Sink

SBL1053-SP

153 x 360 x 470 mm

- High quality materials and components
- Contemporary, home-like design
- Optimal use of space
- Includes siphon (SPCC1243)
- Surface mounted fixation
- Sink: Stainless steel
- Finish: Black enamel
- Lid: Black safety glass
- Inside bowl dimensions (H x W x D): 99 x 290 x 368 mm
- Worktop cut-out dimensions (W x D): 335 x 430mm
- Weight: 3.8 kg
- Capacity: 9.5L



Thetford Argent sink with right hand drainer

SSK1055-SP

153 x 630 x 470 mm

- The argent series offers a range of stainless steel sinks and bowls in various sizes and layouts. a stainless steel bowl with drainer. select the one fitting your kitchen layout with the drainer at your right.
- Capacity: 9.5 litres.
- Finish: stainless steel.
- Inside bowl dimensions (hxwxd): 99 x 290 x 368 mm
- Outlet size - waste pipe: ø19 mm
- Waste hole: ø45 mm (uk)



Thetford Argent Sink With Left Hand Drainer

SSK1054-SP 153 x 630 x 470 mm

- Capacity: 9.5 litres. , finish: stainless steel.
- Inside bowl dimensions (hxwxd): 99 x 290 x 368 mm
- Outlet size - waste pipe: ø19 mm
- Waste hole: ø45 mm (uk)

Dimatec®



Matt chrome monolever tap

0182006.00P



Chrome monolever tap

0182006.12JG
12cm Spout

0182006.17JG
17cm Spout

- Chrome finish
- Comes as kit with fitting ring and barbed tails



Chrome monolever shower mixer tap

0182008.10JG



Florenz cold water tap

0182361.20
Barbed fittings

0182361.20JG
John Guest tails

- Dimatec original tap
- Cold water tap
- Barbed fittings or John Guest tails



Florenz mixer tap

0182393.20JG
John Guest tails

0182393.20
Microswitch

- Dimatec original tap
- Mixer tap
- John Guest or microswitch



Florenz shower mixer

0182385.20.61

- Dimatec original mixer
- 350 mm tails
- 12mm barbed fitting
- Microswitched
- 1/2" BSP male swivel fitting



Comet London cold water tap

0182201.22
Microswitch

0182201.22.24
No microswitch

- Dimatec original tap
- Cold water tap
- With or without microswitch



Comet London bathroom mixer tap

0182218.22



24v Comet London kitchen mixer water 12mm

0182217.22.24
No microswitch

- Dimatec original tap
- Kitchen mixer tap
- No microswitch



Comet London bathroom cold water tap

0182203.22



Monobloc chrome tap with fold down spout

0182005.LX

Dimatec®



Chrome extractable shower set

0180212.01PJG

John Guest tails

- Dimatec original tap
- Shower set with extractable spout
- Chrome finish
- John Guest fittings



Chrome extractable shower set

0182012.01X

- Dimatec original tap
- Shower set with extractable spout
- Chrome finish
- Complete with shower hose



Chrome shower set and riser

0183022.99C



Nadia shower head

0184080.10N



Bailey shower head

0184080.10S



Shower set with extractable head

0184080.06



Chrome shower hose 1.5mtr long

0183025.33



Chromed fixed shower bracket

0183020.59



Chrome metal lever for 0182006.13JG tap

018MAN-OTCR



Aerator nozzle for monolever tap

0182006.996



300mm Ribbed flexi tap hose with barbed end (order in 2's)

0183033.12



300mm flexi tap hose JG end RED/BLUE (Must order 2)

0183033.16



Replacement tap cartridge (monolever operation)

0182006.99



Replacement tap cartridge

0182006.98

REICH

WATER **SOLUTIONS**



Vector S mixer tap

570-700000CP
Uniquick pipe
Push fit ends

570-7000001
Flexi hose
Barbed ends

- 25 cm pipe
- 33mm hole size



Vector E mixer tap

570-702050CP
Uniquick pipe
Push fit ends

570-7020501
Flexi hose
Barbed ends

- 25 cm pipe
- 33mm hole size



Vector E5 bathroom mixer

570-702050CPSKM



Vector S kitchen mixer

570-700000CPSKM



Linnea K bathroom tap

568-700000CSKM
Chrome, Uniquick pipe
Push fit ends

568-7000001SKM
Chrome, Flexi hose
Barbed ends

- 25 cm pipe
- 33mm hole size



Linnea K bathroom tap

568-703000CP OEM Packed
568-703000CSKM Retail Packed
Black, Uniquick pipe , Push fit ends

568-7030001SKM Retail Packed
Black, Flexi hose , Barbed ends

- 25 cm pipe
- 33mm hole size



Linnea L kitchen tap

568-703000CP OEM Packed
568-803000CSKM Retail Packed
Black, Uniquick pipe , Push fit ends

- 25 cm pipe
- 33mm hole size



Linnea L bathroom tap

568-800000CSKM
Chrome, Uniquick pipe
Push fit ends

568-8000001SKM
Chrome, Flexi hose
Barbed ends

- 25 cm pipe
- 33mm hole size



Linnea L bathroom tap

568-803000CP
Black, Uniquick pipe
Push fit ends

568-8030001SKM
Black, Flexi hose
Barbed ends

- 25 cm pipe
- 33mm hole size

REICH

WATER **SOLUTIONS**



Trend A mixer tap

553-040000CP	***553-040010CP***
Uniquick pipe , Push fit ends	Uniquick pipe , Push fit ends
553-0400001	***553-0400101***
Flexi hose , Barbed ends	Flexi hose , Barbed ends
• 25 cm pipe • 27mm hole size	• 25 cm pipe • 33mm hole size



Trend A cold water tap

554-040000CP	***554-040010CP***
Uniquick pipe , Push fit ends	Uniquick pipe , Push fit ends
554-0400001	***554-0400101*** OEM
Flexi hose , Barbed ends	***554-0400101SKM*** Retail
	Flexi hose , Barbed ends
• 25 cm pipe • 27mm hole size	• 25 cm pipe • 33mm hole size



Trend A mixer tap

553-0400001SKM	Standard aerator
553-0400101SKM	Integrated aerator

- Microswitched, Barbed ends
- 600mm cable length , 27mm hole size
- Retail packed



Trend S mixer tap

571-911000	Barbed ends	OEM packed
671-911000SKM	Barbed ends	Retail packed
571-911000CP	Push fit ends	OEM packed
571-911000PSKM	Push fit ends	Retail packed

- Microswitched
- 90mm Radius , 25 cm pipe , 33mm hole size
- Retail or OEM packed (choice above)

REICH

WATER **SOLUTIONS**



Keramik Trend E mixer tap

571-8020101

- Barbed ends
- Flexi hose
- 25 cm pipe
- 33mm hole size

571-802010CP OEM packed

571-802010P1SKM Retail packed

- Push fit ends
- Uniquick pipe
- 25 cm pipe
- 33mm hole size



Samba cold water tap

573-057030

TBC

573-0570301

Flexi hose

Barbed ends

- 25 cm pipe
- 33mm hole size



Samba mixer tap

575-040060CP

Uniquick pipe

Push fit ends

575-0400601

Flexi hose

Barbed ends

- 25 cm pipe
- 39mm hole size



Samba mixer tap

575-0570301

- Barbed ends
- Flexi hose
- 25cm pipe
- 33mm hole size



Samba mixer with 3000 style tap

573-057030SKM

REICH

WATER **SOLUTIONS**



Kama mixer tap

572-802000PSKM	Retail packed	27mm hole size
672-802010PQ	OEM packed	33mm hole size
572-802010PSKM	Retail packed	33mm hole size

- Push fit ends
- Spout length: 150mm, 27 or 33mm hole size (options above)



Kama mixer shower

572-800000661	OEM packed

- Barbed ends
- Extractable Julia shower , 25cm hose length , 36mm hole size

572-800000661CP	OEM packed
572-800000661PSKM	Retail packed

- Push fit ends
- Extractable Julia shower , 25cm hose length , 36mm hole size



Twist shower mixer

575-040900CP	Push fit ends
575-0409001	Barbed ends

- 25 cm tail
- 39mm hole size



Charisma shower head

0.907900	OEM packed
0.907900SKM	Retail packed

- On/Off lever
- Jet regulator
- Even & economical water flow



Julia shower head

540-35000	OEM packed
540-35000SKM	Retail packed

REICH

WATER **SOLUTIONS**



Twist tap

575-040000DPL9SKM

Left hand swing grip

575-040000DPR3SKM

Right hand swing grip

- 30 cm flexi hose
- 39mm hole size
- Push fit ends



Twist shower lever

575-040900PSKM

- 39mm hole size, Push fit ends



Twist mixer tap

575-040030PSKM

- 33mm hole size, Push fit ends



Charisma mixer tap

807500PSKM

- Push fit ends
- Long outlet
- Height 106mm
- Length 160mm
- Mounting 30-35mm
- 6 bar max pressure



Twist cold water tap

573-0400301SKM

- 33mm hole size, Push fit ends



Carino mixer tap

572-807660CSKM

- 33mm hole size, Barbed tails



Style 3000 cold water tap

554-0300101SKM

- Microswitched
- Suitable for flexi hose.
- 33mm tap hole



Style 2005

546-050000SKM

- Microswitched
- Vertically swivelling spout
- 20mm hole size
- Weight: 0.180 kg
- Cable length: 300mm



Mono cold water tap

576-0400001SKM



Black and chrome delux water tap

- Compact & vertically swivelling spout

540-180100SKM



Cartridges

240-0552SKM

28mm

240-06741SKM

Twist 25mm

.81000010SKM

35mm

- Reich replacement cartridges

REICH

WATER **SOLUTIONS**



Submersible pump

514-2418ESKM

Rate (min):18L

- Low weight
- High Quality
- Durable
- Easy to clean
- High output
- Automatic Vent
- Non return valve



Submersible PowerJet pump

514-0725ESSKM

Rate (min):25L

514-0725ES

Rate (min): 25L

514-0722ESSKM

Rate (min):22L

- 2.1bar
- 12V DC



Twin submersible pump

512-1914401A16SKM

Rate (min):19L

512-1914401A16

Rate (min):19L

- 1.5 bar fresh water pump
- Power: 12V DC.
- Output: 55W
- Size: 19 x 8 cm
- Hose connection: 3/8”



Pump

514-0418E

Rate (min):18L

- Low weight
- High Quality
- Durable
- Easy to clean
- High output
- Automatic Vent
- Non return valve



Submersible pump

611-0418EQ

Rate (min):18L

- Low weight
- High Quality
- Durable
- Easy to clean
- High output
- Automatic Vent
- Non return valve



Easy pump

513-0214SKM

Rate (min):14L

513-0214

Rate (min):14L

- Especially powerful
- Enhanced durability



Submersible pump

511-0412SKM

Rate (min):12L

- Low weight
- High Quality
- Durable
- Easy to clean
- High output
- Automatic Vent
- Non return valve



Submersible pump

514-0110SKM

Rate (min):10L

514-0110

Rate (min):10L

- 0.150 kg
- 0.5 bar
- 10-18 W
- 12 V
- Cable: 700 mm

Water



Liberty Leisure submersible pump

LL1663

Rate (min):15L

- Low weight
- High Quality
- Durable
- Input: DC6-12V, 24W
- Maximum Height: 500cms
- QMax: 1000L/H
- Weight: 200 g



Reimo Comet VIP Plus submersible pump

62068

Rate (min):18L

- Low weight
- High Quality
- Durable
- 1.1 bar,
- 35-45 W
- Size: 245 x 38 mm
- Pump connection : 10mm



Dimatec Comet in line pump 12v

0181720.77 : 19L



Dimatec Comet Eco-Plus submersible pump

0181360.79 : 12L



Reich flexi hose with ridged nozzle red and blue

240-0925RBSKM : 25cm



Reich nozzle ridged, red and blue

240-0347123KSKM



Reich shower hose 3/8” cap nut

6-909110SKM



Reich Showerhose 1/2” cap nut

6-9091510SKM



Reich nozzle with nut and O ring

233-102816



Reich replacement spout for mixer tap

240-048000KSM : 14cm



Reich microswitch to suit Reich Kama mixer

240-0622WSSKM



Reich microswitch with red and blue caps EHM KAMA SK

240-0622WRBSKM



Reich microswitch for deluxe tap

240-0170KSKM



Reich microswitch to suit Reich taps

240-0055KSKM



Flojet pump without filter (retail packed)

R3426504A

- 12V
- 30PSI
- 5.6L per minute flow rate



Ecocamel Jetstorm E shower head

EC-JS-E

- Turns a low pressure shower into a power shower, simply replace your existing shower head with this one. No tools required



Flojet pump (OEM Packed)

R3426504B

- 12V
- 30PSI
- 5.6L per minute flow rate



Flojet strainer / filter

01740300B

- To suit Floject pump



Ecocamel shut off valve

EC-SOV

- Save water and energy with this simple shut off value



Flojet 25 PSI pressure switch

02091025

- To suit flojet pump.
- Flojet pressure switch to fit r3426 series flojet pumps.
- Cut out pressure 25 PSI



Ecocamel Orbit shower head

EC-ORB

- Turns a low pressure shower into a power shower, simply replace your existing shower head with this one. No tools required

PENTAIR SHURflo®



OEM Packed shown

Trail king water pump

2095-204-412

Retail packed

2095-204-112

OEM packed

- 7L
- 20 PSI
- 12V DC
- Water pump



Retail Packed shown

Trail king water pump

2095-204-413

Retail packed

2095-204-113

OEM packed

- 7L
- 30 PSI
- 12V DC
- Water pump



Trail king water pump

2095-403-444

Retail packed

- 10L
- 45 PSI
- 12V DC
- Water pump



Trail king water pump

2095-403-143

- OEM Packed
- 10L , 30 PSI , 12V DC



Trail king water pump

2095-473-143

- OEM Packed
- 10L , 30 PSI , 24V DC



Pump filter/strainer 1/2” BSP to John Guest

255-215



Pump filter/strainer 1/2” BSP for use with the flexible hose

255-225



Straight pump connector

234-2926



Elbow pump fittings

244-3926



Swivel straight adapter ½” NPT (F) - ½” NPT (F)

244-2866



Pre-charge accumulator 20 PSI

182-102 : OEM
182-202 : Retail



4048 High flow water pump

4049-153-B75

- 4 Gallons per Minute
- 55 PSI, 10 Amps
- 12V DC
- High Performance
- Reduced Cycling with Flow Reaction Technology™
- Smooth, High Powered Flow



HEATEK XB-3 combi boiler

3408332


- The 3L comes as a combi with a 12VDC 200W heating element and a 230VAC 300W heating element.
- Water capacity: 3 L
- Tank material: stainless steel , Insulating EPP housing
- Temperature limit: 70°C , Over temperature protection: 75°C
- Pump pressure: max. 3.5 bar , System pressure: max. 4.5 bar
- For pressure-resistant hot water hoses with 10 mm diameter
- Complies with European drinking water standard 98/83/EC
- Heat up time: 230vac 38min / 12vdc 57min



HEATEK XB-6 boiler

3408361

- The 6L comes with a 230VAC 300W heating element
- Water capacity: 6 L
- Tank material: stainless steel , Insulating EPP housing
- Temperature limit: 70°C , Over temperature protection: 75°C
- Pump pressure: max. 3.5 bar , System pressure: max. 4.5 bar
- For pressure-resistant hot water hoses with 10 mm diameter
- Complies with European drinking water standard 98/83/EC
- Heat up time 230vac: 76min



HEATEK XB-10 boiler

3408311

- 10L with a 230VAC 600W element.
- Water capacity: 10 L
- Tank material: stainless steel , Insulating EPP housing
- Temperature limit: 70°C , Over temperature protection: 75°C
- Pump pressure: max. 3.5 bar , System pressure: max. 4.5 bar
- For pressure-resistant hot water hoses with 10 mm diameter
- Complies with European drinking water standard 98/83/EC
- Heat up time: 230vac 63min



HEATEK HE300B heating element 230V 300W

3408210

- Compatible with Truma Therme TT2 and HEATEK BT-6 boiler
- Replaces Truma Therme TT2 heating element (part no. 40050-14200)
- Precise temperature control: Thermostat located in the center of the element for accurate water temperature regulation
- Health-focused design: The high temperature ensures the prevention of Legionella bacteria growth
- Overheating protection at 85°C , CE Marked and drinking water safe
- Complies with 98/83/EC European drinking water standards
- Easy installation: Includes O-ring for a watertight connection to the boiler
- Power cord length: 1 meter for flexible installation
- Stainless steel element for enhanced durability and performance

Whale®

Expanse heaters

Accessories and Spares



Expanse onboard water heater gas and electric with flue Kit

SETWL8202A


- 8L Water Heater & feet
- Control Panel
- 1 x 3.5M Cable
- 1 x 1.25M Flue
- 3 x Flue Brackets
- 1 x End Flue Bracket



Expanse underfloor water heater gas and electric with flue Kit

SETWL8212A

- 8L Water heater
- iVan Control Panel
- 1 x 3.5m Cable
- 1 x 1.25m Flue
- 3 x Flue Brackets
- 1 x End Flue Bracket



Burner assembly

AK1278 1.3 KW



Electric element

AK1280 1.5 KW



Expanse PCB's

AK1910: Main

AK1912: Communication



PRD valve & lever

AK1275 Valve

AK1902 Lever



Watermaster IC intelligent controller switch

ES8000B



Temperature sensor

AK1281



Overheat Stat

AK1282



Control panel

AK1963



Wiring harness

AK1801B



Flue terminal

AK1909



Braided hose

AK1884



Vac relief valve

AK1228

Whale®

Rapid heaters

Accessories and Spares



Rapid heat 8L gas & electric water heater

WH0802


- Butane and propane
- Heat input : 1.25 kw
- Gas consumption: 93 g/hr
- Supply: 12V DC + 230 V AC
- Wattage : 750 - 1500 W
- Ampage: 0.35 - 6.5 A
- 258 x 329 x 391 mm, 8kg



Rapid heat 13L gas & electric water heater

WH1302

- Butane and propane
- Heat input : 1.25 kw
- Gas consumption: 93 g/hr
- Supply: 12V DC + 230 V AC
- Wattage : 600 - 1200 W
- Ampage: 0.36 - 5.2 A



Burner / Element

AK1206 : Burner assembly

AK1225: Electric element



Pressure relief drain

AK1205 : Valve (8 or13L)

AK1879: Lever (8 or 13L)



Expanse PCB's

AK1264: Suits AK1871

AK1885: Suits AK1872



Temperature sensors

AK1208 : 8L

AK1209 : 13L



Overheat stat 8 or 13L

AK1213



Control panel 8 or 13L

AK1217



Wiring harnesses

AK1882 : 12V (8 or 13L)

AK1881 : 230V (8 or 13L)



Flue terminal 8 or 13L

AK1215



Braided hose


AK1883: 12mm to 12mm

AK1884: 12mm to 3/8"



PCBA Fuse 8 or 13L

AK1219



Electrodes

AK1220: 8L

AK1221: 13L



MX Adaptor

AK1223: 3/8" to 12mm

Whale®

Water Pumps

Accessories and Spares



Watermaster high flow pump (easi-push plug)

EP1612

Whale water sockets

- Operates with micro switched taps, pressure switches or separate switches.
- Suitable for both microswitch or pressurized systems
- Suits one or multiple outlets including showers
- 12V DC , 5A , 0.5 kg



Watermaster high flow pump (easi-push plug)

EP1642

Truma UltraFlow sockets

- Operates with micro switched taps, pressure switches or separate switches.
- Suitable for both microswitch or pressurized systems
- Suits one or multiple outlets including showers
- 12V DC , 5A , 0.5 kg



Watermaster high flow pump (easi-push plug)

EP1622

Truma crystal II socket

- Operates with micro switched taps, pressure switches or separate switches.
- Suitable for both microswitch or pressurized systems
- Suits one or multiple outlets including showers
- 12V DC , 5A , 0.5 kg



Water filter (easi-push plug)

UH0042

- Silverised carbon filter removes unpleasant tastes and odours
- Filters up to 3,000 L
- Quick and easy installation—simply twist to replace the filter
- Unique Whale Easi-Press™ secure connection and quick-release system
- Protective plug cover prevents O-rings from drying out during storage



Watermaster mains water hook-up

EM9433 7.5M

- Suitable for use with caravans and motorhomes with either microswitch or pressure switch systems.
- Pressure regulator 1.5 bar (max. 1.8 bar).



AquaSource mains extension hose

EM9403 7.5M

- Compatible with external Whale pump systems in caravan and motorhome applications.
- Type: Flat hose design for easy storage



Standard submersible pump

GP1002 10LPM , 12V

- Compatibility: Suitable for use with both pressure switch and microswitch systems.
- Compact & economical: Simple, space-saving design

Water Pumps

Accessories and Spares



Superfil submersible water pump

GP1332

- Whale water sockets
- Weight: 0.15 kg
- Voltage: 12V
- Fuse size: 5A automotive
- Cable Length: 1.38m
- Hose Length: 1.5m (non-kink)
- Two pin plug and 12V DC socket for installation



GP1642 portable pump kit

GP1642

- Rate (min):15.8L
- Weight: 0.7 kg
- Voltage: 12V
- Fuse size: 5A automotive
- Cable Length: 3.75m
- Hose Length: 3.75m
- Food quality clear hose
- Power connections : Crocodile clips and cigar light plug
- Nozzle with Adjustable On/Off (Fine spray or jet setting)



Premium submersible water pump

GP1352B Bulk

- Rate (min):13L
- Weight: 0.15 kg
- Voltage: 12V
- Fuse size: 5A automotive
- Cable Length: 1m
- Hose connection: Suitable for 10mm (3/8”) or 13mm (1/2”) flexible hose
- Plumbing connection: WU1211 (Stem adaptor 11mm - 12mm)



High flow submersible water pump

GP1652 Single (Retail)

GP1652B Bulk

- Rate (min):14L
- Weight: 0.15 kg
- Voltage: 12V
- Fuse size: 5A automotive
- Cable Length: 1m
- Hose connection: Suitable for 10mm (3/8”) or 13mm (1/2”) flexible hose
- Plumbing connection: WU1211 (Stem adaptor 11mm - 12mm)



High flow in-line booster pump

GP1692 Rate (min):14L

- Weight: 0.15 kg, Voltage: 12V 5A , 1m cable
- Suitable for 10mm (3/8”) or 13mm (1/2”) bore
- Plumbing connection: WU1211 (Stem adaptor 11mm - 12mm)



Premium in-line booster pump

GP1392 Rate (min):13L

- Weight: 0.15 kg, Voltage: 12V 5A , 1m cable
- Suitable for 10mm (3/8”) or 13mm (1/2”) bore
- Plumbing connection: WU1211 (Stem adaptor 11mm - 12mm)



Watermaster fresh water pump

FP0814 Single (Retail)

FP0814B Bulk

- Rate (min):8L , Cut Out Pressure: 2 bar (30psi)
- 1.48 kg, 12V, 5A, Current Draw: 4 amps
- Inlet/Outlet Size: Whale® Quick Connect™ 12 mm Female

Accessories

Accessories and Spares

Water filters



WF1530 Up to 4,000L filtered water
15 mm Aquasource

WF3000 Up to 3,000L filtered water
Aquasmart

- Removes unpleasant tastes and odours from water
- Provides up to 3,000L of filtered water
- Silverised carbon filter for water quality
- Simple to install and maintenance-free

Aquasource water filter quick connect



WF1230 Single (Retail)

WF1230B Bulk

- 12MM
- Designed for easy installation
- Removes unpleasant tastes and odours from water
- Maintenance-free filter lasts for an entire season or up to 4,500L.

Compact shower for whale Easi-Slide socket



SO4100B

- Detachable shower handset
- 2.6M hose with trigger control
- Simple to use

Water out Easi-Slide socket



SO4000B

- Standard garden hose push fitting
- Smooth, uniform design
- Waterproof protection
- UV stabilised

On-board tank filler Easi-Slide socket



SO2000B

- 164 x 103 mm
- 0.15 kg
- Connections: 40mm DIA pipe, 10mm DIA bleed pipe

On-board tank filler and 12v Easi-Slide Socket



SO2500B

- 164 x 103 mm
- 12V DC , 0.18kg
- 40mm DIA pipe, 10mm DIA bleed pipe

Easi-Slide water outlet lid



AK1428B: White

AK1448B: Grey

AK1481B: White

- Easy to install
- Waterproof protection
- UV stabilised
- Secure click close for internal protection

Easi-Slide mains water inlet lid with lock



AK1485B: Black

AK1452B: Grey

AK1432B: White

- Easy to install
- Waterproof protection
- UV stabilised

Water



AquaSmart water inlet socket (white)

UW5000B



Watermaster socket lid

AK1400 Ivory

AK1401 White



Watermaster socket O rings

AK3031



Elegance tap knob and drive assembly

AK3034




Elegance tap and shower service kit

AK5030



Watermaster service kit

AK8834



Watermaster socket microswitch

AS5005



Elegance short tap spout (white)

AS5020



Elegance shower handset (white)

AS5123



Elegance long tap spout (white)

AS5125



Elegance Shower hose assembly (white)

AS5145 1.5M



Superfil 80 plug and gasket assembly

AS8090



Superfil 80 socket and gasket assembly

AS8093



Babyfoot standard pump

GP4618

Water



Stem adaptor 1/2" hose 12mm

WU1282B



15mm - 12mm female straight reducer

WU1512B



Inline grooved pressure switch

WU7207

Single

WU7207B

Bulk



12mm surge damper

WS7205



AquaSource to Truma Crystal II adaptor

EM9407



Watermaster mains Truma Ultraflow adaptor

EM9408



Watermaster inlet socket (ivory)

ES1000

- Micro switched water systems



Watermaster inlet socket with pressure switch (ivory)

ES1001



Watermaster Easi-Slide socket with pressure switch

ES6001



Telescopic swivel tap with On/Off control

FT1160



Tuckaway tap with On/Off control

FT1276



Plastic non return valve for 1/2" hose

FV1227



V hand operated pump MK6

GP0650



AquaSmart plug & hose filter assembly

UH0814



Tap and shower microswitch kit

RT9000

UltraFlow
Accessories and Spares



UltraFlow filter housing conversion kit

46010-03 : White

- Kit contains :
- 1 x filter housing
- 1 x filter (46020-01)
- 1 x blanking plug (40060-96600)
- 1 x 40060-97700.



UltraFlow compact kit and housings (white)

46030-03
Conversion kit

46030-01
Housing with plug

46030-11
Housing without plug



UltraFlow filter housing

46010-01 : White



UltraFlow shower set for use with UltraFlow filter housing

46080-01

- Outdoor shower set for use with UltraFlow filter housings.
- Simply plugs into the housing and is then ready to use.



UltraFlow winter kit

46060-01 : White



UltraFlow water inlet housing

46130-51

- Assembly housing for use with UltraFlow inlet hose.



UltraFlow compact shower kit

46070-01 : White

- Provides an outside water supply that runs from your existing water supply.
- The pistol grip of the Outdoor Shower is simply plugged into the Filter Housing



Complete shower housing

40060-99600 : White



UltraFlow shower head

40060-96800



UltraFlow water pump pistol connection

40060-97700



UltraFlow 800mm water pump

46040-01



UltraFlow inlet hose

46340-51

UltraFlow

Accessories and Spares



UltraFlow waterline hosepipe

46091-01

- Length: 15M
- Allows you to easily connect your UltraFlow inlet to the site mains water supply.



UltraFlow replacement filters

46020-11

- Order in multiples of 12
- Truma UltraFlow replacement filter.
- For use with the UltraFlow filter housing
- Put an end to encountering unpleasant smells, tastes and colours in your water supply



UltraFlow filter cap

40060-96400 : Blue



UltraFlow O-ring kit

40060-72900PK



John Guest connector bridge

40060-96700



Filter housing lid

40060-96100 : White



Compact housing lid

40060-97300 : White



Shower lid

40060-97500 : White



Ultraflow blanking plug with O-ring

40060-96600



Pressure stabiliser with 12mm spigot

ACFF60



John Guest Ultraflow non return valve

40060-88000

OEM packed

40060-88000PK

Retail packed

- 12mm non return valve



Barbed UltraFlow non return valve

40060-90000



John guest UltraFlow non return valve

70160-52

truma

UltraStore

Accessories and Spares



Water containers

70020-36700
UltraSrore 10L

70020-60500
UltraStore 10L

70020-60600
Boiler 14L

- Water containers compatible with Truma UltraStore water heaters



UltraStore Rapide GE boiler

73611-01PK	***73611-02PK***
Standard fittings	JG fittings

- Capacity: 10L
- Amps: 0.06 - 0.16A
- Gas: 120 g/h
- 2.8 Bar
- Output: 850 W
- Max temp: 70°c



UltraStore elements

70020-00270 : 850W
70020-00273: 1300W



UltraStore electronic PCB

70020-00065



Control panel

70500-02 : Black



UltraStore control panel (Series 3)

70000-06700



UltraStore cable

70000-96200 : 3M



UltraStore control panel

70020-72800 : Black



Gas valve

70000-38200



Water heater gas burner

70000-54200




PCB socket comes with spark electrode

70020-10200



Boiler flame rectification

70000-56200



Wiring harness

70000-56300



Boiler tank seal kit

70020-00406

UltraStore
Accessories and Spares



UltraStore cowl cover

70121-01 : Off white



UltraStore cowl cover

70122-01: White



Boiler wall cowl extension

70131-00



Cowl kit

70300-02 : White



Boiler safety drain valve

70141-02 : Barbed fittings



Boiler safety drain valve

70142-05 : Push fit fittings (12mm)



Ultrastore assembly pack

70400-52 : John Guest fittings



Elbow fittings

1: 34020-16200 : Cold water Push fit (2) • 12, 10mm	***5: 34151-03 : Hot water*** Push fit (2) • 12mm • PV • Tube
2: 34020-16900 : Cold water Push fit, barbed • 10mm	***6: 34150-01 : Hot water*** Push fit, barbed • 10mm • PV • Tube
3: 34020-63900 : Hot water Push fit (2) • 10mm • PV	***7:70150-01*** For water tube
4: 34020-64000 : Hot water Push fit (2), valve • 12, 10mm • PV	***8: 70151-03*** Push fit, 12mm. series 2,3 and boat



Boiler non return valve

70000-03300



UltraStore casing

70020-09800
10L

70020-09700
14L


- Original Truma spare
- Replacement casing for Ultrastore boilers



UltraStore lid

70020-09900

TT2 Therme
Accessories and Spares



Therme heating element

40050-14200

- Therme tt2 water heating element.
- Complete with 'o'-ring.
- 240v
- 300 watt.



TT2 Therme water heater

42014-01

- Size: 370 x 230 x 220 mm (LWH)
- 300W power consumption
- Weight: 2kg
- Power supply: 230v - 50hz.
- Water capacity: 5 litre.
- Operating pressure: max 1.2 bar.



TT2 Therme water container

40050-12300


- TT2 therme water heater tank.
- A straight swap out replacement water tank for the TT2 therme water heater.



TT2 Therme 2 draining valve

40020-00400

- Truma draining valve
- Specifically made for the TT2 Therme water heater.



TT2 Therme O-ring

10030-26600

- TT2 Therme silicon O-ring
- Size: 65 x 2
- Colour: Black



TT2 Therme O-ring

10030-15600

- TT2 Therme silicon O-ring
- Size: 32 x 2.5
- Colour: Red
- For use with TT2 Therme heating element



Temperature sensing device

34000-34300

- Truma temperature device kit.



Overtemp thermostat device

34000-34200

- Truma overtemp thermostat

Electric water heater, Carver Cascade and Floe Accessories and Spares



Electric water heater

71201-20

- 230V 50hz
- 3.7a (850w)
- Capacity: 14L
- Max temp: 70°c
- Over-temperature protection: 90°c
- Control panel
- 3m cable
- Electric heating element
- Water fittings not included



Electro boiler 850W 230V element

70020-00269



Carver Cascade drain plug O-ring

101022PK



Carver Cascade hot water Fulham outlet

101026PK



Carver Cascade non return water inlet valve

101036PK



Carver Cascade water heater pressure relief valve

101039PK



Carver Cascade water heater drain plug

101470PK



Floe UltraFlow combo Kit

APT0102

- Drain-down kit for Ultraflow systems
- Purge water to prevent frozen lines, pumps and taps etc in winter.
- Removes more than 99.9% of any stale water, bacteria or biofilm.



Floe Whale combo kit

APT0104



Floe Static drainage kit

APT1101

Speedfit®



10mm equal tee

PM0210E : 10's
PM0210EPK : 2 Pack



12mm equal tee

PM0212E : 10's
PM0212EPK : 2 Pack



12mm equal elbow

PM0312E : 10's
PM0312EPK : 2 Pack



15mm equal elbow

PM0315E : 10's
PM0315EPK : 2 Pack



10mm straight connector

PM0410E : 10's
PM0410EPK : 2 Pack



12mm straight connector

PM0412E : 10's
PM0412EPK : 2 Pack



10mm - 12mm reducing straight

PM201210E : 10's
PM201210EPK : 2 Pack



10mm - 12mm reducing elbow

PM211210E : 10's
PM211210EPK : 2 Pack



12mm stem elbow

PM221212E : 10's
PM221212EPK : 2 Pack



12mm - 10mm stem reducer

PM061210E : 10's
PM061210EPK : 2 Pack



15mm - 12mm stem reducer

PM061512E : 10's
PM061512EPK : 2 Pack



12mm to 3⁄8" inch BSP acetal swivel elbow

PM091213E : 10's



12mm end stop

PM4612E



15mm tank connector

CM0715S : 10's



12mm plug

PM0812R : 10's
PM0812RPK : 2 Pack



12mm 2 way divider

RM2312E : Black : 10's
RM2312EPK Black : 2 Pack
PPM2312W : White 10's



Chrome plated ball valves

10BV	10 mm
15BV	15 mm



15mm service valves

15HSV	Chrome plated
15SV	Standard



12mm single check valve

12SCV	Multiples of 10
12SCVPK	2 Pack



15mm double check valve

15DCV	Multiples of 10



15mm Emergency shut off valve

15ESOT	Multiples of 5
15ESOTPK	2 Pack



Tube cutter

TSNIP	



Pipe cutter

JGTS	

- Max tube size : 22 mm



12mm blue hose coil

PE1209-100M-B	Multiples of 100



12mm red hose coil

PE1209-100M-R	Multiples of 100



15mm collet clips

CM1815W	Multiples of 1000



12mm locking clips

PM1812R	Multiples of 100



1/2” locking clip

PIC1816R	Multiples of 100



12mm - 3/4 inch BSP Female adaptor

CM321216E	Multiples of 10



12mm - 3/8 BSP

CM451213FS	Multiples of 10
CM451213FSPK	2 Pack



12mm - 1/2 inch BSP Female adaptor

CM451214FS	Multiples of 10



Female 12mm - 1/2 inch BSP Tap connector

CM451214FSPK	2 Pack



12mm white pipe clip

PC12W	



12mm insert

TSM1209S	Multiples of 100



Superseal inserts

STS10	10 mm	Multiples of 50
STS15	15 mm	Multiples of 50



12mm - 5/8 inch BSP female adaptor

PM451215FE	



15mm stem elbow

PEM221515W	Multiples of 10
PEM221515WPK	2 Pack



15mm - 1/2 inch BSP female coupler tap connector

PSE3201W	Multiples of 10
PSE3201WPK	2 Pack



15mm - 12mm stem reducer

PPM061512W	Multiples of 10
PPM061512WPK	2 Pack



15mm - 12mm straight reducer

PPM201512W	Multiples of 10
PPM201512WPK	2 Pack



12mm bulkhead fitting

PM1212E	Multiples of 5
PM1212EPK	2 Pack



15mm tank connector

CM0715S	Multiples of 10



Flow bend clips

PM2612S	Multiples of 5
PM2612SPK	2 Pack



15mm x 1/2 inch hose connector

NC448	Multiples of 10
NC448PK	2 Pack



12mm x 3/8 inch acetal straight adaptor

PM011203E	



1/2 inch to 12mm straight adaptor

PM011204E	Multiples of 10
PM011204EPK	2 Pack



3/8 inch to 12mm straight threaded adaptor

PM011213E	Multiples of 10



12mm x 1/2 inch BSP straight threaded adaptor

PM011214E	Multiples of 10
PM011214EPK	2 Pack



12mm in line tap

PPMSV041212W	Multiples of 10



3/4inch female BSP to 15mm JG adaptor

PSE3203W	Multiples of 5



15mm equal elbow

PEM0315W	Multiples of 5



15mm straight connector

PEM0415W	Multiples of 10

WAI

Specialist Leisure Products



Hose roll (25M)

31200 : Blue



Hose roll (25M)

31201 : Red



Fill up hose

00011 : 1M
00028 : 2M
00053 : 5M
00110 : 10M

- The Fill-Up comprises of a length of food grade hose and flexible tap connector



Aqua Cap

00051



Waste water drain tap 28mm

00077



Two into one waste outlet kit

SP202351



Hose connectors

00078 : 28.5mm straight
00088 : 28.5mm Y



Equal tee

31202 : 12mm
31502: 15mm



Equal elbow

31203 : 12mm
31503: 15mm



Equal straight

31204 : 12mm
31504: 15mm



End plug

31208 : 12mm
31508: 15mm



Stem reducer

31210 : 12 - 10mm
31215: 15 - 12mm



Bulkhead connector

31212 : 12mm



Tap tail adaptor

31213 : 3/8" BSP - 12mm



Straight adaptor male

31214 : 1/2" BSP - 12mm

W4 Specialist Leisure Products



Straight reducer

31220 : 12 - 10mm
31228 : 12 - 8mm
31512: 15 - 12mm



Elbow reducer

31221 : 12 - 10mm



Stem elbow

31222 : 12mm
31522: 15mm



Adaptor female

31232 : 1/2" BSP - 12mm
31238 : 3/8" BSP - 12mm



Stem adaptor male

31264 : 1/2" BSP - 12mm
31263 : 3/8" - 12mm



Tank fitting assembly

31266: 12mm



Straight adaptor

31268: 12mm - 1/2" hose



Shut off valve

31270: 12mm



Stem shut off valve

31272: 12mm



Non return check valve

31273: 12mm




Two way adaptor

31275: 12mm




In line filter / strainer

31284: 10mm



Collet Clip (5 Pack)

31292 : Blue



Collet Clip (5 Pack)

31293 : Red



Elbow hose connector

37805 : 12mm - 1/2" hose



Hose sealing sleeve

37806 : 23.5mm (2 Pack)
37807 : 28.5mm (2 Pack)

W4

Specialist Leisure Products



P clips (5 Pack)

37809 : 1 1/4”
37828 : 1/4”
37829 : 5/8”
37830 : 3/4”
37831 : 1”

- W4 p clips
- Easy to use
- Universal in use
- Various sizes available



Hose clip (2 Pack)

37832 : 8 - 16mm
37833: 12 - 22mm
37834 : 16 - 27 mm
37836 : 25 - 40mm

- W4 hose clips
- Easy to use
- Universal in use
- Philips screwdriver fitting
- Various sizes available



Hose connector reducer

37837 : 3/8 “ - 1/2”



Hose straight connector

37838: 1/2” (12mm)



Hose Y connector

37839: 1/2 “ (12mm)



Hose T connector

37840 : 1/2” (12mm)



Hose straight connector

37841: 3/4” (19mm)



Hose Y connector

37842: 3/4 “ (19mm)



Hose T connector

37843 : 3/4” (19mm)



Silicon universal tap connector

37845



White waste strainer

37890



Chrome waste strainer

37891



Black sink plug

37893: 1.5”



Universal self seating plug

37894

FAWO 50 Years 1974 - 2024



Y connector

01621T21087 : 10mm

• Order in multiples of 10



Y connector

01626T21987: 19mm



Angled waste fitting

01622T12390 : 25mm



Straight waste fitting

01622T11190 : 25mm



Tank connector

01622T22590 : 25mm

• Order in multiples of 10



Angled tank connector

01622T32090 : 20mm



Angled tank connector

01622T34090: 40mm



Straight connector

01622T21090 : 10mm

• White



Straight connector

01626T01987: 19mm



Straight connector

01626T02587: 25mm



T connector

01626T31287: 12mm



Elbow connector

01626T41987: 19mm

REICH

WATER SOLUTIONS



Rigid waste water pipe

233-10291 : 28 x 1.5mm

- Order in 1M lengths



UniQuick pipe clamp 12mm

233-115012 : Single
233-115022SKM : Doubles



Plug in elbow

233-1367



Angled water drain

533-0510SKM: 39 mm
533-0511SKM: 33 mm



Straight water drain

533-0531SKM : 33 mm



UniQuick non return valve

533-4010SKM

- 2 Nozzles



UniQuick non return valve

533-9012SKM : 12mm



UniQuick straight nozzle

533-8212SKM : 12 mm



UniQuick angled nozzle

533-8231SKM : 12 mm

- 90 Degree angle



UniQuick plug in nozzle

533-1201SKM: 12 mm



UniQuick angled connector

533-8232SKM : 1/2 inch

- With screw connection



UniQuick drain valves

533-8251SKM : Single
533-8252SKM: Twin

Water



Bullfinch shower point

6088/05 : Grey
6088/01: White
6088/08 : Black



Bullfinch spare shower head

6088D



Fawo black water inlet and filler cap

01622T64081E : 40 mm

- Short version with 2 keys



Fawo water filler locking cap (white)

01622T90290 : OEM
01622T90290PK: Retail



Fawo water filler with magnetic lock

01724T10599W
Black

01724T10499W
Grey

01724T10099W
White

- Does not come with cap



Fawo outdoor shower with switch for pump

01746T70099 : White
01746T70599 : Black



Fawo mains water inlet magnetic lock

01746T40099 : White
01746T40499 : Grey



Fawo shower head kit

01618T95099



Fawo filler cap (white)

01622T64090W : 40 mm



Fawo diesel filler 13 thermoplast (Bianco)

01724T70299D



Fawo water filler locking cap (black)

01622T90281 : OEM
01622T90281PK : Retail



Fawo water filler cap

01722T20184

- HSC housing



Fawo water filler cap

01722T22084

- ZADI housing



Fawo filler cap 08 diesel

01722T23281



FAWO water filler (black)

01722T64081E : 40 mm

FOOD SAFE

These hoses are made from 100% food grade materials which means it is 100% safe for use with drinking water.



Liberty Leisure roll on hose

LL1562A	15M

- Flat Hose : This has a flat hose which gives you two advantages over a traditional hose. First it is much smaller, especially when rolled up, which makes the pack size far smaller. Secondly it is lighter weight thanks to the smaller design.
- Easy to carry : The flat hose design makes this a very small and light pack size when rolled up, which makes it easier to carry and store away when not in use.

- 2 x Quick hose connectors
- 1 x Tap adaptor
- 1 x Adjustable nozzle
- Hose size: 4.3 x 12mm
- Hoe length: 15m
- Tube Thickness - 1.2 - 1.4mm
- Max Pressure: 8bar
- Weight: 2.6 kg



Liberty Leisure pro hose reel

LL1563A	10M

- Pro carry reel makes it easy to wind the hose in and easy to carry and store away when not in use.
- This is a stronger reinforced hose which mean it resists kinks and twists far more than its cheaper rivals. It also means it is stronger, plus more resistant to leaks.
- Includes all the fittings you need to connect to a tap and start using it.
- Hose clips on the pro carry reel make it tidier and easier when the hose is wound away.

- 2 x Quick hose connectors
- 1 x Tap adaptor
- 1 x Adjustable nozzle
- Hose length: 10M
- Connecting hose length: 1.5M
- Hose diameter: 8 - 12mm
- Max Pressure : 15 bar
- Weight: 2 kg.



Fawo water hose

01589T21183	Red
01589T21184	Blue

- 50M Rolls
- 10mm water hose



Copely reinforced hose

CT015-002-208-CLRD-01	Red
CT015-002-208-CLBL-01	Blue

- 30M Rolls
- 12.5 x 18.5 mm



Convoluted hose

0008440	28.5 mm

- Brand : DLS
- Colour : Grey
- Roll size : 25M

01589T21978 : 19 mm	19 mm
01589T22078 : 20 mm	20 mm
01589T22578 : 25 mm	25 mm
01589T23278 : 32 mm	32 mm
01589T23578 : 35 mm	35 mm
01589T24078 : 40 mm	40 mm

- Brand : Fawo
- Colour : Dark Grey
- Roll size : 30M



DLS Oulet hose socket (grey)

1051440	3/4 inch

- Fits onto outlet socket to aid draining.



Whale LDPE tube

WX7112	12 x 8.5 mm	Blue	30M
WX7112B	12 x 8.5 mm	Blue	100M
WX7114	12 x 8.5 mm	Red	30M
WX7114B	12 x 8.5 mm	Red	100M

- Suitable for cold water systems , Push-fit connection for easy installation
- Durable and flexible LDPE construction



Fawo P Clip

01589T80799	6.5 mm
01589T80999	9.5 mm
01589T81699	16 mm
01589T81999	19 mm
01589T82899	28.5 mm

- Order in multiples of 100

01589T81699PK	16 mm

- Pack of 10



Fawo special hose clip

01589T91935	19mm
01589T92535	25mm
01589T94035	40mm
01589T94035PK	40mm : 5 Pack

- Specifically made for use with convoluted hose, but can be used for any type.



Fawo P clip with chloropren protector

01589T60799	8 mm

- Additional protection due to chloropren, rubber protector.
- Made to used with any 8mm pipe that requires extra protection.

Water



Liberty Leisure collapsible water carrier

LL1524 3.5L

- Food grade plastics, lightweight, easy to carry
- Collapsible , integrated handle and tap



Liberty Leisure collapsible water carrier

LL1525 5.5L

- Food grade plastics, lightweight, easy to carry
- Collapsible , integrated handle and tap



Liberty Leisure collapsible water carrier

LL1523 7.5L

- Food grade plastics, lightweight, easy to carry
- Collapsible , integrated handle and tap



Quest jerry can

QW0001 9.5L

- Food grade plastics , lightweight, easy to carry
- Integrated handle



Quest jerry can

QW0002 9.5L

- Food grade plastics , lightweight, easy to carry
- Integrated handle and in cap tap



Quest jerry can

QW0003 25L

- Food grade plastics , lightweight, easy to carry
- Integrated handle



Quest jerry can

QW0004 25L

- Food grade plastics , lightweight, easy to carry
- Integrated handle and in cap tap



Quest waste can

QW0005 23L

- Dual caps for easy fill and empty
- Integrated handle



Quest jerry can

QW0006 5L

- Food grade plastics , lightweight, easy to carry
- Integrated handle



CP shower tray

1172090 670 x 670 x115 mm

- Acrylic shower tray.



CP shower tray

1042001 585 x 585 x 100 mm

- White acrylic shower tray.



CP universal shower tray

1042002 1050 x 705 x 85 mm

- White acrylic shower tray.



CP shower tray for C400 toilets

1042003 1050 x 670 mm

- Acrylic shower tray.



CP Contessa C400 basin

1022005/3 670 x 870 x 135 mm

- Tips up to save space.



CP Cleo basin

1022007 520 x 660 x 430 mm


- Tips up to save space.



CP Contessa cabinet

1072007 670 x 530 x 130 mm

- 80mm at top when closed.



CP Contessa mirror

310468

- 2 Pack



CP Cleo cabinet

1072008 540 x 520 x 110 mm

- White.



Reimo Antibes vanity unit with tip-up basin

642011 500 x 760 x 130 mm



W4 3 way towel grip

38473



W4 mini loo brush and holder

38481




W4 wash room beaker and holder

38482



W4 4 way toothbrush holder

38485



Toilet roll and towel rings and holders

38486
W4 towel ring

38488
W4 toilet roll holder

1310N
Toilet roll holder with suction base



Truma mono control CS gas regulators

52400-01	Retail packed
52412-01	Retail packed

- Works on either propane or butane
- Flow rate : 1.5 kg/h
- Outlet pressure 30 mbar
- 8 or 10mm gas system
- Horizontal or vertical fitting

52411-64	OEM packed
52412-05	Retail packed
52412-64	OEM packed
52400-52	OEM packed

- Works on either propane or butane
- Flow rate : 1.5 kg/h
- Outlet pressure 30 mbar
- 10mm gas system

52400-51	OEM packed
52412-63	Retail packed

- Works on either propane or butane
- Flow rate : 1.5 kg/h
- Outlet pressure 30 mbar
- 8 mm gas system



Truma duo control CS 30mbar vertical gas regulator

51611-01	Retail packed

- Can be reset by pressing the yellow button
- Regulator inlet m20x1.5 (g.5)
- Regulator outlet olive screw connection 10/8mm.
- Regulator capacity 1.5kg/h
- Must be used with rupture protection hose



Truma duo control CS 8/10mm horizontal gas regulator

51621-01	Retail packed

- Crash sensor for two cylinder operation
- Shows which cylinder is in use and whether it is full or empty
- Automatically switches over from the empty cylinder to the full one

Gas



Gok regulator

0129476 10 mm



Gok regulator

0129471 8 mm



Campingaz Cylinder Adaptor

RCAMPADP

- Converts Campinggaz to butane type pigtail connections



GOK GB camping gas adapter

0973705

- Converts Campinggaz to butane type pigtail connections



GOK GB butane Clip adapter

2003620

- 7kg butane clip on adaptor.



Cavagna gas regulator side outlet

42.1.490.1074 8 mm

- 30 mbar
- Propane or butane



Caravan 90° regulator

42.1.490.1076 8 mm

- 30 mbar
- Propane or butane



Adaptor with 90 degree elbow

51.4.190.0002PK 27 mm

- 90 Degree connection



Adaptor c/w vertical

51.4.190.0033PK 27 mm

- Vertical connection

Gas



Cavagna clip on Adaptor

51.1.190.5018 21 mm

- Outlet pressure : 30 mbar
- Gas Type : Butane



Cavagna clip on regulator

63.1.490.0758PK 8 mm

- Outlet pressure : 37 mbar
- Gas type : propane



Regulator RD 109 inlet

69.1.490.2028 8 mm

- Outlet pressure : 28 mbar
- Gas type : Butane



Cavagna reinforced regulator

71.1.490.2242 8 mm

- Outlet pressure : 37 mbar
- Gas Type: Propane
- Flow rate : 1.5 kg/h



Regulator POL 105

69.1.490.2263 8 mm

- Soft nose
- Outlet pressure : 37 mbar
- Gas Type : Propane
- Flow rate : 1.5 kg/h



Continental clip on regulator

RCO27P 8 mm

- Outlet pressure : 37 mbar
- Gas Type : Patio gas
- Flow rate : 1.5 kg/h



Continental clip on regulator

RCO21B 8 mm

- Outlet pressure : 28 mbar
- Gas type : Butane
- Flow rate : 1.5 kg/h



Continental screw regulator

R37SN 8 mm

- Outlet pressure : 37 mbar
- Gas Type : Propane
- Flow rate : 1.5 kg/h



Continental screw regulator

R716-CG 8 mm


- Outlet pressure : 29 mbar
- Gas Type : Camping Gaz
- Flow rate : 1.5 kg/h



Propane pigtail - handwheel class 3

LPGA-MI-PT450HWXW20	Single	450 mm
LPGA-MI-PT750HWXW20	Single	750 mm
LPGA-MI-PT1150HWXW20	Single	1150 mm
LPGA-MI-PT750HWXW20PK	Pack of 20	750 mm
LPGA-MI-PT1150HWXW20PK	Pack of 20	1150 mm

- 6.3 mm Gas hose
- Gas type : Propane
- Colour : Black
- Class : 3



Propane pigtail - POL class 3

LPGA-MI-PT450PXW20	Single	450 mm
LPGA-MI-PT750PXW20	Single	750 mm
LPGA-MI-PT15000PXW20	Single	1500 mm
LPGA-MI-PT450PXW20PK	Pack of 20	450 mm
LPGA-MI-PT750PXW20PK	Pack of 20	750 mm

- 6.3 mm Gas hose
- Gas type : Propane
- Colour : Black
- Class : 3



Butane pigtail - POL class 3

LPGA-MI-PT450BXW20	Single	450 mm
LPGA-MI-PT750BXW20	Single	750 mm
LPGA-MI-PT-1500BXW20	Single	1500 mm
LPGA-MI-PT750BXW20PK	Pack of 20	750 mm

- 6.3 mm Gas hose
- Gas type : Butane
- Colour : Black
- Class : 3

Gas



Truma GB pigtail

50405-12

- Propane, 450 mm



Truma High pressure hose pigtail

50405-16


- Butane, 450 mm



HP hose HRP G.12 German pigtail

50415-01


- 450 mm



Truma hose France

50415-03

- Propane, 450 mm



Truma HP hose GB pigtail drife safe

50415-12

- Propane, 450 mm



Truma HP hose HRP, G.10 SE Pol

50415-15

- 450 mm



Truma HP hose HRP, G.8 EU Shell

50415-16

- 450 mm



High pressure hose

50425-02

- Propane, 750 mm



Orange BS3212/2 hose without reel

LPGA-MI-BS3212/2-8

- 50M x 8mm



Orange hose

7150

- 50M x 8 mm



Gas tubing class 3

LPGA-MI-BS3212/1-8-R

- 50M x 8mm



BS3212/1 gas tube + 2 x M00 clip class 3

LPGA-MI-BS3212/1-2M

- 2M x 8 mm



Truma gas pipe

50000-00052

- Truma gas pipe
- Minimum order : 3
- 10mm diameter
- Ø10x1



Heavy Duty Gas Spanner

LPG-HDSPANN

- Heavy duty



Lightweight Gas Spanner

LPG-LWSPANN

- Lightweight



Lightweight Cylinder Spanner

SPANNER01

- for Propane Nut

Gas



GOK O-ring rubber

0459025



Truma regulator spanner

50020-00605

• Black



Gok leak pressure test equipment

0261111



GOK additional volumiser with o-ring

0261140

• 600 ml



GOK 8mm test point 8mm outlet

0261800



GOK test hose with union nut

0261806



GOK Screw cap for test point

0261814



GOK 90 degree regulator elbow

1150900



GOK nut

0710803V 8 mm



GOK nut

0710903V 10 mm



GOK brass regulator olive

0717100V 8 mm



GOK brass regulator olive

0717200 10 mm



Worm drive hose clip

CGST28050



Truma 400/25 heat proof sliding seal

10690-00



Gas bottle retaining kit

00042



Fawo gas bottle bracket

01656T03089

• Black

Gas



Fawo gas bottle strap

01656T03299

- 1200 mm



Fawo gas bottle bracket spacer plastic

01656T03189

- Black



DLS strap black

6043050

- 1250 mm



DLS gas bottle base holder light grey

6056441



DLS Gas Bottle Holder spacer 30mm black

5012050



DLS Flexible Gas Bottle Holder Black

6059050



Leak detector spray

CG950116



Truma Level Control Clamping Kit.

50900-01

- For aluminium bottles



Truma level control

50700-01



Truma gas filter

50603-01
50681-01

- 50603-01 - gas filter
- 50681-01 - filter pads (10 pack)



Truma Gas Fill Level Check

50501-01



Truma gas remote switch

57014-01



Truma gas remote switch GS10

57024-01

Gas



K4-8mm DVP Manifold valves

23112-31DVP



VK2-8mm DVP Manifold valves

24115-31DVP



VK3-8mm DVP Manifold valves

24135-31DVP



Truma VK4 8mm 4 Way Manifold Gas valve

24155-31DVP



Truma VK2-10 Manifold Valve

24116-31DVP



Truma Manifold valve K10-MS

23131-31

- Without nut and olive



Truma VK3-10 Manifold Valve

24136-31DVP



Truma VK4 valve 10mm grey handle

24156-31DVP

- Comes assembled





Truma T union

10180-00
10111-00

- 10180-00 - for 8mm pipe
- 10111-00 - for 10mm/8mm pipe



Truma Elbow union w 10 for gas pipe

10171-00



Truma Elbow Union Z8/RVS8

10170-02



Truma bracket for Gas filter.

50020-87000



Truma straight reducer union 8mm to 10mm

50040-11900



Truma straight reducer union

50020-00750



Truma Straight Reducer 10mm-8mm

50020-04000

Gas



Truma steel olive

20000-38000
20000-38100

- 20000-38000 - 8mm
- 20000-38100 - 10mm



Truma blanking plug

0350501V
0351501V

- 0350501V - DS 8mm
- 0351501V - 10mm



30m Copper gas Pipe

M30M/8MM



Brass 8mm Equal Elbow

ME108



8MM OD Equal Tee

MT108



Brass 8MM Equal Coupling

MC108



Truma 2mm Spacer for bow strap

20000-22700



Truma Bow strap 17mm

20000-22900



GOK BBQ Coupling Valve

2100000



Truma Steel Gas pipe EO 8x1mm

39010-28600

(Order in multiples of 6 metres)



Truma Gas pipe clip EOS

39010-28500

- Order in multiples of 6 M



Truma Elbow union W8 for gas pipe

10170-00




Truma straight union

10160-00
10161-00

- 10160-00 - G8 for gas pipe
- 10161-00 - for 10mm for gas pipe

Gas



Truma BBQ Point

23291-01
23291-03

- 23291-01 - white
- 23291-03 - black



Whale Easi-Slide BBQ Socket Lid

AK1427B
AK1447B
AK1480B

- AK1427B - white
- AK1447B - grey
- AK1480B - black



Truma Lid for BBQ point in white

40060-99100



Whale External Gas BBQ Easi-Slide Socket

SO1000B



Bullfinch Gas Point


6087/08
6087/01
6087/05

- 6087/08 - black
- 6087/01 - white
- 6087/05 - grey



Bullfinch spare gas connector

6087D



Bullfinch Sticker for 6087 GAS Point

6087R



Fawo BBQ point with magnetic locking

01746T50599
01746T50199

- 01746T50599 - black
- 01746T50199 - white



Fawo White Gas Socket Housing only with magnetic Lock

01746T59099

- Comes without valve - part number for valve is 2100000



GOK gas barbeque point

2173100



GOK adapter for barbeque point - 6mm internal diameter hose

0245027



gamma 8mm hosetail LPG coupling

21KATF08MPX-S

Gas



Truma S3004A gas heater

31381-01



Truma S5004, 1.5V 30mbar

31571-01



Truma front case TITAN retail

30420-01
30430-01

- 30420-01 - S3004
- 30430-01 - S5004



Truma Flu Kitm - S3002/S3004

30330-00



Truma Roof flue kit AK5 70mm D flue kit to suit S5002/5004

30350-00



Truma Piezo Ignitor kit

30090-00042
30090-00043

- 30090-00042 - S3002
- 30090-00043 - S3004



Truma Safety pilot valve kit

30090-00141
30090-00142

- 30090-00141 - S3004/S5004
- 30090-00142 - S3002/S5002



Truma New exhaust duct fitting

30030-03600



Truma Space Heater Auto Ignitor

30090-00078



Truma S5002 S5004 burner cpl 30mbar

30090-00152



Tuma Ultraheat S Heater Control Knob Bezzle

30090-16200



Truma heat protection panel

30090-16400



Truma Gas rod

30090-20700
30090-41900

- 30090-20700 - S3004
- 30090-41900 - S5004



Truma gas control chrome Knob

30090-98800



Truma Knob Socket

30030-18700



Truma gas control knob standard S3004/ S5004

30090-90400



Truma knob , Illuminated standard S3004/S5004

30090-90500



Truma gas control knob socket

30090-90600



Truma S3004/S5004 spark probe 48cm

30090-91200



Truma Thermocouple S3004/S5004

30090-91300



Truma Burner Set 30mbar (S3002/3004)

30090-92200



Truma thermocouple

30050-13900



Truma Spark electrode 105cm

30090-92300

- for use with Truma S3004



Screw on Spark Electrode S3002

30040-65800

- for use with Truma S3002



Truma top shelf S3004 Fire

30090-94900



Truma temperature control device

30030-65100



Truma Temperature Limiter

30030-65200



Truma Floor Base New

30030-33300



Blank cover

30040-60800
30040-60900

- 30040-60800 - 35mm
- 30040-60900 - 52mm



Truma ignition pipe Cpl

30050-18700



Truma Mica window cpl

30030-42700

Gas



Truma Magnetic Insert Mini

30030-12200



Truma holder for heat detector

30030-29800



Truma Retaining Spring

30040-60000



1.5v Battery for 5002 Fire

30030-99200



Truma Ultraheat 230V Electric Heater

30403-02



Truma Ultraheat heating element

30030-70100



Truma Ultraheat sensor FY1

30030-71000



Ultraheat control panel cable

34000-09300



Truma Jack Plug for Ultraheat

34000-71800



Cable for Room Sensor 4mtr

34000-71900



Truma Room temp sensor

34020-00263



Truma Ultraheat PC Board

30030-70900



Truma ultraheat Control panel black

30030-47100



Truma Control panel frame Black

34000-67700



Truma Cowl roof

30010-20900



Truma Cowl Extension AKV

30010-29400



Truma Cowl AK3/60

30630-07



Truma Sealing ring AK3

30010-20600



Truma Roof flue AKL5x75mm

30651-01



Truma Cowl Top T2

30700-02



Truma Cowl top T3

30700-03



TEB-3 12v Fan c/w Integrated control panel

41240-01



Truma TEB-3 12v Fan

41240-51

- Not suitable for the older S3002 or S5002 - if upgrading from teb 2 need 30090-98700



Truma Fan TEB-3, external control panel

41241-02



Truma TN3 fan c/w external control, 1.5m 240v

41251-01



Truma TEB3 control panel

40000-92800



Truma TEB-3 Control panel cable 0.8 m

40000-93200



Truma TEB-3 fan PCB

40000-93400



Truma TEB-3 Motor Mounting Set

40000-93700



Truma TEB-3 external control panel, black

40000-67400



Teb 3 Fan Motor - DC motor 12V

40000-00033



Truma TEB 3 Adaptor Plate

30090-98700

Gas



Alde 1 Litre G12++ Premium Antifreeze

4080-141

(Order in multiples of 12)



Alde 4 Litre G12 Evo Antifreeze

4080-142

(Order in multiples of 2)



ALDE Lube Cube 20L

40UK702



Alde 3030 Compact HE Central Heating system

3030-9051



Alde 3020 HE Touch Control Panel Black iNet ready

3020-112



Alde 3030 capacitive touchscreen control panel

3030-115



Alde Colour Touch Control Panel & Frame

3010-615



Alde Silver Fascia for the Colour Touch Control Panels 112

3010-616



Alde circuit board 3KW for 3020HE

3020-140



Alde 2kW PCB for 3010 Compact

3010-302



Alde 3kW PCB for 3010 Compact

3010-303



Alde 12v Vortex Inline Circulation Pump

3010-522



Alde 12v Circulation Pump

2928-420



Alde White Outer Flue Cowl

3010-391



Alde Light grey Outer Flue Cowl

3010-392



Alde Side Flue Terminal Outlet c/w Hose Clips

3010-170

Gas



Alde Discrete Room Temp Sensor & 2m Cable

3010-346



Alde Outdoor Sensor & Cable 2.5m

3010-299



Alde Fan assembly for 3010, 3020 ,3030 or (3000RF)

3000-452



Alde Flow assembly - compact flow assembly with non return valve

1900-558





Alde filler/bleed pump kit c/w hose

1900-811
1900-839

- 1900-811 - 5m
- 1900-839 - 8m



Alde Frost Control Safety Drain valve 12mm JGS

3010-431



Alde Red Hot Water Connection 12mm

3010-571



Alde 12mm John Guest Safety Drain Valve

3000-498



Alde 16:22 mm EPDM rubber connector

0714871



Alde Rubber Hose 22mm (1m length)

1900-002



Alde 22mm rubber hose

1900-044



Alde Convector mounting bracket

1900-146



Alde High Grip Spring Clip 22mm

1900-176



Alde Air Bleed Valve

1900-204
1900-277

- 1900-204 - 8mm
- 1900-277 - 12mm



Alde Super Heavy Duty Spring Clip Pliers

1900-178



Alde Rubber Drain Tee

1900-518



Alde Rubber Horizontal Elbow Valve C/W Clips

1900-520



Alde EPDM Rubber Elbow

1900-523



Alde EPDM Verticle Rubber Elbow Valve c/w clips

1900-527



Alde Rubber Elbow Reducer 22-19mm

1900-531



Alde Automatic Self Bleeding Valve side outlet

1900-542



Alde Rubber joint with bleeder screw

1900-545



Alde Rubber F connector

1900-557



Alde b Shaped Heated Towel Rail (bravo)

1900-618



Alde 2-port Chrome Heated Towel Rail

1900-619



Alde 700mm 150W Panel Radiator

1900-680

- Includes vent & brackets (1900-691)



Alde 4-port EPDM Rubber Connector

1900-837



Alde Aluminium Pipe c/w Non Return

1900-870



Alde Aluminium Tube 22mm

1900-301M

- Order in multiples of 12

Gas



Alde Ignition Complete for compact

3000-407



Alde Exhaust Inner Hose Aluminium

3000-359



Alde outer Hose - Air Inlet

3000-360



Alde Engine Preheat Pump 12v DC heat exchanger

2755-000



Alde Rubber Tank Seal for Cap

3000-416



Alde b Shaped Heated Towel Rail (bravo)

3000-420



Alde Temp Sensor

3010-238



Alde Cap for F & E tanks. All models

2930-423



Alde 3000 Compact Ignition controller

3000-157



Alde Burner Cpl ignition set

3010-301

- Burner Complete with Ignition Set for 3010, 3020 models



Alde load Monitor

3010-246



Alde Solenoid Valve for 3010 Compact

3010-304



Alde Cable for Discreet Room Temperature Sensor 8m

3010-254




Alde Adaptor lead

3010-279

- Lead to connect control panels 3010-213 and 613 to cable 3010-267 / 277 / 2

Gas



Alde Sensor Set for 3010 Compact

3010-305



Alde water heater Ignition Set for 3010

3010-306



Alde Load Monitor

3010-315



Alde fuse for compact 3010

3010-339

- 3.15 amp



Alde battery back ip for 613

3010-420



Alde front fascia for control panel

3010-618

- Black



Alde flue cap & condensation spout

3010-699



Alde 3020 control panel cable

3020-017

- 9m



Alde 3020 control panel cable

3020-018

- 15m



Alde control panel cable

3020-028

- 12m



Alde Sensor set, stat, OHP & DHW for 3020

3020-039



Alde changeover cable

3020-041



Alde Thermostatic mixing valve

3102-003
3102-006

- 3102-003 - mixing valve
- 3102-006 - mixing valve 3



Alde gas leak detector

4071-805
4071-808

- 4071-805 - 8mm
- 4071-808 - 1mm



Dimatec chrome recessed LED Spot Light

200SMB1.2-18CR
200SMB1.2CRT : Touch, default off
200SMB1.2CRTX : Touch, default on

- Fits into a hole of approximately 54mm diameter (no screws required) and connection is via flying leads
- 65mm diameter, Warm white



Dimatec nickel recessed LED Spot Light

200SMB1.2-18NS
200SMB1.2NST : Touch

- 18 LEDs provide warm light
- Energy efficiency class: a
- Lumen: 3200 lm
- Installation dimensions 65×15mm
- Voltage: 12 v - Power: 1.2 w - Weight: 35 g



Dimatec mirror finish round slim touch light

200MLR2.2D : 2.2 W
200MLR3.2D : 3.2 W
200MLR4.7D : 4.7 W

- Blue night light, White main light
- Approximately 10mm from the mounting surface, Trim covers & screws included
- Diameter: 70mm - thickness 10mm



Dimatec recessed minispot chrome

200MSJ0.6CR

- Plastic body with metal trim
- Cable length: 200mm (approx.)
- Cut-out hole required: 35mm dia. (approx.)
- Protrusion from mounting surface: 1.3mm
- Overall dimensions: 45 (dia) x 16 (d) mm



Dimatec nickel adjustable touch downlight

200ELO18NSTM

- 65mm diameter flush fitting
- Tilts within the housing, to direct the light through 360º
- Fits hole 52mm diameter (no screws required) & connection is via flying leads



Dimatec black recessed minispot

200MSR1N

- 12v-1.47w
- 38lm
- Diameter : 35 mm
- Diameter cutout 32 mm
- 3000k



Dimatec recessed black spotlight

200CA0.4NIPD

- Recessed ip65 spotlight
- LED 12 v – 0.4 w / 4.000 °k
- Neutral white 25 lm
- Outer ø 30 mm / recess ø 22 mm



Dimatec 30mm chrome recessed minispot

200CAO.4CRIP

- Dimatec ip65 0.4w chromed stainless steel recessed spot 3.000 °k with 30mm diameter, 22mm cutout



Dimatec chrome recessed mini spot with LED

200RLS0.06PCR1 : Cold white
200RLS0.06PCR : Warm white
200RLS0.06BCR : Blue

- 12 v - 0,21 w, 1,5 lm
- Diameter: 18 mm, diameter cutout 14 mm



Round recessed LED Downlight

K01-0130PCNW

- Control LED via switch
- 12V DC, 2W
- Chrome, 4K, diameter 65mm, natural white
- 30cm cable plus 6.3mm spade connectors



Round recessed LED Downlight

K01-0130TDPCNW : Touch

- Control LED via touch
- 12V DC, 2W
- Chrome, 4K, diameter 65mm, natural white
- 30cm cable plus 6.3mm spade connectors



Fawo LED Surface Light with nightlight

01637T55099

- Diameter: 130mm - thickness 10mm



Fawo Magma LED bunk light

01637T94097



Dimatec Oval LED ceiling light

200PLG3X3BNA

- 3 x 3w power LED. 6 x 0,07w blue LED
- Size 340 x 125 x 40 mm (L x W x D)
- Three way switch



Dimatec mirror finish 6.3 w rectangular slim touch light

200MLRC6.3D

- Integrated dimmer
- 12v - 6.3w / 12 *5630 LED
- 220mm length, 110mm width, 10mm depth



Dimatec White awning light

030LEV11

- Unswitched 11w output
- Size. 380 x base 115 x 40mm deep



Dimatec awning light

200AW5S : Silver
200AW5B : White
200AW5N : Black

- - 2v vdc/5w, Pre wired
- - 10 LED, 365mm length, 55mm profile



Dimatec Ducato sliding door light

200VAN-PRO-UK

- - 1.5 metres in length
- - 12 V - 8,50 W, 425 Lm
- - Neutral white: 4000 °K
- - IP65



Dometic RainTec RT100 RHD Illuminated Rain Gutter

9106505339 : Jet black
9106505340 : White

- Installs above the sliding door on fiat Ducato, Citroën Jumper and Peugeot Boxer vehicles (RHD) from 2006 onward



Dimatec LED-BAR 1000 mm 12V T/S

200SLB1000T : 3000K
200SLB1000TD : 4000K



Luxlite 12W IP20 RGBW (RGB+4500K) 10 mm

LUX-12V12WIP205MRGB

- Luxlite 12w IP20
- RGBW (RGB+4500k) 10 mm



Luxlite 12v cool white IP20 LED strip

LUX-12V6WIP20-5M-CW : 5M
LUX-12V6WIP20-50M-CW : 50M

- It will fit in Flat profile as the tape should only be 8mm in width, the connectors should also be 8mm
- 12V , 6W, IP20



Luxlite 12v warm white IP20 LED strip

LUX-12V4WIP20-50M-WW : 50M

- It will fit in Flat profile as the tape should only be 8mm in width, the connectors should also be 8mm
- 12V , 4W, IP20



Luxlite 12v/12w RGB IP20 LED strip

LUX-12VWIP20-5M-RG : 5M

- It will fit in Flat profile as the tape should only be 8mm in width, the connectors should also be 8mm
- 12V , 12W, IP20



Dimming/CCT/RGB/RGBW Receiver

LUX-SLV-VP-REC

- Controller type: dimming/cta/rgb/rgbw
- Working frequency: 2.4ghz
- Input voltage: 12-24vdc
- Current: 3a x 4ch
- Power: 12v



Luxlite 4 Zone RGB Control

4ZRGBW-RC



Luxlite RGBW Controller

LUX-RGBW-RC

- Working frequency: 2.4ghz
- Working voltage: 3vdc
- Working current: <20ma
- Remote option: single zonerf
- Remote distance: max 30m



8mm IP20 Strip to Strip connector

LUX-8MM2CSTS-IP20

- - Luxlite 2 core, 8mm LED strip to strip connector ip20 – lux-8mm2csts-ip20



RGB Strip to Wire Connector IP20

LUX-RGB-STW-IP20



Luxlite 8MM strip to strip connector IP65

8MM2CSTS-IP65

- 8mm strip to strip connector ip65



10mm PCB 5 Pin RGBW Strip Connector

LUX-10MMRGBW-CON



LED Strip 10M Flat Surface Profile

LUX-10MSMF-OC

- 10m surface flat profile inc. opal cover & fixings pack
- 1 tube of 5x2m



LED strip connector 8mm tape

LUX-8MMCOB-STW-2M

- Type: strip to wire, 2 pin
- 8mm single colour, ip20, fcob&>/=240LEDs/m
- Working wire gauge: 20awg/0.5mm2
- Max voltage / current: dc36v/5a
- Working environment: 10~45°c



Dimatec Chrome flexi Touch light with dual colour

200FXA2CRBT

- The touch button cycles through 4 modes
- Voltage: 12V , Wattage: 1W
- The light is approximately 230mm overall length with a sturdy metal body and chrome plating



Dimatec flexi switched reading light with dual colour

200FXA2CRRB

- Made with high quality chrome and with an acrylic lens, these LED lights are built to last
- Voltage: 12V , Wattage: 1W



Dimatec Satin Nickel Spotlight

200SZ1NST

- 4000K LED
- Low power consumption 1w power LED
- Touch sensitive on/off switch
- Rotation & angle adjustable
- No dimmer function



Dimatec Chrome 12v 1w LED reading light

200FAA2CRRB : Switch
200FAA1CRTD : Touch

- Dimatec 12v - 1 watt power LED reading light
- Base 60mmx21mm
- 1.5w+0.5w, 4000k/ blue light, 50lm, Ip20



Nano LED Cylinder Locker Spotlight

K00-1000UPCNW : With USB charger
K00-1000PCNW : No USB charger

- Surface mounted, natural white
- 30cm cable plus 6.3mm spade connectors
- 4k , 12v , 2w



Nano LED Cylinder Spot Light & USB Charger

K00-1000UMBNW

- Lumens: 4000K
- Voltage: 12V , Wattage: 2W



Hafele Loox5 LED Flexible Reading Light

833.74.088 : Black
833.74.089 : Chrome

- Integrated dimmer, 12v - 6.3w / 12 *5630 LED
- 220mm length, 110mm width, 10mm depth
- **NOTE** : You also need to order : 833.95.789



Fawo Black LED Swan light with USB

01637T80581 : Swan F

- Fawo LED swan light complete with usb
- Black in colour
- Voltage: 12V , Wattage: 1.2W , usb 1 amp



Fawo LED Swan Light With Dimmer

01637T79081 270 x 60 x 60 mm

- - Fawo LED swan light with dimmer
- - 3 amp
- - usb (4k)
- - 2w



Fawo Mamba flexi LED light

01637T37299

- 12 LED's.
- Flexible tube 325mm
- Head 84 x 46mm



Dimatec black flexible reading light with USB

200FXSN1.5U

- 12 v - 1,50 w, 130 lm
- Warm white: 3400 °k
- Diameter: 50 mm, 350mm length
- IP20 5v - 2,1a
- USB



Dimatec Chrome Flexi LED with USB

200FX1CR-U

- Warm white
- 12v-1w, 50lm, 3000k
- 60mm base

We at Miriad Quest Leisure have teamed up with Platinum International and the implementation of the NCC verified battery scheme shows you why. Platinum have one of the largest selection of NCC verified battery ranges available from any manufacturer.

This means that you can get any battery, for any purpose from one single supplier, making it easier than ever before.

PLATINUM INTERNATIONAL

NCC VERIFIED

The National Caravan Council (NCC) was setup over 70 years ago as the UK trade body representing the collective interests of the tourer, Motorhome, holiday home and park home sectors.

The scheme provides product verification for batteries used in leisure vehicles. With modern leisure vehicles featuring more technology and electrical appliances than ever before, buying an NCC verified leisure battery will give you confidence that the battery purchased is fit for purpose and will perform as advertised. The batteries will be verified and labelLED accordingly into three categories, A, B and C, depending on their category & purpose. The NCC don't verify or test batteries designed for RVs.

Used in conjunction with the NCC Scheme supports the style of selecting the battery based on the users usage requirements below:

CLASSIFICATIONS

Class A is for batteries with a higher storage capacity, for people who frequently use their caravans or motorhomes away from electrical hook-ups and require high power to operate devices such as microwaves and motor movers. Class A verified batteries typically have 10x more cycles than a Class C Battery.



Intended Purpose:

Frequently used without electrical hook-up.

Note: For motorhomes with higher power consumption but still generally used without electrical hook-up, it may be more practical to use multiple batteries from class A.

Class B batteries are aimed at those who frequently use sites with hook-up facilities, but require a greater battery capacity to operate TVs and other devices. Class B verified batteries typically have 3x more cycles than a Class C Battery.



Intended Purpose:

For use with electrical hook-up with minimal off-grid habitation usage e.g. Lights, TV plus motor mover

Class C is for users that require a lower capacity battery to cover basic operation of their habitation equipment for short periods away from a hook-up.



Intended Purpose:

For use with electrical hook-up with minimal off-grid usage e.g Lights







PLATINUM LEISURE AGM PLUS



Specifically Designed for Motor Movers

360 CYCLES

FEATURES

- DESIGNED TO COPE WITH THE ARDUOUS DEMANDS PLACED ON THE BATTERY BY THE MOTOR MOVER.
- ADVANCED PLATE DESIGN WHICH GIVES HIGH RESISTANCE TO CORROSION AND REDUCES SELF DISCHARGE, SO OFFERS GREATER STORAGE TIME
- ABSORBED GLASS MAT SEPARATORS WHICH INCREASE CYCLIC CAPABILITY ALLOWING THE BATTERY TO BE DISCHARGED AND RECHARGED OVER360 TIMES, RESULTING IN LONGER SERVICE LIFE
- SEALED CONSTRUCTION WHICH ENSURES NO ELECTROLYTE LEAKAGE FROM TERMINALS OR CASE.THIS ALLOWS FITMENTS IN ANY ORIENTATION
- SEALED LOW-BOX - IDEAL WHERE THE FITMENT LOCATION OF THE BATTERY IS RESTRICTED

Product registered and ncc verified www.thencc.org.uk

Class A | Intended Purpose: Frequently used without electrical hook-up

For motorhomes with higher power consumption but still generally used without electrical hook-up, it may be more practical to use multiple batteries from class A.

PLATINUM LEISURE PLUS EFB



200 CYCLES

FEATURES

- SEALED LOW-BOX - IDEAL WHERE THE FITMENT LOCATION OF THE BATTERY IS RESTRICTED
- HIGH CARBON CONTENT IN NEGATIVE PLATE INCREASED CHARGE ACCEPTANCE
- IMPROVED DOUBLE LAYER SEPARATORS INCLUDING A POLYESTER FIBRE SOFT LAYER LONGER LIFE
- LARGE ELECTROLYTE RESERVOIR INCREASED CYCLES
- TIN ALLOY IN GRID CONSTRUCTION LONGER LIFE
- SPILL PROOF TO 55° ANGLE MAINTENANCE FREE

Product registered and ncc verified www.thencc.org.uk

Class B | Intended Purpose: For use with electrical hook-up with minimal off-grid habitation usage e.g. Lights, TV plus motor mover



Product registered and ncc verified www.thencc.org.uk

Class C

Intended Purpose:
For use with electrical hook-up with minimal off-grid usage e.g Lights

PLATINUM LEISURE & LEISURE PLUS

FEATURES

- SEALED LOW-BOX - IDEAL WHERE THE FITMENT LOCATION OF THE BATTERY IS RESTRICTED
- HIGH CARBON CONTENT IN NEGATIVE PLATE INCREASED CHARGE ACCEPTANCE
- IMPROVED DOUBLE LAYER SEPARATORS INCLUDING A POLYESTER FIBRE SOFT LAYER LONGER LIFE
- LARGE ELECTROLYTE RESERVOIR INCREASED CYCLES
- TIN ALLOY IN GRID CONSTRUCTION LONGER LIFE
- SPILL PROOF TO 55° ANGLE MAINTENANCE FREE



Product registered and ncc verified www.thencc.org.uk

Class A

Intended Purpose:
Frequently used without electrical hook-up

PLATINUM VRLA

FEATURES

- THE VRLA RANGE IS NOT ONLY USED AS BACK UP POWER, IT IS IN FACT USED IN A NUMBER OF APPLICATIONS WHERE IT IS THE ONLY POWER SOURCE, THEREFORE DURABILITY AND RELIABILITY ARE A GIVEN.
- THE PLATINUM VRLA RANGE OF BATTERIES IS IDEAL WHEN 'OFF GRID' POWER IS REQUIRED ON A FREQUENT BASIS.



ENGINE STARTER
As this is a starter battery, used for Motorhomes, it does not have a National Caravan Council classification.

PLATINUM MOTORHOME

FEATURES

- 30% EXTRA POWER - PERFECT FOR ENGINE STARTING AND RUNNING ELECTRICAL APPLIANCES
- S O C I (STATE OF CHARGE INDICATOR) - USES COLOURS TO INDICATE THE CHARGE OF THE BATTERY
- ABSORBED GLASS MAT SEPARATORS -INCREASES CYCLIC CAPABILITY ALLOWING THE BATTERY TO BE DISCHARGED AND RECHARGED MORE, RESULTING IN LONGER SERVICE LIFE
- SEALED CONSTRUCTION - UNIQUE CONSTRUCTION ENSURES NO ELECTROLYTE LEAKAGE FROM TERMINALS OR CASE. THIS ALLOWS FITMENTS IN ANY ORIENTATION
- GAS RECOMBINATION - RECOMBINES ANY GASSES CREATED DURING NORMAL USAGE, TOTALLY MAINTENANCE FREE
- SEALED LOW-BOX - IDEAL WHERE THE FITMENT LOCATION OF THE BATTERY IS RESTRICTED



SCRAP £££

"WE WANT YOUR OLD BATTERIES!"

MONEY
You get money for your scrap returns. You can levy an environmental disposal charge.

IT'S A LEGAL REQUIREMENT
We provide a fully legally compliant scrap battery collection service.

DUTY OF CARE
Protect our environment by recycling responsibly.

COLLECTION
We can collect in 1's & 2's with our hassle free frequent collection service.

SPECIFICATION TABLE

Platinum Part Number	Category	NCC Rating	V	Ah C20	CCA (EN)	Length (mm)	Width (mm)	Case height (mm)	TL Height (mm)	Layout	Terminal	Hold Downs	Cycles @50%
AGM019E	Starter	N/A	12	95	850	354	175	190	190	0	T1	B13	N/A
AGMLB6110L	Leisure AGM	A	12	100	N/A	354	175	190	190	0	T1	B13	360
EFBS685L	Leisure EFB	C	12	75	N/A	258	172	200	222	1	T1	B07	200
EFBLB6110L	Leisure EFB	B	12	100	N/A	354	175	190	190	0	T1	B13	200
SD690L	Leisure Plus	C	12	90	N/A	302	170	200	222	1	Dual post	N	70
LB6110L	Leisure Plus	C	12	100	N/A	351	174	188	188	0	T1	B13	70
S6110L	Leisure Plus	C	12	110	N/A	328	171	215	237	1	T1	N	70
SD6110L	Leisure Plus	C	12	110	N/A	328	171	215	237	1	Dual post	N	70
S685L	Leisure Plus	C	12	75	N/A	258	172	200	222	1	T1	B07	70
SD685L	Leisure Plus	C	12	75	N/A	258	172	200	222	1	Dual post	B07	70
PAGM75-12	VRLA AGM	C	12	75	N/A	260	169	206	215	1	F11	N	100
PAGM100-12	VRLA AGM	A	12	100	N/A	328	172	222	222	1	F12	N	350







CBE Solar panel kits

215686 105 W

- Solar Panel Module : MFB105 (105W) : Black
- Solar charge regulator : PRM350 (MPPT)
- Fixing kits : KFPB530
- KIT Complete : KT6K-C50
- Cells : 36 , Voltage : 12V, Max Power : 105 W
- Size: 1062 x 530 x 30 mm, Weight: 6.2 kg

215688 140 W

- Solar Panel Module : MFB140 (140W) : Black
- Solar charge regulator : PRM350 (MPPT)
- Fixing kits : KFPB670
- KIT Complete : KT6K-C50
- Cells : 36 , Voltage : 12V, Max Power : 140 W
- Size: 1116 x 670 x 30 mm , Weight: 8 kg

215689 170 W

- Solar Panel Module : MFB170 (170W) : Black
- Solar charge regulator : PRM350 (MPPT)
- Fixing kits : KFPB670
- KIT Complete : KT6K-C50
- Size: 1320 x 670 x 30 mm
- Weight: 9.5 kg

CBE Flexible Solar Panels

MFFL100 100 W

- PERC (Passivated Emitter and Rear Cell)
- Cells : 30, Voltage : 12V, Max Power : 100W
- Tolerance : +-3%
- Size : 1010 x 600 x 3 mm
- Weight : 1.7 kg

215987A 150 W

- PERC (Passivated Emitter and Rear Cell)
- Cells : 33, Voltage : 12V, Max Power : 150W
- Tolerance : +-3%
- Size : 1260 x 670 x 3 mm
- Weight : 2.3 kg

215987B 190 W

- PERC (Passivated Emitter and Rear Cell)
- Cells : 105 , Voltage : 12V , Max Power : 190W
- Tolerance : +-3%
- Size : 620 x 670 x 3 mm
- Weight : 2.9 kg





CBE PRS300 300w Solar Charge regulator

204274

- Battery charging with maximum current until the end-charge voltage is reached
- Charge maintenance at constant voltage
- Wrong connection alarm
- Solar charge regulator ON (in case of no solar light, the solar charge regulator turns automatically off)
- Test panel connection : PT 642
- Size (mm) : 115 x 90 x 37
- rated voltage : 12V
- max power photovoltaic modules : 300W
- number of photovoltaic modules connections : 2
- number of charge lines : 3



Rigid high density solar panel kits Aero brackets

STPUMH100AE : 100 W ***STPUMH150AE : 150 W***
STPUMH125AE : 125 W ***STPUMH200AE : 200 W***

- Includes everything needed to install the panel and comes complete with premium aero brackets, PWM charge controller, cable gland, elastic adhesive and user manual
- Power ratings up to 200W
- Continuous trickle feed of power to prevent battery drain
- Creates energy self-sufficiency for off-grid travel
- All PV Logic MPPT charge controllers come with free-to-download Bluetooth app, to display how the solar system is performing



Fold up solar panels

STFP08 : 8 W ***STFFP120: 120 W***
STFFP90: 90 W

- Quick and easy to use
- Each panel has its own integrated stand, charge controller and battery
- Just open up and connect to a battery for instant power
- 90 and 120 Watt panel includes 10A in-line PWM



Flexi high density solar panel kits

STPVFURT110PT: 110 W

- The roof and deck top kit comes with all you need to install a panel. With power ratings up to 290W, our MHD solar panels fulfil a variety of energy needs ranging from a continuous trickle feed of power to prevent battery drain in caravans.
- The 10A charge controller supplied in the kit protects the battery from being overcharged and to prevent reverse current drain.



Flexi high density solar panel - rear exit

STPVFU290R: 290 W

- The 290w MHD Flexi solar panel combines shingled monocrystalline solar cells to deliver super efficient power generation with a tough ETFE top sheet for longevity and robust impact resistance
- At just 2mm thick, this ultra-lightweight panel is ideal for flat roofs as well as surfaces with a slight curve making it the perfect choice for camper vans and boat decks.

Please note, this product is the panel only, not a full kit.



Solar Technology 15A Dual Battery MPPT Pro Charge Controller

STCC15M

- Reverse current protection.
- Unique dual battery charging function.
- Efficient mppt charging, increases battery lifetime and improves solar system performance upto 20%.
- 12/24v automatic recognition.
- Overload protection
- Open circuit protection
- Lightning surge protection
- Deep discharge protection
- Charge current protection up to 15a
- Bluetooth with apple and android apps available
- Optional display unit available



Solar twin charger2

STCC10	10 Amp
STCC20	20 Amp



Truma solar panel

75110-100MIR	100 W

- This 100w quality solar panel module guarantees maximum power generation for the area with optimised monocrystalline solar cells. the kits come with all the components you need to easily and quickly install a mobile solar system on the roof of your caravan or motorhome. the 100w solarset is ideal for medium to large caravans or motorhomes
- Size: 1185 x 535 x 35 (L x W x H) mm , Weight: 7.7kg
- Kit includes : Solare regulator SDC12a , Solar edge clip , Y piece, 2Mr cables, Spoiler for solar set, Solar screw 4,8 x 25 , 100W solar panel, Mounting feet, 5M (Red), 5M (black)



Truma solar panel

75115-190MIR	190 W

- The monocrystalline solar cells guarantee maximum energy yield in relation to the area. The kits come with all the components you need to install a mobile solar system on the roof of your vehicle. Whether you need it for your coffee machine or air conditioner, at the camp site or in the wilderness – with our kits, you can have power everywhere and whenever you need it.
- Our rigid framed solar panels are installed quickly and easily and have an aerodynamic spoiler which helps optimise the solar panel cooling and prevents any possible damage from low hanging tree branches.
- Size : 1562 x 676 x 70 mm
- Weight. 12.2 kg



Quest Elite Rocket Range Delta Torch

T4010 700 Lumen

- Order in multiples of 12
- Body : Aluminium alloy + ABS
- Battery : 450mAh
- Weather Rating : IP44
- Top light : 260 Lumen
- Side light: 700 Lumen



Quest Elite Rocket Range Titan Torch

T4011

2000 Lumen

- Order in multiples of 12
- Multi-purpose Tool Flashlight with Magnetic Bottom
- Removable Battery,
- COB LED's
- Weather rating : IP67
- Battery: 4500mAh
- Removable Battery
- 6063 Aluminum Alloy
- Input Port: TYPE-C USB
- Bottom magnet



Quest Elite Rocket Range Atlas Torch

T4012 2000 Lumen

- Order in multiples of 12
- Built-in Battery, SMD LED's
- Weather rating: IPX4
- Battery : 2000mAh



Quest Elite Rocket Range Thor Torch

T4013 1500 Lumen

- Order in multiples of 12
- Removable Battery, RGB LED's
- Weather rating : IPX4
- Battery : 4000mAh



Quest Elite Rocket Range Neutron Lantern

T4014

300 Lumen

- Barn lantern
- Colour: White
- Removable Battery
- ABS + PC + Iron art
- LED
- Light: 3500K-6500K
- Weather rating: IP44
- Battery: 2000mAh
- Input Port: TYPE-C



Quest Elite Rocket Range Electron Lantern

T4015

400 Lumen

- Barn Lantern with Dimmer
- Colour: Black
- Built-in Battery,
- Aluminium alloy + ABS + PC
- LED
- Light: 3500K-6500K
- Weather rating: IP44
- Battery: 2xx 2600mAh
- Input Port: TYPE-C
- Stepless dimming

Electrical



Quest Elite Rocket Range Terran Headlamp

T4016 180 Lumen

- Order in multiples of 12
- Removable Battery, ABS+PS, XP
- SMD LED's
- Weather rating: IPX4, 1 x AA battery
- 70° Adjustable irradiation Angle



Quest Elite Rocket Range Antares Headlamp

T4017 350 Lumen

- Order in multiples of 12, lightweight headlamp
- Built-in Battery, ABS+PS, 1*COB+1*XPE, LED
- Weather rating: IPX3, Battery : 800mAh
- Input port: Type-C
- Multiple light source, Wave sensing device



Quest Childrens Perry the Polar Bear Lamp

T4018

- Order in multiples of 12
- Colour Changing Silicone Lamp
- Battery: 1200MAH,
- Material: ABS+Silicone
- USB Type-C charging



Quest Childrens Uma the Unicorn Lamp

T4020

- Order in multiples of 12
- Colour Changing Silicone Lamp
- Battery: 1200MAH,
- Material: ABS+Silicone
- USB Type-C charging



Quest Childrens Sally the Star Lamp

T4022

- Order in multiples of 12
- Colour Changing Silicone Lamp
- Battery: 1200MAH,
- Material: ABS+Silicone
- USB Type-C charging



Quest Childrens Jack the Duck Lamp

T4023

- Order in multiples of 12
- Colour Changing Silicone Lamp
- Battery: 1200MAH,
- Material: ABS+Silicone
- USB Type-C charging



Big Volt Torch

PLA36

400 Lumen

- Latest C.O.B LED technology
- 3 light modes (high, medium and emergency Red flash)
- Made from anodised aircraft grade aluminium
- Impact and water resistant
- Powerful magnetic base
- Powered by 3 x AA batteries (included)



Collapsible LED lantern

E0071

300 Lumen

- Mixed colours - Red, Grey, Blue
- Compact
- Lightweight
- Magnetic bottom
- Extremely bright
- Battery operated
- Weight: 312 g
- Open: 8.5 x 8.5 x 19 cm
- Closed: 8.5cm x 8.5cm x 13 cm



Galileo™ 1000 air collapsible lantern and power bank

NEB-LTN-1003-G
1000 Lumen

- IPX4 water resistant
- Can be used as a power bank
- Flexible, collapsible lantern body
- Compact and lightweight
- Durable ABS plastic
- Dust resistant
- Direct-to-red
- Smart Power Control for smooth transitions between light modes
- Rechargeable battery
- USB Cable
- Folding hanging hook



Franklin™ Pivot RC Torch

NEB-WLT-0023-G 300 Lumen

- COB LED, 90° pivoting head
- Fully rechargeable
- Anodized aircraft-grade aluminum
- Water resistant (IPX4)
- Retractable belt/pocket clip
- Dimmable
- Power memory setting
- Magnetic base
- Micro-USB charging cable



Franklin™ Slide RC Torch

NEB-WLT-0025-G 500 Lumen

- Fully rechargeable
- Anodized aircraft-grade aluminum
- Water resistant (IPX4)
- Retractable belt/pocket clip
- Power memory setting
- Magnetic base
- Micro-USB charging cable



Big Larry 2 torch and work light

NEB-6737-G 500 Lumen

- 500 Lumen work light
- 300 Lumen torch light
- Fully dimmable , Direct-to-Red Feature
- Memory Power Setting
- Anodized aircraft-grade aluminum
- Water and impact-resistant
- Steel belt/pocket clip
- Powerful magnetic base
- Includes 3AA batteries



Galileo™ 500 latern

NEB-LTN-1000-G 500 Lumen

- 360 degree lighting
- Can be used as a power bank
- Water resistant (IPX4)
- Dust resistant
- Direct-to-Red
- USB rechargeable design
- Durable ABS plastic
- Rechargeable battery
- USB Cable
- Carabiner-style handle

Electrical



Einstein™ 400 Headlamp RC

NEB-HLP-0005-G 400 Lumen

- Rechargeable LED Head Torch, IPX4 water resistant



NEBO Mycro Headlamp

NEB-HLP-0011-G 400 Lumen

- USB rechargeable
- Water (ipx4) and impact-resistant



150 Headlamp

NEB-HLP-7000-G 150 Lumen

- Requires 3xAAA Batteries, 3 light modes
- IPX4 water resistant



Big Larry Pro RC

NE6640

500 Lumen

- Counter display
- C•O•B work light
- Rd hazard flasher
- Rechargeable



Slyde King 2K flashlight and work light

NEB-WLT-1003-G 2000 Lumen

- 2000 lumen flashlight
- 500 lumen C•O•B work light.
- Rechargeable
- Waterproof (IPX7)



Newton™ 500 Torch

NEB-FLT-0014-G 500 Lumen

- AAA Battery, Handheld Flashlight
- 4 light modes



NEBO Tango Work Light and powerbank

NE6665 1000 Lumen

- Bright white spot LED, USB Powerbank



Motion Sensor Light

NEB-WLT-0026-G Pack of 3

- Motion Sensor Area Night Light, Battery operated
- 15 second Auto switch off

Electrical



Quest Site Mains Lead

E0037A - 10m

- 230V , 10M



Quest Site Mains Lead

E0038A - 25m

- 230V , 25M



Quest 230v Euro Hook Up Adaptor

E0035



Quest UK Hook Up Lead Adaptor

E0034



Quest Site Mains 230v UK Trailing Socket

E0036



Quest 230v Site Plug Connector

E0030



Quest 230v Site Mains Connector

E0031



Quest Surface Mounted Mains Inlet

E0032



W4 Mains 16A 3way splitter

E0033



Cable reel (Blue)

LL1555



Cable reel (Orange)

2060



Heavy duty cable bag (25m)

LL2006



W4 Mains cable holder

20008



W4 Mains cable holder (with bag)

20009

- Comes complete with bag



Truma 230v mains outlet

47300-51

- White



Truma External Socket 12V/CO-AX

47300-12V

- White



Whale Mains Electric Easi-Slide Socket

SO3100B



Whale mains electric UK Outlet Easi-Slide Socket

SO3000B

Single socket

SO3005B

Double socket



Whale Easi-Slide Socket Lid

AK1429B

- 230V
- White
- Sliding lid for Whale Easi-slide system



Whale Easi-Slide Socket Lid

AK1449B

- 230V
- Grey
- Sliding lid for Whale Easi-slide system



Whale Easi-Slide Socket Lid

AK1482B

- 230V
- Black
- Sliding lid for Whale Easi-slide system



Bullfinch 230V Outlet

6093/01

- 230V
- White



Fawo Flush Mains Inlet with Magnetic Lock

01746T10099

- White



Fawo Flush Mains Inlet with Magnetic Lock

01746T10499

- Grey



Fawo Flush Mains Inlet with Magnetic Lock

01746T10599

- Black



Fawo 240v Flush Mains Inlet

01646T15099

- 240V
- White



Fawo Flush Mains Inlet with Magnetic Lock

01646T14799

- 240V
- Grey



Fawo Flush inlet with sprung cover

01746T80599

- Black



Fawo 240v Flush Mains Inlet

01646T14399

- 240V
- Black



Fawo Flush inlet with sprung cover

01746T80099

- White
- Without sockets



Fawo Flush Mains Inlet

01746T10099B

- White
- Magnetic lock
- BCA cable



CBE Mains Inlet Box

212725



FAWO Multi-Function Flush Inlet

01746T31099

- White



FAWO Multi-Function Flush Inlet

01746T31499

- White



FAWO Multi-Function Flush Inlet

01746T31599

- Black




FAWO 230v White Outlet with UK socket

01746T31699



Fawo White Multi-Function flush outlet with UK socket

01746T31899



CBE Dark Grey Support Frame

270802 270842 270882

- 270802 - single
- 270842 - double
- 270882 - triple



CBE Light Grey Support Frame

270804 270844 270884

- 270804 - single
- 270844 - double
- 270884 - triple



CBE Brown Support Frame

270806 270846 270886

- 270806 - single
- 270846 - double
- 270886 - triple



CBE Grey Outer Frame

270822 270862 270902

- 270822 - single
- 270862 - double
- 270902 - triple



CBE Matt Black Outer Frame

270828 270868 270908

- 270828 - single
- 270868 - double
- 270908 - triple



CBE Glitter Silver Outer Frame

270833 270873 270913

- 270833 - single
- 270873 - double
- 270913 - triple



CBE Graphite 1-way Outer Frame

270832 270872 270912

- 270832 - single
- 270872 - double
- 270912 - triple



CBE Champagne single Outer Frame

270836 270876 270916

- 270836 - single
- 270876 - double
- 270916 - triple



CBE Grey Metallic Outer Frame

270837 270877 270917

- 270837 - single
- 270877 - double
- 270917 - triple



CBE Grigio Aluminio Outer Frame

270829 270869 270909

- 270829 - single
- 270869 - double
- 270909 - triple



CBE Black Metallic Outer Frame

270838 270878 270918

- 270838 - single
- 270878 - double
- 270918 - triple



CBE Nickel Flatline Outer Frame

271010BS 271020BS 271030BS

- 271010BS - single
- 271020BS - double
- 271030BS - triple



CBE Silver Flatline Single Outer Frame

271010PE 271020PE 271030PE

- 271010PE - single
- 271020PE - double
- 271030PE - triple



CBE grey single support+champ outer

270836/802PK



CBE Black single support frame and outer frame

270828/802PK



CBE Black Double Support Frame and Outer Frame

270868/842PK



CBE Grey Triple Support Frame and Black Outer Frame

270908/882PK




CBE Grey single support frame and graphite outer frame

270832/802PK




CBE grey single CBE Grey Triple Support Frame and Graphite Outer Frame

270912/882PK



CBE Silver Flatline Double Frame and Grey Support Frame

271020PE/842PK



CBE Nickel Flatline Single Frame and Grey Support Frame

271010BS/802PK

Electrical



CBE Back Protection Box

002677
002676

- 002677 - 34mm
- 002676 - 45mm



CBE Grey 230v 13a Mains Plug Socket

002679A



CBE Grey TV Aerial Socket

270402



CBE Grey TV and Satellite Socket

270412



CBE Grey 12v Socket

270172



CBE Grey 12v Socket and Cover

270182



CBE Grey 12v Socket and Waterproof Cover

270202



CBE Grey 12v, TV and Satellite Socket

270232



CBE Grey 12v and TV Socket

270212



CBE 4 Fuse Module

270492



CBE Grey Single Switch

270122



CBE Grey Double Switch

270142



CBE Grey Single Unipolar + LED Switch

270132



CBE Grey 3 position Step Switch

270272



CBE Grey Single 2 Position Switch

272062



CBE Grey Double 2 Position Switch

272082



CBE Grey Single Switch with LED

272052



CBE Grey Single 3 Position Switch

270292



CBE Grey Push Button Dimmer Switch

270161



CBE Grey Electronic Dimmer With LED

270502



CBE Grey Step and Light Switch

272112



CBE Grey Step and Light Switch

272102

- 4 Contacts



CBE Blanking Plate

007150



USB charger point in grey

270642



CBE Grey Double USB Charger

270652



CBE Pump & Light switch

270482



CBE 12v switch with LED

200288

Electrical



CBE Grey Waste Water Tank Level Kit

270573

- Kit includes 140mm probe, control panel and cables



CBE Grey Fresh Water Tank Level Kit

270572

- Kit Includes, 260mm probe, control panel and cables.



CBE Grey Fresh & Waste Water Level Indicator Kit

212898

- Kit includes waste tank screws, fresh tank probe (280mm), control panel and cables



CBE Grey Battery Test Panel with LED

270542



CBE 12V Digital Test Panel (Leisure Battery & Solar)

204642



CBE 12V Touch Test Panel (Water)

204762



CBE 12V Digital Test Panel (Voltage)

204652



CBE PC100 Water Tank Probe

505121	210 mm
505131	310 mm
505140	400 mm
505170	700 mm



CBE PC180 Power Control System

PC180KIT



CBE PC330 Electronic Tank Probe

512033	300 mm



CBE PC200 Water Tank Probe

512012	120 mm
512015	150 mm
512016	160 mm
512018	180 mm
512020	200 mm
512022	220 mm
512024	240 mm
512028	280 mm
512030	300 mm
512031	310 mm
512036	360 mm
512038	380 mm
512040	400 mm
512050	500 mm



CBE PC100 Power Control System

PC100KIT	



CBE PC110 Power Control System

PC110KIT	



CBE PC210 Power Control System

PC210KIT01Black	Black
PC210KIT02White	White



CBE PC380 Power Control System

PC380KIT01

- DS300 12v fused distribution box with 10 fuses
- 230V AC mini consumer unit with double pole 13A circuit breaker and RCD
- Digital control panel



CBE PC380 Power Control System

PC380KIT02

- 12V distribution box with 15 fuses
- Integrated amp meter
- Switch mode battery charger
- 16 amp
- LCD Display

Electrical



Sterling Pure Sine Wave Inverter PS series RCD

PSRCD121500

- Pure Sine inverters are designed to perfectly replicate AC as you get it from your mains supply, ensuring that all of your 230V appliances run correctly.
- Voltage: 12V, Wattage: 1500W, RCD



Sterling Pure Sine Wave Inverter

SIB121000 : 1000W
SIB121600 : 1600W

- Pure Sine inverters are designed to perfectly replicate AC as you get it from your mains supply, ensuring that all of your 230V appliances run correctly.
- Voltage: 12V



Sterling Pro Power Q Inverter

I12600 : 600W
I12800 : 800W
I121000 : 1000W
I121800 : 1800W

- Sterling power quasi sine wave inverter.
- Converts 12V to 230V



Voltage Sensitive Relay

4015

- Charges two x 12 v batteries from one engine
- 140 amps rating
- Eliminates draining from starter battery



Black Mini Pop-Up Socket with wireless charger

N28-0401BL 70 x 50 mm

- Input: 12v-24v 2a with 1.4m 2 x 0.34mm^2 input cable, LED mini plug
- Output 1 (wireless charge): 5w/7w/10w
- Output 2/3 (usb1/2): 5w max
- Transmission distance: ≤ 8mm



CBE Battery Charger MOD. BC122

B1.0543.002 146 x 183 x 65mm

- Rated voltage : 230Vac +-10%
- Frequency : 50Hz+60Hz
- Max power : 320W
- Protection fuse : 4A
- Maximum current : 22A continuous



CBE CB516-3 12V/16A switchmode battery charger

321516

- Includes all cables & connectors
- Water tank probes sold separately

Electrical



Sterling battery to battery charger + 350W solar controller

BBS1230

- 12v 30a specification
- Easily install LED with no complicated wiring
- 1a back feed to maintain starter battery
- 3 stage battery charging program



Sterling battery charger

LPCU1230

- Multi stage
- Fully Active PFC , Custom Charge Selection
- 12V 30A , 2 outputs
- Global Voltage 80-270VAC 40-70Hz



Sterling Battery to battery 60 amp charger

BB1260

- Fast charge batteries as you cruise along without the need for complex wiring, touching your alternator, voiding the alternator's warranty and tampering with the electronic control units (ecus)



Sterling Combi 70amp Charger with 1600VA Inverter +

PCSP121600

- The pro combi s+ is sterling's new inverter charger.
- The unit is lighter, smaller, yet more powerful.
- The combi s+ also comes with an auxiliary charging output to allow the user to charge their starter battery whilst bulk charging their main battery bank.



Sterling Battery to battery 30 amp charger

BB1230

- 12v 30a and 3 stage battery charging program
- Easily install with no complicated wiring
- Default mode complements regenerative braking and does not require ignition feed and additional modes with ignition feed and timer



Sargent 20A DC-DC 3 Stage Battery Charger

DX320-12

- Power 260w
- Input voltage range 10.5 - 15.4v
- Output voltage range 8 - 16v
- Output current 20a (max)
- Standby current 17ma (max)



Sargent 2 Stage 192w Battery Charger

PF200 200 x 63 x 35 mm

- IN: 230v ac 50hz 2.4a | OUT: 13.8v dc 192w
- Weight: 0.84 kg
- Input connection: stripped and prepared ends
- Output connection: 2x insulated blade terminals (6.3mm / ¼")



Sargent 20A DC-DC 3 Stage Battery Charger

PX310 221 x 157 x 67 mm

- Power : 300W, Input Voltage : 200-240VAC
- Charging Current (max) : 20A @14.5V
- Voltage : Boost: 14.7V (max), float: 13.8V
- Compatible batteries : Flooded, Gel, AGM, Lithium, Battery size : 70 - 220A

Electrical



Sargent Battery voltage meter gauge 1 switch control panel

EC10

- Compact design for easy installation in campervans and caravans
- Bright red LED display for clear voltage readings
- On/off switch for energy efficiency



Sargent EC20 Control Panel

EC20

- Monitors both vehicle and leisure batteries
- Digital voltmeter with on/off switch
- 12V battery selector switch
- 10A switched output for auxiliary power
- Compact and easy-to-install design



Sargent EC30 Control Panel

EC30

- Digital voltmeter with an on/off switch
- Three 10A 12V switched outputs, including pump and lights
- Two 15A battery inputs for reliable power distribution



Sargent EC160 Deluxe Power supply unit (Black)

EC160 Horizontal fitting

- The Sargent EC160 Power Supply Unit is an essential component for self-build campervans, offering both 12V and 240V power supplies.
- Designed for easy installation and operation.



Sargent EC160 Deluxe Power supply unit (Black)

EC160V

Vertical fitting

- The Sargent EC160 Power Supply Unit is an essential component for self-build campervans, offering both 12V and 240V power supplies.
- Designed for easy installation and operation, this unit ensures reliable and efficient power distribution,



Sargent EC160 Deluxe Power supply unit (Silver)

EC160SV Horizontal fitting

- The Sargent EC160 Power Supply Unit is an essential component for self-build campervans, offering both 12V and 240V power supplies.
- Designed for easy installation and operation.



Sargent EC160 Deluxe Power supply unit (Black)

EC160VSV

Vertical fitting

- The Sargent EC160 Power Supply Unit is an essential component for self-build campervans, offering both 12V and 240V power supplies.
- Designed for easy installation and operation, this unit ensures reliable and efficient power distribution,



Sargent power management Kit without Sensors

K155A EC155 and EC50

- This kit includes the K155A PSU and DX320 DC-DC Charger, offering easy installation and comprehensive power distribution. It is perfect for van conversions, providing 12V and 230V wiring with a user-friendly control panel.




Sargent Complete power management Kit

K155B EC155 and EC51

- The kit includes the EC155 power supply unit, EC51 control panel, and essential harnesses for both fresh and waste water tank sensors, making it ideal for one-off builds or small manufacturing projects.

Electrical



W4 Blade Fuses (3 pack)

37534	3 amp
37535	5 amp
37536	7.5 amp
37537	10 amp
37538	15 amp
37539	20 amp
37540	25 amp
37541	30 amp



W4 Fuses (3 pack)

37522	20 x 5 mm	2 amp
37519	32 x 6.35 mm	3 amp
37520	32 x 6.35 mm	5 amp
37521	32 x 6.35 mm	10 amp
37518	32 x 6.35 mm	15 amp
37532	20 x 5 mm	1 amp
37524	20 x 5 mm	5 amp
37525	20 x 5 mm	10 amp
37523	20 x 5 mm	15 amp



W4 Mini Blade Fuses (3 pack)

37005 5 amp
37010 10 amp
37015 15 amp
37020 20 amp



W4 Main Fuses

37034	6 Pack



W4 Mixed Blade Fuses

37031	8 Pack
37032	10 Pack



W4 Continental Fuses Mixed

37033

- (6 pack)



W4 10amp In-line Fuse Holder

37516



W4 Blade fuse holder

37542



W4 4 way blade fuse box

37594

W4 Bulbs



W4 Bulb and fuse kit

00034



W4 12v 10w Halogen Bulb

37050



W4 12v 10w 30 MR16 dichroic bulb

37051



W4 12v 20w 30 MR16 dichroic bulb

37052



W4 12v 20w 30 MR11 dichroic bulb

37054




W4 12V MR16 Bulb

37062




W4 12V MR11 Bulb

37064



W4 12V G4 Side Pin Bulb

37068



W4 12V G4 Bulb

37069

W4 Bulbs



W4 12v BA15s P21 LED Bulb

37080



W4 12v BA15s 207 LED Bulb

37082



W4 12v Wedge 501 LED Bulb

37086



W4 12v Festoon 239 G4 LED Bulb

37088



W4 12v BA15s P21/5 LED Bulb

37089



W4 12v 21w Amber Bulb

37505



W4 5w Festoon Bulb

37508



W4 12v 21/5w Bulb

37509



W4 12v 21w Bulb

37510

W4 Bulbs



W4 12v 4w Bulb

37511



W4 12V 5W Bulb

37512



W4 10w Festoon Bulb

37513



W4 12v 10w 30 MR11 dichroic bulb

37533



W4 12V 5W halogen bulb G4 base

37543

- Pack of 2



W4 12V 5W bulb

37550



W4 12V 10W Bulb

37551



W4 12V 15W Bulb

37552



W4 12V 21W Bulb

37553

W4 Bulbs



W4 12V 5W Capless Bulb

37556



W4 12V 5W Halogen Bulb

37557



W4 12V 5W Halogen Bulb

37558



W4 12V 10W Halogen Bulb

37559



W4 12V 24W Bulb

37560



W4 12V 10W G4 Halogen bulb

37563

- Pack of 2



W4 12V 21W Amber Bulb

37564



W4 Capsule G4 LED Bulb

37070



W4 12V 20W G4 Halogen Bulbs

37591

- Pack of 2

Electrical



W4 Flow Single Frame White

21241W



W4 Flow Single Frame Gloss Chrome

21241g



W4 Flow Single Frame Matt Chrome

21241C



W4 Flow Single Frame Anthracite

21241A



W4 Pure Single Frame Gloss Black

21240B



W4 Flow Double Frame Gloss Chrome

21246G



W4 Flow Double Frame Anthracite

21246A



W4 Pure Double Frame Gloss Black

21245B



W4 Flow Triple Frame Gloss Chrome

21248G



W4 Flow Triple Frame Anthracite

21248A



W4 Pure Triple Frame Gloss Black

21247B



W4 Frame with Hinged Lid White

21255W



W4 Frame with Hinged Lid Anthracite

21255A



W4 Step Switch Anthracite

21237A



W4 Schuko Socket White

21230W



W4 Anthracite Blanking Plate

21220A







W4 Twin Rocker Switch

21232A
Anthracite

21232G
Gloss chrome

21236A
Anthracite

- 12V





W4 Rocker Switches

21231G
Gloss chrome

21231A
Anthracite



W4 12V Cigar Socket/ Satellite Point

21229A

- Anthracite



W4 12V Cigar Socket/ TV Point Anthracite

21227A



W4 Satelite Point Anthracite

21226A



W4 TV/Satellite Point Anthracite

21225A



W4 TV Aerial Point Anthracite

21224A



W4 12v Single Pole Socket Anthracite

21223A



W4 12v Cigar Socket Anthracite

21222A



W4 13amp socket White

21221W



W4 13amp socket Anthracite

21221A

Electrical



W4 Adapt it 3

00050



W4 Adapt it 4

00064



W4 Adapt it 5

00070



W4 Adapt-It

00038



W4 6mm cable clips

37502



W4 10mm round cable clip

37565

(10 pack)



W4 Parallel cable clips

37501



W4 12 way strip connector 2amp

37531



W4 15amp 12 way Strip Connector

37504



W4 30amp 6 way Strip Connector

37500



W4 Self Stripping Cable Connector

37506



W4 Replacement Key

37001

- For battery isolation switch



W4 crocodile clips

37529

50 amp

37530

25 amp

37517

5 amp

- Pack of 2



W4 Battery Isolating Switch

00001

- Body: High-impact ABS plastic
- Contacts: Copper alloy with tin plating
- Mounting Plate: Stainless steel
- Size: 68 x 75 mm
- Terminal Studs: M10
- Current Ratings:
- 100A continuous
- 500A intermittent

Electrical



Liberty Leisure snap on battery clamps

LL1618



Liberty Leisure quick fit Battery Clamps

LL2005



W4 Battery Terminals

37545

- (2 pack)



W4 6mm ring terminal blue

37578

- (3 pack)



W4 8mm ring terminal yellow

37579

- (3 pack)



W4 2.8mm push on terminal female

37575



W4 Push on Terminal and InsulatorsAnthracite

37503



W4 Red 6.35mm Female Push on Terminal

37566

- (3 pack)



W4 Red 6.35mm Male Push on Terminal

37569

- (3 pack)



W4 Blue 6.35mm Female push on Terminal

37567

- (3 pack)



W4 Blue 6.35mm Male Push on Terminal 3 pack

37570

- (3 pack)



W4 Blue 6.35mm Piggy Back Terminal 3 pack

37573

- (3 pack)



W4 Cable ties 4in /102mm

37526

- (10 per box)



W4 Cable ties 7.5in /190mm

37527

- (5 pack)



W4 releasable cable tie 4.8x300mm

37593



W4 Cable tie base

37528

Electrical



W4 DC Voltage Tester

37546

- A 6-12 volt DC
- Complete with 1 metre lead and crocodile clip
- Checks: caravan/ car wiring and connections, fuses, light/bulb fittings



W4 Compact Digital Multimeter

00014

- A compact and reliable digital multimete.
- Designed for diagnosing electrical faults in caravans, motorhomes, vehicles, and other 12V systems.



W4 Mains tester

20018



W4 Universal Testing Kit

20027



W4 PVC Insulation Tape

37507



W4 Illuminated Cigar Socket

37087



W4 In line cigar socket

37574



W4 Recessed cigar socket

37587



W4 Flush Fitting Single Pole Socket

37097



W4 Hella Type Single Pole Plug and Socket

37597



W4 Cigar 2M Socket Lead

00060



W4 Cigar Socket 2 way Adaptor

00062



W4 Cigar Socket Lead 5M

00061



W4 5amp Fused Cigar Lighter Plug

37547


Electrical



W4 Surface Mounted Socket

37571

- 2 Pin, 12V, 10 amp



W4 Flush Fitting Socket Including Plug

37572

- 2 Pin
- 12V
- 10 amp



W4 Single White Backing BoxSwitch

21261



W4 Surface Mounted Backing Box

21265

- W4 surface mounted backing box.
- Can be used with single double and triple frames.



W4 Surface mounted satellite

37576



W4 Surface Mounted TV and Satellite

37588



W4 Surface mounted TV point

37582



W4 Anthracite Double USB Charging Point

00161



W4 2 pin plug 10amp

37568



W4 Dual Purpose 12v plug

37074



W4 Clipsal type 2 pin 12v plug

37589



W4 Clip on LED light

37090

- Battery operated, ideal for travelling
- Hands-free clip on led light
- Natural daylight, ideal for enhancing contrast and fine detail
- Requires 3 x LR44 batteries



W4 Press Switch

37514





Combi 2E & CP+ Controller

33113-80MB/L

- Includes: Truma combi 2E LPG gas and 230v electric unit, CP+ digital control panel, JG water kit
- Ducting & outlets sold separately

All these Combi kits include a black flue kit

Combi 4E & CP+ Controller

33713-80MB/L

- Includes: Truma combi 4E LPG gas and 230v electric unit, CP+ digital control panel, JG water kit
- Ducting & outlets sold separately

Combi 6E & CP+ Controller

33813-80MB/L

- Includes: Truma combi 6E LPG gas and 230v electric unit, CP+ digital control panel, JG water kit
- Ducting & outlets sold separately

Combi 4E & iNet X Controller

33713-78MX/L

- Includes: Truma combi 4E LPG gas and 230v electric unit, iNetX control panel, JG water kit
- Ducting & outlets sold separately

Combi 6E & iNet X Controller

33813-78MX/L

- Includes: Truma combi 6E LPG gas and 230v electric unit, iNetX control panel, JG water kit
- Ducting & outlets sold separately



Truma CP+ controller packs

36021-53

CP + ci bus inet ready control panel

36022-53

CP+ Control Panel, CP+ CI bus (i.e. 2 connectors)

36023-54

CP+ Control panel GAR

- Program water or room temperature.



Truma iNet X controller

36413-01

iNet X Control Panel Retail

- Clear 4.3” colour touch display.
- Control all your appliances with just one device.
- Bluetooth enabled for smartphone control.

Heating & Cooling



Truma CP+ fixing frame

34030-28500



Truma CP+ control knob

34030-28600



Combi classic control panel (black)

36011-01



Power selector switch combi E (black)

34030-23300



Combi data cables

36110-51	3M
36110-52	6M
36110-53	9M



UK PCB board

34020-00926

- Combi 2E



PCB CP+

34030-26400

- Combi 2E



Electronic CB

34030-18200

- Combi 4 / 4E



GAR PCB

34020-00924

- Combi 4E



12V PCB board

34030-26500

- Combi 4E



230V PCB

34020-00546

- Combi 4E



AU electronics

34030-19100

- Combi 4E



Electronics PCB 12V

34020-00925

- New style with reset button
- Combi 6 / 6E



12V PCB board - top PCB

34030-26600

- Combi 6E



230V PCB

34020-63800

- Combi boiler



Heat exchanger kit

34020-00228UK

- Includes combi Element
- Combi E

Heating & Cooling



Heat exchanger kit

34020-00229


- Combi



Solenoid valve kit 2S0

34020-00230

- Combi E



Solenoid valve kit 25

34020-00231

- Combi E 4E - 6E



Ignitor kit

34020-00234

- Combi E



DC Air circulation motor

34020-61300



Combustion air motor kit

34020-00235

- Combi E



Glow plug kit

34020-00236

- Combi D



Frost control kit

34020-00237

- With standard fittings



Frost control kit

34020-00238

- With JG fittings



Frost control element

70070-01

- Combi 6E



Cable harness kit

34020-00239

- Combi 6E



Cable harness kit

34020-00240

- Combi 4E



Cable harness kit

34020-00499

- Combi E GAR



Burner kit

34020-00932

- Combi E



Seal kit

34020-00933

- Combi E



Solenoid valve kit

34020-00934

- Combi E : 2E , 4E , 6E



Cover kit

34020-00936

- Combi E




Combi JG assy pack

36100-53



Combi cowl outer

36151-01	Cream
36151-05	Bianco
36151-09	Black



Fuse F1 (6.3AT)

34000-76800PK

- Pack of 5



Fuse T10AH

34020-00073

- Combi



Fine wire fuse kit 10 AF

39050-00381

- Pack of 10



O-ring (40x2.5)

34010-05700



Water temperature sensor

34020-63200



Remote sensor FFC2

34203-01



CP+ connecting cable

34030-28700



12/24V connector cable for inetX box

47000-00003



Window switch

34030-34700




Combi GAR tank

34020-00612



Room temperature sensor

34020-00263



Water temperature sensor cable harness

34020-00490



Blanking plug VD-Combi

34310-01

Heating & Cooling





Diesel Combi D4E with INet X controller

33416-78UKSP Includes a black flue kit

- Includes: Truma combi D4E diesel and 230v electric unit, iNetX control panel, JG water kit
- Ducting & outlets sold separately

Diesel Combi 6E with INet X controller

33513-26/XPAN Includes a black flue kit

- Includes: Truma combi D4E , Combi ABO JG assy kit , iNet X Control Panel, 6M control cable, Exhaust duct set CDW c/w sound muffler 100cm & 1M ZR80, Wall Cowl WKCD Black
- Not supplied : Fuel line (34020-69800 x 2), bracket (34020-69500)

Diesel Combi 6E with CP+ controller

33513-26MIR Includes a black flue kit

- Includes Truma combi D6E, Combi ABO JG assy kit, CP+ control panel GAR, 6 M control cable, Exhaust duct set CDW c/w sound muffler 100cm & 1M ZR80, Wall Cowl WKCD Black
- Not supplied : Fuel line (34020-69800 x 2), bracket (34020-69500)

Diesel Combi D6E with INet X controller (GEN 2)

33516-78/UKSP Includes a black flue kit

- Includes: Truma combi D6E diesel and 230v electric unit, iNetX control panel, JG water kit
- Ducting & outlets sold separately



Control unit

34020-00733

- Combi D



PCB boards

34030-06200
Combi D4 / D4E

34030-06300
Combi D6 / D6E

34020-01335
Combi D6E

- PCB boards for various Truma combi boilers and heaters



Combustion air fan

34020-01337

- Combi D6E



Exhaust duct fitting

34020-99900

- Combi D



Fuel line

34020-69800

- Order in multiples of 2 only







VarioHeat ECO blown air heater

37400-02	with classic controller
37401-01	with CP+ controller

- High-performance compact heater for vans, motorhomes and caravans.
- New generation of heaters with progressive Truma technology
- Heat your vehicle quickly and reliably using the 3 output levels
- Includes either a classic or CP+ control panel
- Voltage: 12v , Wattage: 2800w , Gas pressure : 30mbar
- Wall cowl, ducting and vents sold separately

VarioHeat Comfort blown air heater

37500-02	with classic controller
37501-01	with CP+ controller

- High-performance compact heater for vans, motorhomes and caravans.
- New generation of heaters with progressive Truma technology
- Heat your vehicle quickly and reliably using the 3 output levels
- Includes either a classic or CP+ control panel
- **Comfort**: Voltage: 12v , Wattage: 3700w , Gas pressure : 30mbar
- Wall cowl, ducting and vents sold separately



Varioheat classic wall switch

39050-00229

- Classic wall switch for use with Truma varioheat heaters



CP+ Control Panel for Varioheat switch

39050-00563

- CP+ control panel for use with Truma varioheat switches



Cowl outers

39050-00464
Black

39050-00465
Cream

39050-00466
Bianco

- Suitable for use with Truma Varioheat heaters



Wall cowl kit for Vario Heat

39190-05

- 40mm



VarioHeat eco solenoid valve

39050-00235



Awning warmer kit (white)

40371-01



Insulating ducting

40230-00 65 mm

- Order in multiples of 20M



Insulating ducting

40230-10 65 mm

- Length: 10M



Truma warm air ducting VR duct

39550-01 72 mm

- Order in multiples of 20M



Air duct VR80 GV

39450-01

- Length: 20M



Air duct ZR80 GV outer

39580-01

- Order in multiples of 20M



Set ZR80 & AA exhaust ducts

34000-14200 80 mm

- Length: 1M



Isotherm ducting IR

40320-01 35 mm

- Order in multiples of 20



E2400 exhaust ducting AA24

39420-00 33 mm

- Length: 1M



Exhaust tube AA 0

39320-00 55 mm

- Length: 1M



Exhaust tube AA 0

39320-01 55 mm

- Order in multiples of 20M



Outlet nut

40181-51

- Agate Grey



End Outlet

40171-51	Agate grey
40171-52	EN Beige
40171-53	EN brown
40171-54	EN grey
40171-55	Black
40171-56	EN White
40171-59	Olive



Y Pipe

40191-51

- Agate grey



T Piece use with outlet

40151-52

- Agate grey



Straight coupling connector UM

40161-51

- Agate grey



Ducting Elbow BGC

34092-01

- Black



Elbow BG for Air Ducts 72/62 mm

40740-51

- Black



Blanking plug VD

40353-01

- Agate Grey



US ducting clip

40241-51 65 mm



US ducting clip

40261-51 72 mm



65-35mm Reducer

40381-01



Lamella Insert LA

40721-01

- Agate grey



Lamella Insert LA

40721-02

- Beige



Lamella insert LA

40721-03

- Brown



Lamella Insert LA

40721-05

- Black



Swivel air outlet SCW-2

39971-01

- Black



BG 80 Elbow

39490-00

- Black



T-Piece 80

39541-01

- Black



Clip ZRS

39590-51

- Black

Whale®



Whale Air 3kw underfloor gas heater

SETSL3511A

175 x 165 x 469 mm

- The Whale Heat Air 3GT 3KW Space Heater is a powerful and lightweight gas heater designed for campervans. The heater is installed underfloor, so valuable on-board space is not lost.
- Product contents:
- 1 x Gas heater
- 1 x Control panel
- 1 x LIN cable and connector
- 1 x Combustion air intake flue
- 1 x Combustion air intake silencer
- 1 x Combustion air intake clamp
- 1 x Exhaust gas flue and
- 1 x Exhaust gas flue clamp
- 2 x Exhaust gas flue brackets 60mm, 80mm
- 1 x Exhaust gas flue end terminal bracket 100mm
- 2 x Ducting reducer 90-65



Whale Air 5kw underfloor gas & electric heater

SETSL5512A

175 x 165 x 559 mm

- The Whale Heat Air 5GTE 5KW Space Heater is a powerful and lightweight gas and electric heater designed for caravans, motorhomes and campervans.
- Product contents:
- 1 x Gas and Electric Heater
- 1 x Control panel
- 1 x LIN cable and connector
- 1 x Combustion air intake flue
- 1 x Combustion air intake silencer
- 1 x Combustion air intake clamp
- 1 x Combustion air intake bracket 60mm
- 1 x Exhaust gas flue
- 1 x Exhaust gas flue clamp
- 3 x Exhaust gas flue brackets 40mm, 60mm, 80mm
- 1 x Exhaust gas flue end terminal bracket 100mm
- 1 x Heater Z - mounting bracket
- 1 x Heater isolation mounts
- 1 x Heater bracket screw kit



Whale Air 6kw underfloor gas & electric heater

SETSL7512A

175 x 165 x 559 mm

- The Whale Heat Air 6GTE 6KW Space Heater is a powerful and lightweight gas and electric heater designed for caravans, motorhomes and campervans.
- Product contents:
- 1 x Gas and Electric Heater
- 1 x Control panel
- 1 x LIN cable and connector
- 1 x Combustion air intake flue
- 1 x Combustion air intake silencer
- 1 x Combustion air intake clamp
- 1 x Combustion air intake bracket 60mm
- 1 x Exhaust gas flue
- 1 x Exhaust gas flue clamp
- 3 x Exhaust gas flue brackets 40mm, 60mm, 80mm
- 1 x Exhaust gas flue end terminal bracket 100mm
- 1 x Heater Z - mounting bracket
- 1 x Heater isolation mounts
- 1 x Heater bracket screw kit



Whale VW T6/T6 heater bracket

AK1818B

- Whale original part.
- The Whale HeatAir 3GT VW T5/T6 bracket
- It is a replacement Whale HeatAir gas underslung vehicle mounting made for the Whale HeatAir 3GT space heater and designed for the T5/T6 van conversions and motorhomes.



Whale Z undefloor underfloor heater bracket

AK1819B

- Whale original part.
- Z bracket for Whale Heat Air Underfloor Space Heater Heat Air GT3



Whale Custom underfloor heater bracket

AK1820B

- The Whale HeatAir Ford Transit Custom Bracket is a replacement Whale HeatAir gas underslung vehicle mounting made for the Whale HeatAir 3GT space heater and designed for smaller van conversions and motorhomes.



Whale 65mm ducting straight

DX6502B

- Whale original part.
- Whale Straight Duct Fitting 65mm.



Whale 65mm ducting t piece

DX6503B

- Whale original part.
- Whale T Duct Fitting 65mm.



Whale 65mm ducting end stop

DX6501B

- Whale original part.
- Whale 65mm End Cap Fitting



Whale 65mm ducting y piece

DX6504B

- Whale original part.
- Whale Y Duct Fitting 65mm.



Whale 90mm y piece

DX9010B

- Whale original part.
- Y piece ducting connector for use in air heating systems.
- 90 x 90 mm.



Whale 90x65x90mm ducting branch

DX9011B

- Whale original part.
- Y branch ducting connector for use with air heating systems.
- 90 x 90 x 65 mm.



Whale 90mm elbow

DX9012B

- Whale original part.
- Elbow ducting connector for use with air heating systems.
- 90 x 90 mm.



Whale 90-65mm reducer

DX9013B

- Whale original part.
- Reducer fitting allowing connection between 90mm and 60mm ducting in air heating systems. Useful where a secondary ducting route only allows the smaller pipe.



Whale 90mm straight

DX9014B

- 90mm ducting connector for joining two pieces of 90mm warm air ducting in air heating systems. Suitable for replacing a section of damaged pipe, or to create an easily-removable joint in the system.



Whale 90mm grill

DX9015B


- Whale original part.
- 90mm air duct fixed grill



Whale 65mm directional vent

DX6511B : Beige	***DX6531B : Black***
DX6521B : White	***DX6541B : Grey***

- Whale original part.
- Whale 65mm directional vent, available in 4 different colours.



Whale 65mm fixed vent

DX6516B: Beige	***DX6536B: Black***
DX6526B: White	***DX6546B: Grey***

- Whale original part.
- Whale 65mm fixed vent, available in 4 different colours.

Heating & Cooling



Housing screw kit

AK1830	
• All models	



Combustion Air Motor

AK1832	



Blown Air Motor

AK1833	



Blown Air Fan

AK1834	



Burner

AK1839	



Gas heat exchanger

AK1840	



Electrode

AK1841	



Heater solenoid kits

AK1842	3 / 5 KW
AK1843	6 KW



Heat exchange kit

AK1850	



Electric element wire kit

AK1855	



Electric element overheat stat

AK1856	



Gas heater PCB

AK1864	3 KW
AK1847	5 KW
AK1848	6 KW



Electric heater PCB

AK1849	5 / 6 KW




Temp sensor

AK1852	3 KW
AK1853	5 / 6 KW



Heater control panel

AK1958	3 KW
AK1961	5 / 6 KW



Gas overheat stat

AK1854	

Eberspächer



AS3 External Diesel Heater Kit VW T5/T6 + 2m Ext Loom

29.2113.00.0075 VW T5 / T6

- Flexible installation with 90° tilt possible to either side
- Connects to the vehicle's fuel tank using dedicated pickup kit
- 2.2kW heating capacity ,Long life brushless motor (up to 5000 hours)
- Battery under-voltage protection , Heater over-voltage protection
- Fully type approved



NEW Ford Transit Custom external Kit

29.2113.30.0057 Ford Custom

- Flexible installation with 90° tilt possible to either side
- Connects to the vehicle's fuel tank using dedicated pickup kit
- 2.2kW heating capacity ,Long life brushless motor (up to 5000 hours)
- Battery under-voltage protection , Heater over-voltage protection
- Fully type approved



AS3 External Diesel Heater Kit VW T5/T6

29.2113.30.0006 VW T5 / T6

- Flexible installation with 90° tilt possible to either side
- Connects to the vehicle's fuel tank using dedicated pickup kit
- 2.2kW heating capacity ,Long life brushless motor (up to 5000 hours)
- Battery under-voltage protection , Heater over-voltage protection
- Fully type approved



Easy start pro controller

22.1000.35.2200

- Automatic altitude adjustment, onboard diagnostics, and an intuitive control interface, it ensures optimal performance.



Easy start web control unit

22.1000.34.7800

- Model: TP7.1
- Works with Eberspächer air and water heaters from 06/2019
- Connectivity: Web-based operation via app or PC



Fuel tank sender unit standpipe kit

29.2180.01.0423

- For VW T5, T6
- Ensures Efficient Fuel Flow to the heater system



Blown air outlet extension kit

29.2199.01.5854

- 4m of 60mm APK Ducting for flexible air distribution.
- Y branch and outlet



24mm Exhaust Pipe

36061299

- Order in multiples of 10M



All parts required for the installation are provided by Yılkar:

- Air Heater
- Air routing hose kit
- Air inlet / outlet vent kit
- Main wiring
- Vibration-absorbing seal
- Combustion and exhaust air clamp kit
- Combustion air hose
- Exhaust air hose
- Polyamide fuel hose
- Fuel metering pump
- Vibration damper pump connection kit
- Fuel filter kit
- Fuel pull hose kit

Yilkar Air Heater – YH2 comfort kit

305.01.YH.200.01DL

- Chrome Frame
- 1.23 Inch Oled Large Graphic Display
- 4 button control
- Ambient Temperature Sensor, Altitude Sensor
- Internal Battery
- Weekly Programming Opportunity
- Eco, Normal, Max Working Power
- Unit Support, Language Support
- Sleep Mode, Warning Display
- Fuel Consumption: 0,28 lt/h (max.) - 0,2 lt/h
- Operating Voltage: 12 / 24V DC
- Starting Current: 8A @ 12V DC - 4A @ 24V DC
- Operating Current: (max.) 3A @ 12V DC - 1.5A @ 24V DC
- Heating Capacity: 0,9 - 2,5 kW
- Air Flow: 90 m^3/h (max.)
- Fuel Type: Diesel
- Weight: 3 kg



All parts required for the installation are provided by Yılkar:

- Air Heater
- Air routing hose kit
- Air inlet / outlet vent kit
- Main wiring
- Vibration-absorbing seal
- Combustion and exhaust air clamp kit
- Combustion air hose
- Exhaust air hose
- Polyamide fuel hose
- Fuel metering pump
- Vibration damper pump connection kit
- Fuel filter kit
- Fuel pull hose kit
- YH Basic control unit

Yilkar Air Heater – YH2 standard kit

305.01.YH200.01

- 0.97 inch Oled Large Graphic Display
- 4 Button Control
- Ambient Temperature Sensor
- Adjustable Temperature
- Heating Mode
- Ventilation Mode
- Instant Temperature Display
- Unit Support , Warning Display , Reset
- Altitude limit 1500m
- Fuel Consumption: 0,28 lt/h (max.) - 0,2 lt/h
- Operating Voltage: 12 / 24V D C
- Starting Current: 8A @ 12V DC - 4A @ 24V DC
- Operating Current: (max.) 3A @ 12V DC - 1.5A @ 24V DC
- Heating Capacity: 0,9 - 2,5 kW
- Air Flow: 90 m^3/h (max.)
- Fuel Type: Diesel
- Weight: 3 kg



Yilkar external VW T6/T6.1 diesel heater bracket

31.101.11.01801.28

- Bracket for Yilkar air heaters

YILKAR



Aventa comfort air conditioner (1st gen)

44090-51CM	White AC, cream distributor & sealing frame
44090-51GM	White AC, grey distributor & sealing frame
44091-55BLC	Black AC, cream distributor & sealing frame
44091-55BLG	Black AC, grey distributor & sealing frame
40801-02	Grey distributor only

- Size: 752 x 225 x 702 mm
- 2400w cooling output and 1700w heating output
- Very efficient in both cooling and heating modes
- Easy to retrofit- can be installed in a place of a 400x400 skylight
- Remote control , High output despite weighing just 33 kilograms
- Quiet - especially in sleep mode , Programmable timer
- Led dimmer lighting , Suitable for vehicles up to 7.5m in length



Aventa compact air conditioners (1st gen)

44200-01CM	White AC, cream distributor & sealing frame
44200-01GM	White AC, grey distributor & sealing frame
44200-02BC	Black AC, cream distributor & sealing frame
44200-02BG	Black AC, grey distributor & sealing frame
40801-02	Grey distributor only

- Size: 785 x 560 x 265 mm
- Compact : 1700w cooling output , 1200W heating output
- All with low power consumption
- Suitable for vehicles up to 6m in length
- Can be installed in place of a 400 x 400 skylight
- Remote control or app (optional with Truma inet box)
- Includes air distributor



Aventa compact plus air conditioners (1st gen)

44300-01CM	White AC, cream distributor & sealing frame
44300-01GM	White AC, grey distributor & sealing frame
44300-03BSC	Black AC, cream distributor & sealing frame
44300-03BSG	Black AC, grey distributor & sealing frame
40801-02	Grey distributor only

- Size: 785 x 560 x 265 mm
- Compact Plus : 2200w cooling output , 1500W heating output
- All with low power consumption
- Suitable for vehicles up to 6m in length
- Can be installed in place of a 400 x 400 skylight
- Remote control or app (optional with Truma inet box)
- Includes air distributor



Aventa comfort air conditioner (2nd gen)

44092-51	White air conditioner only
44092-52	Black air conditioner only
40802-01	Standard distributor in cappuccino
40802-02	Standard distributor in stone
40802-06	Premium distributor in cappuccino
40802-07	Premium distributor in stone
40091-19500	Sealing frame

- Size: 1008 x 665 x 243 mm
- Cooling power: 2500 W
- Heating power: 2000 W
- Cooling mode power consumption (230 V) 4.9 A
- Heating mode power consumption (230 V) 4.2 A
- External size: 1008 x 665 x 243 mm (L x W x H)*
- Roof cut-out: 380 x 350 / 400 x 400 mm (L x W)
- Does not include air distributor or sealing frame
- Total Weight: 28.7 kg (which includes air distributor)



Aventa compact air conditioners (2nd gen)

44201-01	White air conditioner only
44201-02	Black air conditioner only
40802-01	Standard distributor in cappuccino
40802-02	Standard distributor in stone
40802-06	Premium distributor in cappuccino
40802-07	Premium distributor in stone
40091-19500	Sealing frame

- Cooling power: 1700 W
- Heating power: 1200 W
- Cooling mode power consumption (230 V) 3.3 A
- Heating mode power consumption (230 V) 1.55 A
- External unit dimensions: 786 x 577 x 245 mm (L x W x H)
- Dimensions of roof cut-out: 380 x 350 mm/400 x 400 mm (L x W)
- Weight: 23.2 kg (including air distributor)



Aventa compact plus air conditioners (2nd gen)

44301-01	White air conditioner only
44301-02	Black air conditioner only
40802-01	Standard distributor in cappuccino
40802-02	Standard distributor in stone
40802-06	Premium distributor in cappuccino
40802-07	Premium distributor in stone
40091-19500	Sealing frame

- Cooling power: 2200 W
- Heating power: 1500 W
- Cooling mode power consumption (230 V) 5 A
- Heating mode power consumption (230 V) 2.1 A
- External unit dimensions: 786 x 577 x 245 mm (L x W x H)
- Dimensions of roof cut-out: 380 x 350 mm/400 x 400 mm (L x W)
- Weight: 24.2 kg (including air distributor)



Truma Saphir compact under bench air conditioner

44035-01 710 x 400 x 290 mm

- For vehicles up to 6.5m long , Lightweight, just 23.5KG
- Practical timer function , 2400w cooling capacity
- In heat pump mode, heats with up to 1700w
- Can be used at camp sites with fuses from six amps
- Consumption during cooling 4.2a , Voltage 230v-240v, 50 HZ
- Ducting and vents sold separately
- Control using the app (optional with Truma inet box)

44081-02 560 x 400 x 290 mm


- For vehicles up to 5.5m long
- Dehumidifies and cleans, there are fluff and particle filters
- Cooling power: 1800w , Timer function
- Can be used at camp sites with fuses from three amps
- Especially light at just 20 kilograms
- Control using the app (optional with Truma inet box)
- Ducting and vent sold separately



Aventa 2nd generation standard air distributor

40802-01: Cappauccino
40802-02: Stone

- Size: 550 x 497 x 45 mm (L x W x H)
- Weight: 2.7 kg
- For use with second generation models



Aventa 2nd generation premium air distributor

40802-06 : Cappauccino
40802-07 : Stone

- Full adjustable & integrated ambient lighting
- Size: 550 x 497 x 45 mm (L x W x H)
- For use with second generation models



Aventa Comfort air distributor

40801-02 : Grey 556 x 496 x 46 mm

- 2 Individually adjustable air outlets
- For use with compact / compact plus models



Aventa sealing frame

40091-19500


- Truma Aventa sealing frame for the compact, compact plus, comfort and eco models



Saphir easy set

40090-44100

- Ducting and vents for the Truma Saphir compact and comfort under bench air conditioners



Aventa roof thickness adaptor

40091-16900 10mm

- For adapting roof thickness ranging from above 50mm to a maximum of 110mm
- Each adapter adds 10mm to the thickness



Aventa levelling frame

40091-00183

- Levelling frame adaptor kit for panel van conversions when installing a Truma Aventa roof mounted air conditioner.



Aventa air filter kit

40091-16800

- Truma Aventa air filter kit, contains 2 pieces



Particle filter for Saphir

40090-58100

- A single replacement truma saphir underbench air conditioning system particle filter. keep your air conditioning system running smoothly.



Cold air ducting

40200-01

- 65mm Diameter
- Order in multiples of 15M



Air intake circulation grill

40040-29200

- Circulation air intake grill. rectangular, air stream cross section 315cm^2.



Air outlet channel

40040-32500



Flexible air con intake for Saphir

40090-59100



Aventa Comfort PCB electronic

40091-81400

- Replacement PCB board for Truma Aventa comfort roof mounted air conditioner



Compact plus PCB

40091-00101

- Replacement PCB board for Truma Aventa comfort plus roof mounted air conditioner



Aventa PCB board

40091-83400

- Truma Aventa PCB board suitable for units from 04/2013 on.



Aventa remote control

40091-86700

- Replacement Aventa remote control
- Suitable for the Aventa compact, compact plus, comfort and eco models.

DOMETIC





FJX4 roof air conditioners

9600050998	1500 White	***9600051000***	1700 White	***9600051002***	2200 White
9600050999	1500 Black	***9600051001***	1700 Black	***9600051003***	2200 Black

- Size : 752 x 225 x 702 mm
- This is the air conditioner only and requires a distributor.
- Cools and dehumidifies the air
- Entry-level model with manual controls
- Designed for small and medium sized motorhomes
- Reusable dust filter
- Lightweight design helps save fuel
- Voltage (AC) 220-240 V, Frequency 50 HZ
- **1500 Model** : 25.8 kg : 1500W cooling capacity
- **1700 Model** : 29 kg : 1700W cooling capacity
- **2200 Model** : 25.8 kg : 2200W cooling capacity



Freshlight 2200 roof mount air conditioner

9102900165 : White 1105 x 210 x 758 mm

- This is a complete kit with air conditioner, distributor and remote control.
- Roof air conditioner,
- Remote control,
- Fixing and installation materials,
- Installation and operating instructions,
- Cooling capacity: 2050 watt,
- Heating capacity: 2700 watt,



CoolAir RTX1000 12V air conditioner

9620001309 : White 645 x 308 x 860 mm

- This is the air conditioner only and requires a distributor.
- One of the most popular truck parking coolers on the market.
- Now available as a 12 V version for panel vans, light trucks and special vehicles! This self-contained 1100 W rooftop parking cooler impresses with pleasantly quiet running, ample cooling power and outstanding energy efficiency. Easy to install and easy to use, with four operating modes: Auto, Eco, Boost or Manual.

Heating & Cooling



FJX7 roof air conditioner

9600051006	2200 White	225 x 702 x 752 mm

- This is the air conditioner only and requires a distributor.
- Weight: 29.50 kg , Input voltage: 220-240 V , Input frequency: 50/60 Hz
- Cooling capacity: 2200 W , Heating capacity: 2000 W
- Aerodynamically shaped rooftop unit with eye-catching LED light curve
- The motorhome, caravan or campervan is cooled down in record time
- With its variable compressor speed, the FJX7 operates silently
- Reduced power consumption & effectively reduces bacteria
- Quiet and gentle air conditioner start-up even on campsites with low fuse protection



FreshWell 3000 under bench air conditioner

9105306670	628 x 286 x 400 mm

- Under-bench position means the vehicle's height is unaffected
- Cool or warm air at the touch of a button
- Soft-start for reliable start-up at campsites with low electrical protection
- Cooling: 2700 W / 9200 BTU/H/h
- Heating capacity: up to 3000W
- Quiet air circulation
- Lightweight and compact unit
- Weight: 21 kg



FreshJet FJX4 ADBM air distributor

9620000074	59 x 518 x 579 mm

- Manual controls
- Models : 1500
- Weight: 4.2 kg
- Optimised airflow for increased efficiency and reduced noise
- Manual operation with two turning knobs
- Low-profile design (just 79 mm high) leaves more headroom in the cabin
- Vertically adjustable outlet vents for individual airflow regulation
- Reusable dust filter – easy to remove for cleaning



FreshJet FJX4 ADBD air distributor

9600051008	48 x 518 x 579 mm

- Electronic controls
- Models : 1700 , 2200
- Weight: 3.9 kg
- Optimised airflow for increased efficiency and reduced noise
- Integrated touch control display – unique in the market
- Integrated lighting – warm white LEDs for soft ambient light
- Vertically adjustable outlet vents for individual airflow regulation
- CleanAir air purifier system – keeps your motorhome smelling fresh and clean
- Low-profile design (just 68 mm high) leaves more headroom in the cabin
- Reusable dust filter – easy to remove for cleaning



Freshjet PCB

3865200335

- Models B2200



Freshjet operating panel

386520082



Electronic board

3865200582



Remote control

386520126

- Models: B2200 & B1600 Plus



Remote control

4450020724

- Models: 1700, 2200, 3200



Remote Control

4450027567

- Models : 9600051000



Outlet for air con unit

9100300077

- 60mm diameter



Flexible hose

9100300019



GY20 roof ventilation

9107300319















Belmont pathway 4G mobile WiFi router

11549 163 x 85 x 43.5 mm (excluding antenna) : 360.5 x 85 x 43.5 mm (including antenna)

- High-Speed Connectivity: Supports download speeds up to 150Mbps and upload speeds up to 50Mbps.
- Device Support: Connect up to 10 devices simultaneously.
- Durable Design: IP66-rated for water and dust resistance, suitable for outdoor use.
- Flexible Power Options: Operates on both 12V (vehicle) and 240V (home/office) power sources.
- Versatile Mounting: Includes suction cups and cable ties for easy installation.
- User-Friendly Interface: Simple setup with default SSID and password; customizable settings via web browser.
- External Antenna Support: Equipped with 2 x 5dBi external LTE antennas for enhanced signal reception.
- Compact and Lightweight: Weighs 196g (router, antennas, and suction cups) and comes with a zip-up storage case.

- Chipset: QCA9531
- CPU Frequency: 650MHz
- Memory: 64MB
- Flash Storage: 8MB
- Wi-Fi Standards: 802.11b/g/n, 2.4GHz, 300Mbps
- LTE Bands Supported: FDD: B1/B3/B5/B7/B8/B20/28, TDD: B38/B40/B41, WCDMA: B1/B5/B8, SIM Slot: Nano SIM
- LAN/WAN Ports: 2 x RJ45 10M/100M (interchangeable)
- Power Input: DC 12V 1A, DC 24V 5A
- Dimensions Including Antennas: 360.5mm x 85mm x 43.5mm
- Dimensions Excluding Antennas: 163mm x 85mm x 43.5mm
- Operating System Compatibility: Windows, iOS, Android
- Additional Features: Hardware reset button, support for Power over Ethernet (PoE) 24V/0.5A

TV Brackets, Ariels & Wifi





Glocalme mini turbo U30 portable Wi-Fi

GlocalmeMini Screen: 2.4 inch : 126 x 68 x 12 mm

- **SIM-FREE, INTELLIGENT NETWORK SELECTION**: No SIM card needed, get instant domestic and international data by paying online. Patent Cloud SIM technology for the smart selection of network with better signal. No more network congestion by dynamically network switching. Fast and stable 4G internet for home, outdoor and globally in more than 140 countries. Also supports a nano-SIM card slot, unlocked to use any SIM card, which means that you can easily use the data from it according to your own needs.
- **NO CONTRACT, NO ROAMING FEES**: Pay as you go WiFi. No contract nor roaming charges. Choose the cost-effective data plans from our GlocalMe App anytime. For the 1.1 GB data, please contact us to redeem it by providing the IMEI 2 number, which is on the back bottom of the device. You can also freely choose the activation time according to your own travel plans.
- **USER-FRIENDLY APP WITH MORE FLEXIBLE DATA PLANS**: 2.4 inch touch screen, easy to check data flow, signal status, battery power and perform other operations through smart visual screen. Download GlocalMe App to easily manage your device and purchase data plans at low cost. Flexible data plans allow you to buy service by the Day, Month, Region or GB. Support mainstream frequency bands and works in over 140 countries around the world across America, Europe, Middle East, Asia, Africa and Oceania.
- SHAREABLE, PRIVATE AND SAFE WIFI: Share your WIFI connection with up to 10 devices at once. GlocalMe use the most security protocol to keep your WIFI connection safe. Self-Identified SSID Name and Password via Web Portal, no worries about the unsafe public WiFi anymore. Also with the GlocalMe APP, you can manage the data usage effectively and smartly. Easily track detailed interaction with the data, connect to personal network, purchase data, etc.
- EXCELLENT PERFORMANCE, 3,000mAh long-lasting battery life to support up to 10 hours of use. Stable and secure 4G LTE internet connectivity, automatic disabling of large data consumption, perfect portable internet WiFi mobile hotspot device for travel, business, camping, remote tour, and more.

- Sim free
- No contract, no roaming fees
- User friendly app
- Excellent performance
- 10 hours of use
- Shareable, private & safe
- Wi-Fi: 2.4G; 802.11 b/g/n
- Battery: 3000mAh / 3.8V; Power Input: 5V 2A
- USB Port: Type-C (input); SIM Slot: 1 Nano SIM

TV Brackets, Ariels & Wifi



Glomex Oasis TV aerial wall mount automatic amplifier

T480AGC Width: 250 mm

- Base diameter; 25 mm (1'')
- Antenna weight; 350g
- Angle of reception; 360°
- Frequency range; 40/890 mhz
- Amplifier adjustable gain; Yes
- Amplifier by-pass; No
- Power consumption; 20 ma
- Power supply; 12/24V DC



Glomex Escape TV aerial

C3779AGC Width: 370 mm

- Kit includes: wall mount automatic amplifier, roof mount, 1.5m tv cable cord and 5m coax cable.





Maxview Gazelle aerial

B2414 : White ***B2414G : Grey*** Height: 14cm Weight: 0.9 kg

- No manual alignment needed
- Minimal roof space needed
- Supports all digital terrestrial TV & radio
- Compatibility: SD, HD, 3D, 4K TV; FM & DAB radio
- Frequency range: UHF TV & VHF radio (40 - 860 MHz)
- Gain: Up to 18dB with included variable booster
- Power: 12/24V DC or 230V AC (variant-dependent)
- Mounting options: Adhesive sealant, screws (included)
- Housing: UV-stable ABS

TV Brackets, Ariels & Wifi



Fawo TV bracket 2 arms

01608T78599 350 x 350 mm


- Fawo TV bracket 2 arms
- With comfortable wall security locking
- Quick release for easy screen removal



Fawo Medio H TFT bracket

01608T96033

- TV bracket which articulates in four directions :
  - left and right
  - up and down.
- TV can be easily lifted off for out-of-sight storage.
- Weight of unit: 0.8 kg.



Fawo Sky Basic 2 TV bracket

01608T02199SB 122 x 210 mm

- Single hinge arm
- 1 articulating point
- Max load : 7kg



Sky2 TFT screen bracket double hinged arm Silver

01608T71099

- Double hinged arm
- 2 articulating point's
- Max load : 8kg



Sky3 TFT screen bracket Silver

01608T72099

- Triple hinged arm
- 3 articulating points
- Max Load : 8kg



Aluminium profile- open ended

EVO/ALU17 : Silver 17 mm
EVO/ALU40 : Silver 40 mm
EVO/ALU17BLACK : Black 17 mm
EVO/ALU40BLACK : Black 40 mm

- For use with 15mm board to add curved edges to your units and furniture, 2.5M length
- Order in 6's for 17mm and 8's for 40 mm



Plastic strip for aluminium profile

EVO/ALUTRIM

- Plastic strip for a aluminium profile
- Comes in 2.5M lengths



40mm Aluminium shelf profile open one side

AP-SH-26--BLACK : Order in 3's
AP-SH-26--SILVER : Order in 3's

- Total length: 2600 mm, Wastage : 100 mm
- Usable length : 2500 mm
- For use with 15mm board



Evo Locker catch Satin Chrome with black centre

EVO/SCB1 : Order in 20's
EVO/SCB1PK : 5 Pack

- Works with panel thickness: 12–18mm
- Can be opened from front and back
- Self locking door catch designed for leisure vehicles



EVO Locker catch in black

EVO/BB1 : Order in 20's
EVO/BB1PK : 5 Pack

- Works with panel thickness: 12–18mm
- Can be opened from front and back
- Self locking door catch designed for leisure vehicles



Hafele 15 mm small push button

229.01.211 : Chrome : Order in 100's
229.01.211PK : Chrome : 10 pack
229.07.606 : Nickel : Order in 100's
229.07.606PK : Nickel : 10 pack

- Diameter : 15 mm



Hafele 25mm small rossette

229.03.241 : Chrome : Order in 100's
229.03.241PK : Chrome : 10 pack
229.09.600 : Nickel : Order in 100's
229.09.600PK : Nickel : 10 pack

- Diameter : 25 mm



Hafele matt nickel 13mm push button including rosette

229.01.604 : Order in 100's
229.01.604PK : 10 Pack

- Diameter : 40 mm



Hafele pale nickel push button including rosette

229.01.613 : 35 mm : Order in 100's
229.01.613PK : 35 mm : 10 pack

- Diameter : 35 mm



Hafele mini lock cases

211.61.106 : Brown : (100's)
211.61.106PK : Brown : 10 Pack
211.61.300 : Black : (100's)
211.61.300PK : Black : 10 Pack
211.61.604 : Pale Nickel : (100's)
211.61.604PK : Pale Nickel : 10 Pack
211.61.704 : White : (100's)
211.61.704PK : White : 10 Pack

- Mounting: unhanded
- Backset: 15 mm
- Push-button locking & Screw fixing
- Suitable for 16 mm board thickness
- Available in 100's or packs of 10 (separate codes above)



Hafele striking plate 40 x 10mm

239.41.013 : (100's)
239.41.013PK : 10 Pack

- Screw fixing.
- For one door closing
- Ideal strike plate for cam locks
- Finish: nickel plated
- Available in 100's or packs of 10 (separate codes above)



Hafele lock case for push lock

211.63.102 : Brown : (100's)
211.63.102PK : Brown : 10 pack
211.63.642 : Matt Nickel : (100's)

- Hafele lock case for push locks
- Available in 100's or packs of 10 (separate codes above)



Fawo lock case brown with rod aperture

01595T50491 : 10 Pack

- Push lock with rod aperture
- Sizes:
  - 80 mm including screw holes
  - 65 mm main body
  - 50 mm x 40 mm
  - Minimum hole size required is approx 24 mm



Fawo T-Lock Silver

01598T25099 : 1 Point
01598T20099 : 3 Point

- Without rod aperture
- For L&R hand use for square shaft 7mm
- Size 80 mm including screw holes



Fawo 790mm nickel rod for T-Lock

01598T32636

- For use with the Fawo bathroom door t-lock



Fawo T-Lock additional catch

01598T21099

- With 3 point lock and lock rod



Fawo door knob with square shaft

01598T70899

- Plastic door knob with square shaft, securing screw and guide



Fawo T-Lock handle rosette Silver

01598T73099

- Width 50mm approx across front
- 11mm shaft hole size
- Length 30mm approx



Fawo F-lock handle Silver sand

01598T72299

- For square shaft
- Length 126 mm



Fawo T-Lock handle Silver

01598T72099

- For square shaft
- Length 126 mm



Fawo T-Lock 90mm square inner rod for handle

01598T79099



Fawo F-lock mechanism Black

01598T80099

- 19mm thickness door
- Left hand and right hand



Fawo inner bathroom lock

01598T71999

- Stainless steel
- High-quality interior metal handle
- Diameter: 50 mm



Fawo bathroom door lock

01598T95299

- Sickle form, brushed steel surface
- 2 handles, rosettes and square rod
- Rod width: 8mm



Fawo M-Lock mechanism

01598T88599



Fawo M-Lock striking plate

01598T88999



W4 Zadi barrel lock and keys

59000

- Zadi barrel lock and keys
- Kit comes with 2 keys.
- Length: 34mm, Diameter is 13mm



Fawo Catch

01595T01299 : Order in 10's

- 10 Pack



Fawo T-Bar door retainer 2 part grey plastic

01513T00799

- Male part 60 mm long with hole centres 46 mm
- Female part 45 mm long with hole centres 30 mm



Fawo plastic locker stay

01606T04088



Fawo 170mm zinc coated locker stay

01606T07099 170 mm

- Telescopic with angled and side fixing



Hafele cranked flush hinge

351.95.940 : Order in 100's
351.95.940PK : 10 Pack

- Cranked flush hinge
- 5cm length
- Hole centres 41mm



Fawo furniture hinge black

01601T05043

- Cupboard door hinge
- Powder coated with holes for fixing
- To suit 15mm doors or cupboards



Fawo hinge Mid Grey

01601T20399PK : Mid grey (LH)
01601T20499PK : Mid grey (RH)

- Powder coated steel
- 10 Pack



Fawo hinge (order multiples of 50)

01601T20333 : Dark Grey (LH)
01601T20433 : Dark Grey (RH)
01601T20399 : Mid Grey (LH)
01601T20499 : Mid Grey (RH)
01601T20387 : Light Grey (LH)
01601T20487 : Light Grey (RH)



Fawo furniture fixing 4 hole

01600T10291 : Dark Brown (100's)
01600T10278 : Dark Grey (100's)
01600T10287 : Light Grey (100's)
01600T10291PK : Dark brown (10's)
01600T10278PK : Dark grey (10's)
01600T10287PK : Light grey (10's)



Fawo furniture fixing 2 hole (order in multiples of 100)


01600T11287 : Light grey
01600T11281 : Black

- Comes with cover



Fawo knock down fitting


01600T15291PK : Order in 10's



Fawo magazine rack in grey

01529T01087

- Size: 316 x 215 mm
- Ideal for securing magazines, postcards, photos and toys.



Fawo utility rack kit

01529T20099

- Fawo utility rack kit/clamping system. consisting of a 2m long black rubber round cord, including a patent connector and 6 retaining rings (silver) with screw covers and user manual.



Fawo 60mm diameter floor vent

01539T21690 : 40 mm long
01539T21890 : 55 mm long



Fawo Plastic floor vent Natural

01539T25099

- Tube legth: 50mm
- Outer width :30mm



DLS 75mm round short tail vent

7080000 : Beige ***7080441 : Grey***
7080050 : Black

- Screw holes: 65 mm
- Tail outside diameter: 55 mm / Length: 10 mm
- Free flow area is 730 sqmm





Black
Light Grey
Matt Grey
Silver
Aluminium

NEY 16mm Double lipped T trim (order in rolls of 100 m)

NERO/Black : Black ***GR/01 : Matt Grey*** ***AL/06 : Aluminium***
GR/03 : Light Grey ***GR/09 : Silver***

- Comes in rolls of 100 m
- Plastic double lipped t trim extrusion
- Suitable for edging 15 mm furniture board
- Available in 5 different colours/finishes



Tambour doors or roller shutters are a great alternative to conventional doors in campervans. tambour doors are the perfect storage solution for van conversions when space is tight. They are light and versatile doors that can be fitted to cabinet openings either horizontally or vertically. Tambour doors are easy to fit and the height or size of the door can be reduced simply by removing slats.

MADE IN THE UK , VERTICAL OR HORIZONTAL FITTING

Tambour door set

Model	*Size (mm)*	*Colour*
T5-350S	500 x 650	Silver
T5-350PB	500 x 350	Piano Black
T5-500S	500 x 650	Silver
T5-500PB	500 x 650	Piano Black
T5-650S	650 x 650	Silver



Fawo 700mm island table leg Chrome

01610T08037

- 700 mm length chrome steel tube
- Suitable for use with either base 01610T08201 or 01610T08101



Fawo recessed table leg base

01610T08201

- Polished alloy. 60mm diameter, for use with Fawo island table leg 01610T08037



Fawo conical table leg base Chrome

01610T08101

- Polished alloy
- For use with Fawo island table leg 01610T08037



Fawo top folding table leg

01610T50539 : 715 mm
01610T50339 : 645 mm
01610T51639 : 740 mm
01610T51039 : 700 mm

- Grey, trigger action fold mechanism



Fawo telescopic table Support

01566T45699

- Telescopic table leg
- Anodised - 549 mm



Fawo telescopic table support hinge - anodised

01566T49099

- Hinge for use with the Fawo telescopic table support (01566T45699)



Fawo Primero comfort HVK table leg (Silver-grey)

01611T72099

- Very comfortable and user-friendly!
- Height adjustable, sliding table top, fixed small base. high stability.
- Height: 345 to 705 mm, swing: 360 mm, weight: 10.9kg



Fawo Primero comfort HPK table Leg

01611T70099

- The optimized lift-technic offers maximum stability and longevity
- Can be moved down by pulling the handle
- Height: 300 - 660mm, swing: 360mm, weight: 7,7kg



Fawo centre folding table leg

01610T54039 : 715/355 mm

- Fawo's bi-folding centre table leg, total height





* Table and leg not included in the kit

Fawo table rail kit kits

TRK500 : Fawo table rail kit kits (500 mm) ***TRK950 : Fawo table rail kit kits (950 mm)***

- Easy and stable fixing of the slide rail – one at the height of the table, the other at the height of the bed. Rounded end caps enclose the entire profile. Stable and easy-to-use table mount, By pressing the button from above the table can easily be moved from the left to the right. In the mid position the fixing device catches automatically.
- Kit consists of two locking brackets and two rails (lengths above)



Surejust cranked aluminium table Leg

MIR8

- Swivel table stand for wall mounting
- Length: 715 mm
- Diameter: 40 mm



Surejust aluminium clamp

MIR9

- Sure just aluminium clamp to be used with MIR8 - cranked table leg
- Dimensions: 130 x 93 x 60mm



Surejust plastic bung

MIR6


- For recessed floor base and table leg



Surejust stainless steel table leg

MIR4

- Length: 710 mm



Surejust base

MIR1 : Above floor
MIR2 : Recessed
MIR3 : Small base

- - Floor base base to be used with table leg



Surejust steel leg clip

MIR7

- Steel leg clip for storing table leg



Redwood leg system

CWREDS-B : Black

- Diameter: 508 mm
- Length: 685.8 mm (27 inch)
- Aluminium floor base with plastic bung
- Plastic table bracket



Redwood leg system

CWREDS-S : Silver

- Diameter: 508 mm
- Length: 685.8 mm (27 inch)
- Aluminium floor base with plastic bung
- Plastic table bracket



Sequoia 3 Ali base table leg system

CWSEQA-V3-ALI

- Comes with: aluminium leg
- Diameter: 508 mm
- Length: 685.8 mm



Sequoia 27” table Leg

TL4002C-27

- Spare table leg for the sequoia table leg system



Sequoia 3 aluminium floor base

TR4004C-P

- Spare floor base for the sequoia table leg system



Sequoia table connector Black

TS4000B

- Spare table top connector for the sequoia table leg system



Sequoia floor base cap

TC400B

- For use with the TR4004C-P aluminium floor base



Sequoia table leg storage bracket

CWT-VSK-B : Black
CWT-VSK-G : Grey



Reimo swivel table frame made of aluminium

57039

- Aluminium tube with 40 mm diameter

Furniture & Fixings



Lippert folding table legs

15390 : Height adjustable
15370 : 720mm height

- Folding table leg
- Adjustable leg height 555mm - 765mm
- Fixed leg height: 720 mm



Fold out table support

1XZ0388


- Black fold out table support



Star folding table leg

2021104539

- Height: 720 mm
- Width: 60 mm
- Rectangular tube profile
- Aluminium



ROTO rotating table support

2022110820

- Allows table to rotate on its leg
- Locking knob keeps table in a fixed position
- Compatible with all Lippert table legs (excluding Comet, Astro and Moon)
- Steel construction for maximum strength



MOD table leg system

BAL-BK-1C-1622: Black
BAL-CL-1C-1622 : Silver

- This system can redefine spaces, acting as a dining table, desk, or workspace while seamlessly changing positions.



ReVace adjustable table leg Silver

CC-RV-TL-AJ-S : Silver
CC-RV-TL-AJ-BK : Black

- Compact and super durable
- The main body is a powder coated aluminium



ReVace 900mm table rail

CC-RV-TR-BK : Black
CC-RV-TR-S : Silver



Mito table rail single pack

15560

- Length 950mm
- Allows you to attach the tabletop to the wall
- Suitable for any type of camper table
- Size 1050 mm



LOC8 T5/T6 integrated table system

LOC8

- 1x loc8 door trim panel
- 1x loc8 folding camping table
- 1x fitting instructions

Furniture & Fixings





Table bracket c/w slding rail (single packing)

STL 15348

- With 950mm bar
- Provides strong support for the table



DLS 950mm sliding table rail with fixing kit

6812440

- With 950mm bar
- Provides strong support for the table
- Order in multiples of 20



DLS table storage kit

6838050 : Black
6838440 : Grey

- 2 x table storage brackets
- 2 x turn button
- 2 x turn button spacer
- 2 x turn button plate

Vehicle **CURTAINS**



Ford Curtains

- Specifically designed for Ford models
- Dimming feature / 180 Denier
- Includes all rails and fittings

1715592-SS : Ford Transit Custom 5 Window set
- SWB Barn Door, 2012 - 2024
- Black

1715593-SS : Ford Transit Custom 5 Window set
- SWB Tailgate, 2012 - 2024
- Black

1715594-SS : Ford Transit Custom 5 Window set
- LWB Barn Door, 2012-2024
- Black

1715595-SS : Ford Transit Custom 5 Window set
- LWB Tailgate, 2012 - 2024
- Grey / Black

177-5593-SS: Ford Tourneo Custom 5 Window set
- SWB Tailgate, 2024 on
- Black

178-5593-GG: Ford Transit Custom 5 Window set
- SWB Tailgate, 2024 on
- Grey / Black

178-5593-SS: Ford Transit Custom 5 Window set
- SWB Tailgate, 2024 on
- Black



Vehicle CURTAINS



VW Curtains

- Specifically designed for VW models
- 3 and 5 window sets available
- Includes all rails and fittings

VW13001 : T5 / T6 / T6.1	3 Window set	
• T5/T6/T6.1 Tailgate	• Grey / Black	
VW13002 : T5 / T6 / T6.1	3 Window set	
• T5/T6/T6.1 Barn Door	• Grey / Black	
VW15001 : T5 / T6 / T6.1	5 Window set	
• LWB T5/T6/T6.1 Tailgate	• Grey / Black	
VW15002 : T5 / T6 / T6.1	5 Window set	
• LWB T5/T6/T6.1 Barn Door	• Grey / Black	
VW15003 : T5 / T6 / T6.1	5 Window set	
• SWB T5/T6/T6.1 Tailgate	• Grey / Black	
VW15004 : T5 / T6 / T6.1	5 Window set	
• SWB T5/T6/T6.1 Barn Door	• Grey / Black	

55527-SS : T5 / T6 / T6.1	Cab Curtain set	
• T5/T6/T6.1	• Black / Black	
1555592-SS : T5 / T6 / T6.1	5 Window set	
• SWB T5/T6/T6.1 Barn Door	• Black / Black	
1555593-SS : T5 / T6 / T6.1	5 Window set	
• SWB T5/T6/T6.1 Tailgate	• Black / Black	
1555594-SS : T5 / T6 / T6.1	5 Window set	
• LWB T5/T6/T6.1 Barn Door	• Black / Black	
1555595-SS : T5 / T6 / T6.1	5 Window set	
• LWB T5/T6/T6.1 Tailgate	• Black / Black	
178-5593-GG: T7	5 Window set	
• SWB Tailgate, 2025 on	• Grey / Black	
178-5593-SS: T7	5 Window set	
• SWB Tailgate, 2025 on	• Black	

Renault Curtains

- Specifically designed for Renault models
- 3 and 5 window sets available
- Includes all required fittings

1624476 : Renault Traffic	4 Window set	
• SWB Barn Door, 2014 on	• Blackout	
1624477 : Renault Traffic	4 Window set	
• SWB Tailgate, 2014 on	• Blackout	
1624478 : Renault Traffic	4 Window set	
• LWB Tailgate, 2014 on	• Blackout	

1624479 : Renault Traffic	4 Window set	
• LWB Tailgate, 2014 on	• Blackout	
1624480 : Renault Traffic	4 Window set	
• SWB Barn Door, 2014 on	• Blackout	
1624482 : Renault Traffic	4 Window set	
• LWB Tailgate, 2014 on	• Blackout	



Horrex Ducato door fly screen H2

130.027 1185 x 1731 mm

- Fiat ducato right hand drive side door fly screen for a floor thickness of 26mm
- Tap guider length: 1185 mm
- Bottom guider length: 1295 mm
- Overall height: 1731 mm

Horrex T5/T6 right hand drive door fly screen

131.002

- Exclusively designed for the VW transporter T5/T6
- Suitable for L/H steer and R/H steer version
- The van fly screen door VW T5/T6 has its own entry step
- Special tailoring to fit the bottom guider of the fly screen door

Horrex MAN/Crafter right hand drive sliding door fly screen

134.999

- Van fly screen door VW Crafter/MAN from 2017 RHD

Horrex Ducato L1H1 right hand drive door fly screen

130.997

- Tap guider length: 1185 mm
- Bottom guider length: 1295 mm
- Overall height: 1446 mm



Hartal Fiat Ducato sliding door flyscreen

30.01510.8401

- Suitable for use with the Fiat Ducato sliding door



Dometic Fiat Ducato FlyTec FT200 R/H drive fly screen

9104117296

- Single-pleated, high-quality fly screens suitable for sliding doors in the Fiat Ducato type 250 and vehicles with an identical design



Dometic safety net 1060 X 350

9104102661

- Attaches to the slatted base with four screws while two straps connect to the ceiling



Image above is : Traffic grey (with fixings)

Hartal door bin 3 piece set


73.3955.9901	Mocca
73.3955.9902	Traffic grey (with fixings)
73.3955.9906	Traffic grey (no fixings)



Image above is : Mocca

Hartal door bin 5 piece set

73.3963.9901	Mocca
73.3963.9903	Grey / Beige
73.3963.9904	Basalt grey
73.3963.9906	Light grey
73.3963.9912	Traffic grey



Hartal d-ring bag holder only (new square style)

73.3960.7501	Mocca
73.3960.7502	Traffic grey



Hartal door bin lid only (new square style)

73.3956.7501	Mocca
73.3956.7502	Traffic grey



Hartal semi-circular bin lid

23.8879.7507	Mocca



Hartal bin brush

73.3958.9902	Traffic grey



Hartal bin shovel

73.3959.7502	Traffic grey



Image shown above : right hand

Hartal complete locks

RHLOCK	Right hand
LHLOCK	Left hand



Image shown above : left hand

Hartal triangle HSC lock complete

RHTRILOCKBAI	Right hand
LHTRILOCKBAI	Left hand

- For use with Bailey vehicles



Image shown above : right hand

Hartal triangle HSC lock complete

RHTRILOCKSWI	Right hand
LHTRILOCKSWI	Left hand

- For use with Swift vehicles



Hartal triangle outer lock suits HSC lock

23.0152.9910	

- Grey




Image shown above : right hand

Hartal inner lock suits HSC

23.0107.9903	Right hand
23.0108.9903	Left hand

- Grey



Image shown above : Bailey

Hartal cylinder & keys for HSC lock

CYLKEYBAI	Bailey vehicles
CYLKEYSWI	Swift vehicles

- For use with Bailey or Swift vehicles



Hartal Evoline complete lock suits HSC

73.4808.9952	Right hand

- Black and chrome



Hartal Evoline complete lock suits HSC

73.4808.9962	Right hand

- Black and chrome
- Comes with cover cap & Bolting Plate



Hartal Evoline complete lock suits HSC

73.5711.9962	Left hand

- Black and chrome



Hartal Evoline outer handle suits HSC

73.4808.9901	Black & matte chrome
73.4808.9902	Black & gloss chrome

- Right hand



Hartal Evoline inner lock and handle suits HSC

73.7181.99	Right hand

- Black



Hartal Evoline inner lock suits HSC

73.5317.9910	Left hand

- Black



Hartal Evoline outer lock suits HSC

73.5711.9902	Left hand

- Black and chrome



Hartal Evoline outer handle suits Zadi lock

73.4808.9903	Right hand

- Black and chrome



Hartal Evoline outer handle suits Zadi

73.6482.9902	Left hand

- Black and chrome



Hartal Evoline inner handle

73.5658.7501	Right hand

- Grey



Image shown above : right hand

Hartal secure glare ring suits Evoline

73.5660.7511	Right hand
73.5660.7512	Left hand

- Silver



Hartal secure cover cap suits Evoline

73.7198.75	


- Grey



Hartal magnetic door retainers

73.4803.9903	White
73.4803.9911	Black

- One pair of retainers



Hartal TriMark complete lock suits West Alloy

73.3713.9920	Right hand

- Grey
- Contains outer and inner, no barrel 21MET9009



Hartal complete turnbuckle

73.4858.9921	Right hand

- Grey



Hartal complete turnbuckle

73.4858.9931	Left hand

- Grey



Hartal TriMark inner lock suits West Alloy

73.3714.99	Right hand

- Grey
- Suits Outer - 73.3713.99 17MET9014 / 13MET9147



Hartal TriMark inner lock suits West Alloy

73.3714.9910	Left hand

- Grey
- Suits Outer - 73.3713.99



Hartal TriMark outer lock suits West Alloy

73.3713.99

- Grey
- Suits L/H & R/H doors - 15MET9038 (we cannot supply keys or barrels for this)



Fawo inner and outer door lock

01508T42199	Left hand

- Black



W4 steel gas locker key

00045



W4 external locker door lock

00087

- Complete with 2 keys



W4 ZADI barrel lock

59000

- Complete with keys



WD barrel lock with extractor tool

51000



WD compression lock

51400



W4 compartment lock

00086

- Complete with keys



W4 external locker door lock

00087

- Complete with 2 keys



W4 Quick release barrel door retainer

00039

- Black




W4 external catch

00046



W4 lever release door retainer

00066	Black
00006	Grey
00067	White



W4 mosquito netting (grey)

00020	1 x 1M
00021	1 x 1.5M
00022	1 x 2M



W4 mastic sealing strip (grey)

00016	19mm
00017	32mm
00025	45mm



W4 mastic sealing strip (white)

00116	19mm
00117	32mm
00125	45mm



WD barrel lock short

51200



W4 nylon door retainer

37801



W4 plastic door retainer

37802



W4 Veneta door retainer

37803



W4 extended Viva door retainer

37820



W4 Viva door retainer

37848

- Includes fixings



W4 hinged Veneta door retainer

37874



W4 turnbuckle spacer

37869

- For use with plastic door retainer



W4 Panco catch

37819

- 1 Pack



W4 magnetic latch

37823

- 1 Pack



W4 Pegaline catch

37856

- 1 Pack



Image shown above : rocker

W4 catches

37818	Rocker
37821	Roller

- 1 Pack



W4 Mini latch

37822

- 1 Pack



W4 heavy duty magnetic catch

37824



W4 table support bracket & bolt

37855



W4 steel double roller catch

37857



W4 lever push-button operated mini catch

37885



W4 mini catch strike plate

37887	11mm
37888	15mm



W4 lever operated mini catch

37883

Furniture & Fixings



W4 double roller catch

37817

- Single



W4 cupboard/locker door catch

37851

- Ash grey



W4 stainless steel self tapping screw (counter sunk)

37733

- Pack of 5
- No6 : 1/2 inch



W4 stainless steel self tapping screw (pan head)

37719

- Pack of 5
- No6 : 1/2 inch



W4 stainless steel self tapping screw (counter sunk)

37735

- Pack of 5
- No8 : 3/4 inch



W4 stainless steel self tapping screw (counter sunk)

37738

- Pack of 5
- No10 : 1 inch



Image shown above : locker

W4 metal stays

37853	Cupboard
37861	Locker



W4 Brass bolt

37872

- 1.5 inch




Image shown above : metal

W4 turnbuckle

37811	Metal
37810	Plastic

- Hole centre 35mm



W4 turnbuckle set

37870

- Cream



W4 vents


37815	Plug in
37816	Hexagonal



W4 plastic hinge

37825

- 1 3/4 inch



W4 flush hinge brass finish

37844

- Pack of 2
- 38 mm : 1.5 inch



W4 rubber cavity fixer

37729

- Pack of 2



W4 cupboard door stops

37871

- Set of 12



W4 wall mounted elasticated storage net

00056

Manoeuvring & Towing



PowrTouch Freedom motor mover

PFMM Roller Engagement : Manual (Cross actuation)

- Operating voltage : 12 V DC
- Average consumption : 20 A
- Max consumption : 80 A
- Speed : 28cm per sec.
- Weight : 32kg. Guarantee : 5 years
- Permissible overall weight on 25% gradient : 1500 kg
- Power source : (caravan leisure battery) : 12v 85aH



PowrTouch Evolution single axle motor mover

PEVOSM Roller Engagement : Manual (Cross actuation)

PEVOSA Roller Engagement: Automatic

- Operating voltage : 12 V DC
- Average consumption : 20 A , Max consumption : 80 A
- Speed : 28cm per sec.
- Weight : 35kg , Guarantee : 5 years
- Permissible overall weight on 25% gradient : 2000 kg
- Power source (caravan leisure battery) : 2v 100Ah



PowrTouch Evolution twin axle motor mover

PEVOTM Roller Engagement : Manual (Cross actuation)

PEVOTA Roller Engagement: Automatic

- Operating voltage : 12 V DC
- Average consumption : 20 A , Max consumption : 80 A
- Speed : 28cm per sec.
- Weight : 35kg , Guarantee : 5 years
- Permissible overall weight on 25% gradient : 2000 kg
- Power source (caravan leisure battery) : 2v 100Ah





PowrTouch Evolution single axle motor mover

PEVOSM Roller Engagement : Manual (Cross actuation)

PEVOSA Roller Engagement: Automatic

- Operating voltage : 12 V DC
- Average consumption : 40 A , Max consumption : 160 A
- Speed : 28 cm per sec.
- Weight : 70kg, Guarantee : 5 years
- Permissible Overall Weight on 25% gradient : 2800 kg
- Power source (caravan leisure battery) : 12V 100Ah

PFMM	*PEVOSM / PEVOSA*	*PEVOTM / PEVOTA*	*PEVOAM / PEVOAA*
			

Liberty®
LEISURE OUTDOORS

Towing Accessories

Great quality , great value



12V type N plug

LL2001

- 12V type N plug ideal for caravan, motorhome and trailer applications
- 7 Pin
- Brass pins with screw terminals
- Cable entry diameter: 7-8mm



12V type S plug

LL2002

- 12V type S plug ideal for caravan, motorhome and trailer applications
- 7 Pin
- Brass pins with screw terminals
- Cable entry diameter: 7-8mm



12V 13 pin plug

LL2003

- 12V 13 pin plug ideal for caravan, motorhome and trailer applications
- 13 Pin
- Brass pins with screw terminals.
- Cable entry diameter: 14-16mm



12V 13 pin socket

LL2004

- 12V 13 pin plug with mechanical fog cut-off switch, Ideal for caravan, motorhome and trailer applications.
- 13 Pin, Fittings: Brass
- Cable entry diameter: 14-16mm.



12V adaptor 13 pin socket - 7 pin (type N) plug

LL2007

- 13 Pin socket to 7 Pin (type N) plug.
- For the connection of a trailer equipped with a 7 pin 12v type N plug to a towing vehicle equipped with a 13 pin socket.
- Brass pins , Weatherproof spring loaded cap.



12V adaptor 7 pin (type N) socket - 13 pin plug

LL2008

- 7 Pin (type N) socket to 13 Pin plug.
- For the connection of a trailer equipped with a 13 pin plug to a towing vehicle equipped with a 7 pin (type N) socket.
- Brass pins , Weatherproof spring loaded cap.

Manoeuvring & Towing



Jockey wheel assembly Compact

LL1453 48 mm

- Max load : 180 kg
- Steel wheel (200 x 50 mm)



Jockey wheel assembly Soft wheel

LL1454 48 mm

- Max Load 180kg
- Plastic wheel (220 x 70 mm)



Jockey wheel assembly Pneumatic

LL1455 48 mm

- Max Load 150kg
- Steel pneumatic wheel (260 x 85 mm)



Clamp

LL1456 48 mm



Clamp screw handle

LL1457



Steel spare wheel

LL1458 200 x 50 mm

- Spare wheel for compact jockey wheel assembly



Spare soft wheel

LL1459 220 x 70 mm

- Spare wheel for soft tyre jockey wheel
- Plastic wheel with rubberised tread



Pneumatic jockey wheel spare tyre

LL1460 260 x 85 mm

- Spare tyre for pneumatic jockey wheel assembly



Pneumatic jockey wheel inner tube only

LL1461

- Inner tube for spare tyre, for pneumatic jockey wheel assembly

AL-KO

QUALITY FOR LIFE



Jockey wheel compact

1222433 48 mm

- Max load :150 kg
- Plastic wheel, rubber tyre



Premium jockey wheel

1552197 48 mm

- Galvanised
- Premium quality and strength
- Max Load: 300 kg
- Grooved tread for better traction
- Rubber wheel (230 x 80 mm)
- Integrated nose-load gauge
- Removable clamp handle



Plus jockey wheel

1222435 48 mm

- Galvanised, Max Load : 150kg
- Plastic wheel
- Soft rubber tyre (215 x 65 mm)



Plus jockey wheel

1222436 48 mm

- Galvanised, Max load: 150 kg
- Steel wheel
- Solid rubber tyre (200 x 50 mm)



Plus jockey wheel

1222437 48 mm

- Galvanised, Max load: 300 kg
- Steel wheel
- Solid rubber tyre (200 x 50 mm)



Plus jockey wheel

1222438

- Galvanised, Max load: 200 kg
- Plastic wheel, steel rim
- Pneumatic tyre (260 x 85 mm)



Plastic jockey wheel

1211567

- Max load : 200 kg
- Plastic wheel
- 215 x 65mm : 240S



Soft wheel

206171 240 x 70 mm

- Rubberised tread



Pressed steel clamp

205318 48 mm

- Max load : 200 kg



Clamp handle (euro)

1388379

- Jockey wheel handle



Clamp handle (long)

610561

- Jockey wheel handle



Clamp handle (short)

20531703

- Jockey wheel handle



Pressure pad for jockey wheels (euro)

690182

- 150 V / 200 V

Manoeuvring & Towing



AL-KO Corner steady

205808 Short

- AL-KO standard, short corner steady



AL-KO Corner steady

205817 Long

- AL-KO standard, long corner steady



AL-KO Stabliform corner steady

267265 Long


- AL-KO Stabliform, long corner steady



AL-KO Stabliform corner steady

1211329 Short


- AL-KO Stablioform, short corner steady



AL-KO Premuim corner steady

1221694 Heavy Duty

- AL-KO premium, heavy duty corner steady



AL-KO Steady brace

205520



AL-KO Crank handle KLK 48 LK

1860409 M12 Thread

- Length : 300mm



AL-KO corner steady nut kit

1554983 Pack of 5


- 20 mm



AL-KO Corner steady nut

1554984

- 16mm



AL-KO Click Fix steady legs

1239364 1 Pair



AL-KO Big foot

1212458 Set of 4

- Load capacity up to 1250 kg




ALKO Big foot adaptor

1213899 Boxed set of 4

- Provides additional 45mm height
- Each foot is 150 x 250 x 100 mm (W x L x H)

Manoeuvring & Towing



Quest wheel chocks

C1001 1 Pair



Liberty Leisure XL levelling ramp set

LL1559

Set of 2

- Complete with storage bag



Liberty Leisure jack pads

LL1560 Set of 4

- Metal locking pins



W4 Grip trak

10010



W4 Target level

37814



Liberty Leisure nose weight gauge

LL0129



W4 Weigh-it extra

10021

- Max measurement : 115 KG (240 LBS)



Reich caravan check weight

522-1600

- Max check weight : 1500 kg



Reich drill Adaptor 19mm for corner steady

233-1052 19 mm

- Drill adaptor for corner steady



Reich drill Adaptor for corner steady

233-105226 26 mm

- Drill adaptor for corner steady



Liberty Leisure corner steady brace

LL1616 19 mm

- 620 mm



AL-KO AKS 3004 stabiliser

1280484	Retail packed
1555267	Bagged (no bolts)



AL-KO AKS 3004 stabiliser handle

693589 Black

- Replacement handle for AKS 3004 stabiliser



AL-KO side friction pad set

1220755

- Side pad set for AKS 3004 stabiliser



AL-KO front and rear friction pad kit

691418

- Front and rear pad set for AKS 3004 stabiliser



AL-KO Winterhoff friction pad set

1860601

- Winterhoff friction pad set



AL-KO 2004/3004 stabiliser shim kit

1387776

- Shim kit for 2004/3004 stabalisers



AL-KO extended neck towball

1385401



AL-KO extended neck tow ballball cover

585208

- Cover for the AL-KO extended next towball



AL-KO AKS replacement arm

690241	Left hand
690242	Right hand

- Replacement arm for AKS 2004/3004 stabilisers



AL-KO AKS replacement caps

1552862 Pack of 4

- Replacement caps for AKS 2004 / 3004 stabilisers



AL-KO AKS gaiter

607133

- Gaiter for AKS 2004 / 3004 stabilisers



AL-KO AKS stabiliser handle

1552795 Red

- Handle for AKS 3004 stabiliser



AL-KO Bellows

2073890210

- For 305, 605, 905, 120S/SR, 250S and 101VB couplings



AL-KO AKS soft dock

693590 Black

- Soft dock for AKS 3004 stabiliser



AL-KO AKS handle bolt

690246 Black

- Bolt for AKS 3004 stabiliser handle



AL-KO AKS soft dock nose piece

691241

- Soft dock nose piece for AKS 3004 stabiliser



AL-KO Bolt TORX 55

692034

- M12 x 78 mm / DAC 8.8”



AL-KO AKS bolt bearing

372284

- M10 bolt bearing for AKS 2000 stabiliser



AL-KO Soft-ball towball cover

1211738	Black
247095	Red
1222223	Blue
• Pack of 24	
1310913	Black
605307	Red
1337726	Blue
• Single	



AL-KO O-rings for side friction pads

703149	Side friction pads
1555504	Side friction pads (pack of 2)

AL-KO

QUALITY FOR LIFE

Brakes and Chassis Spares



150v Euro damper

690389



Damper

370556 530 mm


- Models: 161S



Damper

359987

- Models: 90S, 90S/1, 90S/2,90S/3



Damper

690388

- 200V



Brake shoe kit


1732461 200 x 50 mm

- Models: 2051



Trailer brake shoes

1213890 230 x 60 mm



Trailer brake shoes

1213888 160 x 37 mm



Shoe retaining spring

2088800003

- Suitable for AL-KO 1637/2051/2361 Brakes



Dust cap

582505 65 mm

- Models: 2361



Dust cap

581197 55 mm

- Models: 2051



5 stud brake drum

623113 Old code

1932113 New code



Brake drum 1637

691475



Brake drum 2051

623112 100 mm

Manoeuvring & Towing



Brake drum

1932109	230 x 60 mm



Brake drum & bearing

578834	230 x 60 mm



Brake drum & bearing

1932108	200 x 51 mm



Brake drum 2051 & bearing

1932110	112 x 5 mm

- M12 5 stud



Brake drum bearing kit

581169	39 x 72 x 37 mm



Compact bearing kit

641549	Depth : 37 mm

- Models: 2051
- Outer 64 mm, inner 34 mm



Euro bearing kit

641551	Depth : 42 mm

- Models: 2361
- Outer 80 mm, inner 42 mm



Bearing

582226	42 x 80 x 42 mm

- Models: 2361



Euro bearing kit

641550

- Models 2051, 39/72



Sealed bearing

605124	64 x 34 x 4 mm



Compact/Euro bearing kit

641547

- Models: 1637



Drum removal tool

605267



AL-KO side lift jack with storage bag

1389235	2000 kg
235977	1600 kg



AL-KO spare wheel carrier

1556010	1465 - 1815 mm
1556159	1410 - 1715 mm



AL-KO Octagon Shock Absorber

601204	Green
601205	Blue
601206	Red
601207	Black

Manoeuvring & Towing



Spare wheel carrier plastic knob kit

1554980



Handbrake assembly

220096

- 161S ETI 811027



Handbrake assembly

354001

- 90S/3 ETI 811196



Handbrake assembly

354259

- 161S ETI 811011



Handle for handbrake

693675

- Red



Spring cylinder for handbrake

2075020601 Length: 145 mm

- Steel tube with spring



Handbrake cable

1292692



Handbrake cable

1292924 Left hand

1292925 Right hand



Handbrake cable

1292940

- 4600-4700 mm



Bowden cable

247283	770 / 966 mm
247285	1020 / 1216 mm
247286	1130 mm
247287	1320 mm
247288	430 mm
247289	1620 / 1816 mm
247284	890 mm



AL-KO brake cable

4017335

- 1130/1355 mm



AL-KO bolt

706396 10 x 85 mm

- DIN 912-8.8 ZN8SDISP



AL-KO lock nut

706437 M12

- ZN8DISP



AL-KO bolt

706481 M12 x 75 mm

AL-KO

QUALITY FOR LIFE



ATC-2 Full Kits

- Suitable up to a gross weight of 3.5 tonnes
- Optimised weight and design
- Horizontal installation for freedom of installation space and ground clearance
- Constant control of the caravan's lateral movements
- Gently intervenes to establish stable vehicle behaviour
- Acts earlier and more effectively than stabilisation systems in the towing vehicle

BAILEY · LUNAR · COACHMAN · VANMASTER

Bailey, Coachman, Lunar and Vanmaster

185002003	750 - 1300 kg	***185002006***	1300 - 1600 kg
185002004	1301 - 1500 kg	***185002007***	1601 - 2000 kg
185002005	1501 - 1800 kg	***185002008***	2001 - 2500 kg

ADRIA®

Adria

185001906	750 - 1300 kg	***185001909***	1300 - 1600 kg
185001907	1301 - 1500 kg	***185002001***	1600 - 2000 kg
185001908	1501 - 1800 kg	***185002002***	2001 - 2500 kg
185001901	750 - 1300 kg	***185001904***	1300 - 1600 kg
185001902	1301 - 1500 kg		

SWIFT · Elddis

Swift up to and including 2016

185001906	750 - 1300 kg	***185001909***	1300 - 1600 kg
185001907	1301 - 1500 kg	***185002001***	1600 - 2000 kg
185001908	1501 - 1800 kg	***185002002***	2001 - 2500 kg

Swift 2017 onwards

185001901	750 - 1300 kg	***185001904***	1300 - 1600 kg
185001902	1301 - 1500 kg	***185001905***	1601 - 2000 kg
185001903	1501 - 1800 kg		

Elddis

185002009	750 - 1300 kg	***185002102***	1300 - 1600 kg
185002101	1301 - 1500 kg		

ATC-2 Spares



ATC LED wiring loom

1239109

- For Bailey caravans



ATC LED wiring loom

1239116

- For Swift caravans - (pre 2014)



ATC wiring harness

1551261

- For all models



ATC LED wiring loom

1554888

- For Swift caravans (2014 onwards)



ATC LED fixing plate


692196 ALKO



Dometic PW1100 T6 multivan kit 2.6m (Anthracite)

9620001375

- Easy to set up by just one person
- Patented tension rafter can be stowed in the front rail to save space
- New, patented slide-out support legs for convenient handling
- Attractive new S-flow housing design has no visible screws
- Patented EasyLock Flipper to secure the support legs
- Strong, one-piece awning cloth has no welding seams
- Many vehicle-specific adapters available



Dometic PerfectWall Adapter 029

9103104118

- This Dometic adaptor ensures your awning fits to your motorhome wall perfectly, every time.
- Tailor-made for VW T5 and T6 Multivan
- Made for PW 1100 and PW 1500 wall awnings
- Consists of two parts
- Size: 60 x 150 x 150 mm (D x H x W)

duvalay™
BEDTIME LUXURY



Gold foam compact travel topper

10201 190 x 66 x 2.5 cm • 2.9 kg

- Memory Foam Thickness: 2.5cm Gold Foam
- Cover: 67% Polyester, 29% Viscose, 4% Other Fibers
- Rolled Size: 28cm diameter x 66cm wide



Gold foam comfort travel topper

10210 190 x 66 x 5 cm • 4.5 kg

- Memory Foam Thickness: 5cm Gold Foam
- Cover: 67% Polyester, 29% Viscose, 4% Other Fibers
- Rolled Size: 36cm diameter x 66cm wide



Silver foam compact travel topper

10219 190 x 66 x 5 cm • 4.5 kg

- Memory Foam Thickness: 5cm Silver Foam
- Cover: 67% Polyester, 29% Viscose, 4% Other Fibers
- Rolled Size: 36cm diameter x 66cm wide



FreshTec cooling travel topper

10224 190 x 66 x 5 cm • 4.5 kg

- Thickness: 5cm FreshTec Foam
- Cover: 67% Polyester, 29% Viscose, 4% Other Fibers
- Rolled Size: 36cm diameter x 66cm wide



VW Campervan gold foam compact topper

38541 190 x 115 x 2.5 cm • 5.5 kg

- Memory Foam Thickness: 2.5cm Gold Foam
- Cover Material: 67% Polyester, 29% Viscose, 4% Other Fibres
- Rolled Size: 28cm diameter x 115cm



VW Campervan gold foam compact topper

38712 190 x 130 x 2.5 cm • 6.5 kg

- Memory Foam Thickness: 2.5cm Gold Foam
- Cover: 67% Polyester, 29% Viscose, 4% Other Fibers
- Rolled Size: 28cm diameter x 130cm

Vehicle Accessories



Motorhome cover max (grey)

5333G8	5.7 - 6.1 M
5334G8	6.1 - 6.5 M
5335G8	6.5 - 7.0 M
5336G8	7.0 - 7.5 M
5337G8	7.5 - 8.0 M

- Adjustable rear and front straps for a better fit.
- Elasticated bottom for a more tailored fit.
- Adjustable straps on the sides for a secure and tighter fit.
- 4 Layered material for the best performance and protection, includes a breathable layer to help combat moisture and damp.
- Three access zips, with roll up sides to allow for easy access to the vehicle by allowing the front half, rear half or the entire side to be rolled up.
- Includes storage bag.

Campervan cover max (grey)

6332G8	VW T4, T5, T6, T7 Ford Transit Custom
6333G8	Fiat Ducato Peugeot Boxer

For Ducato and boxer vans between 5.3 and 6M

- Adjustable rear and front straps for a better fit.
- Elasticated bottom for a more tailored fit.
- Adjustable straps on the sides for a secure and tighter fit.
- 4 Layered material for the best performance and protection, includes a breathable layer to help combat moisture and damp.
- Includes storage bag.
- Two J doors (one either side) to allow access to the vehicles doors even when the cover is on.
- Protects your vehicle from the elements whilst in use.





Caravan cover max (green)

4332G8	Small	360 - 420 cm
4333G8	Medium	420 - 510 cm
4334G8	Large	510 - 570 cm
4335G8	XLarge	570 - 630 cm
4336G8	XXLarge	630 - 690 cm
4337G8	XXXLarge	690 - 750 cm

- Adjustable rear and front straps for a better fit.
- Elasticated bottom for a more tailored fit.
- Adjustable straps on the sides for a secure and tighter fit.
- 4 Layered material for the best performance and protection, includes a breathable layer to help combat moisture and damp.
- Three access zips, with roll up sides to allow for easy access to the vehicle by allowing the front half, rear half or the entire side to be rolled up.
- Includes storage bag.

Vehicle Accessories



Home is where you tow it breathable towing cover pro

SP2112

- Fits 7ft 6in and 8ft caravans.
- UV stable, breathable fabric.
- Storage bag and LED lights
- Reinforced buckle & kador straps
- Added protection when towing your caravan.
- 4-Ply fabric with soft touch inner layer.
- Adjustable width to ensure the best possible fit.
- Weatherproof, extra strong velcro pockets for LED lights.



Liberty Leisure adjustable padded caravan front towing cover

LL1506

- Cover 215cms - 250cms (7'6" - 8') Adjustable Width
- Breathable padded 4 layer non-woven
- Padded For Extra Stone Chip Protection
- Adjustable & reinforced buckle & Keder strips
- LED Lights included
- 'A' Frame Cutaway & Buckle Strap
- Zips for access to gas locker
- Reflective strips for better visibility



Tow Pro universal towing protector

TPU

- The ideal solution to protect the front of your caravan from road debris, exhaust fumes, small stone chips, dirt and insects.
- Universal fit fits all caravans with 2 awning channels up to 2.3m wide.
- One piece construction for quick fitting.
- Attractive black/gun metal grey finish.
- Supplied complete with breathable storage bag.



Liberty Leisure 2-3 Bike Cover

LL0588 2 - 3 Bikes : 3.48 x 1.75 m
LL1551 3 - 4 Bikes : 3.70 x 1.96 m

- Extra Strong 210D Coated Polyester To Protect Against Water Mildew & UV Rays, plus four Fixing Points For Extra Straps, Carry bag.
- 2 Eyelets To Allow Cover To Be Padlocked Over The Bikes
- Elasticated With Hooks , 56 x 52.5cm Pocket For Warning Sign.

Vehicle Accessories



Ideatermica internal 3 piece thermal screens

TR1010 : VW Crafter
TR106 : Fiat Ducato
TR310 : Ford Custom
TR905 : VW T6

- Internal thermal blinds for various vehicles made by Ideatermica



Ideatermica external thermal screens

AB1010: VW Crafter External Thermal Blind
AB106 : Fiat Ducato External Thermal Blind
AB310 : Ford Custom External Thermal Blind
AB905 : VW T6 External Thermal Blind

- External thermal blinds for various vehicles made by Ideatermica



Reimo 3 piece internal thermal screens

37273 : Renault Traffic Isoflex Thermal Screens 02-14
37281 : VW T5 Isoflex Thermal Screens from 2003
37313 : Ducato X290 Isoflex Thermal Screens From 2015

- Internal thermal blinds for various vehicles made by Reimo
- 3 Pieces : 2 side windows and front window.








Voos 3 piece internal thermal screen sets

Code	Vehicle	Pieces	Type
THRML3104	VW T4 1999 - 2003	3	Internal
THRML3105	VW T5/T6 2003 - on	3	Internal
THRML3107	VW Caddy/Caddy Maxi	3	Internal
THRML3108	VW Crafter 2006 - 2017	3	Internal
THRML3109	VW Crafter 2017 - on	3	Internal
THRML3202	Renault Trafic/Vivaro 2014-on	3	Internal
THRML3203	Nissan Master/Movano 2010-on	3	Internal
THRML3301	Ford Custom Van/Kombi 2013-on	3	Internal
THRML3303	Ford Transit (2001 - 2013)	3	Internal
THRML3304	Ford Transit 2013-onwards	3	Internal
THRML3403	Mercedes Sprinter 2006 - onwards	3	Internal
THRML3601	Fiat Ducato/ Peugeot Boxer 1994 - 2006	3	Internal
THRML3602	Fiat Ducato/ Peugeot Boxer 2006 - on	3	Internal

- Internal thermal blinds for various vehicles made by Reimo
- 3 Pieces : 2 side windows and front window.

REMIfront cab blinds for the FIAT Ducato

Built	Product	Front (left- and right-hand drive)					Side windows	
		Without sensors	Sensor package	Sensor package	Sensor package, small	Sensor package, large*	Left	Right
2006 - 2011 Model X250	REMIfront IV	10032228					10032233	10032234
09/2011–2014 Model X250		10043741					10043742	10043743
From 2014 Model X290		10056725	10058968	-	-	-	10043742	10043743
From 2019 Model X290		10056725	-	10075640	-	-	10043742	10043743
From 2021 Model X290**		10076224	-	-	10078756	10078757	10078765	10078764
All vehicle models from 2006	Adapter for sun visor	10057562 Optimises and extends the function of the sun visor. After the installation of REMIS blinds, the adapter enables the visor to be used at the side.						
	Lower sun screen	10036732 Further reduces the amount of light entering the cab at the bottom of the front blinds.						

* With or without mirror

REMIfront cab blinds for the Peugeot Boxer & Citroën Jumper

Basic vehicle: *Fiat Ducato*

Built	Product	Front (left- and right-hand drive)					Side windows	
		Without sensors	Sensor package	Sensor package	Sensor package, small	Sensor package, large*	Left	Right
2006 - 2011 Model X250	REMIfront IV	10032228					10032233	10032234
09/2011–2014 Model X250		10043741					10043742	10043743
From 2014 Model X290		10056725	10058968	-	-	-	10043742	10043743
From 2019 Model X290		10056725	-	10075640	-	-	10043742	10043743
From 2021 Model X290**		10076224	-	-	10078756	10078757	10078765	10078764
All vehicle models from 2006	Adapter for sun visor	10057562 Optimises and extends the function of the sun visor. After the installation of REMIS blinds, the adapter enables the visor to be used at the side.						
	Lower sun screen	10036732 Further reduces the amount of light entering the cab at the bottom of the front blinds.						

* with or without mirror

** The changeover to model year 2021 may take place later for Peugeot Boxer & Citroën Jumper models. Please check your vehicle.

REMIfront cab blinds for the Ford Transit (Model V363)

Built	Front, left-hand drive		Front, right-hand drive		Side windows	
	Light and rain sensor on the interior mirror Visibility (Picture 1)	Without visibility package	Light and rain sensor on the interior mirror Visibility (Picture 1)	Without visibility package	left	right
2014 - 2019	-	10058218	-	10066661	10058219	10058220
from 2019	10079895*	10075051	10079895*	10075051	10075658	10075659

* from 2019, the systems are suitable for both left- and right-hand drive

1



2014 - 2019



from 2019



REMIfront cab blinds for the Ford Transit Custom (Model V362)

Built	Front (left-hand drive)			Side windows	
	Without visibility package	Visibility package 2	Visibility package 3	Left	Right
2012–2017	10058294 (image 1)	10068262 (image 2)	10068263 (image 3)	10058295	10058296
From 2018	10078465 (image 1)	10078466 (image 4)	10078466 (image 4)	10078467	10078468





* from 2018, the systems are suitable for both left- and right-hand drive

1



2



3



4




REMIfront cab blinds for the Mercedes Benz Sprinter

Built	Front (left-hand drive)				Front (left- and right-hand drive)		Side windows (without entry handle)		Side windows (with entry handle)	
	Straight mirror base plate (image 1)	Angled mirror base plate (image 2)	Rain sensor (image 3)	Lane k./FB package LA1/JP4/JP2 (image 4)	Sensor package, small* (image 5)	Sensor package, large** (image 6)	Left	Right	Left (image 7)	Right (image 7)
2006 - 2018	10021022	10023924	10059902	10058221	-	-	10021023	10021024	-	-
from 2019	-	-	-	-	10077542	10077541	10077544	10077546	10077543	10077545



REMIfront cab blinds for the VW Crafter

Built	Base vehicle	Front (left-hand drive)				Front (left- and right-hand drive)	Side windows (without entry handle)	
		Straight mirror base plate (image 1)	Angled mirror base plate (image 2)	Rain sensor (image 3)	Lane k./FB package LA1/JP4/JP2 (image 4)	With upper storage compartment	left	right
2006 - 2016	Mercedes Sprinter	10021022	10023924	10059902	10058221	-	10021023	10021024
from 2017	MAN TGE	-	-	-	-	10075916	10075919	10075918



REMIfront cab blind for the MAN TGE

Built	Front (left- and right-hand drive) With upper storage compartment	Side windows Left	Right
From 2019	10075916	10075919	10075918



REMIfront cab blinds for the Vauxhall Movano

Built	Base vehicle	Front (left- and right-hand drive) With upper storage compartment				Front (left-hand drive)			Side windows	
		without sensors (img 1 & 2)	with rain sensor (image 3)	Sensor package, small (image 4)	Sensor package, large* (image 5)	without sensors (image 2)	with rain sensor (image 3)	with driver assistance systems (image 6)	left	right
04/2011 - 08/2019	Renault Master	10043735	10049610	-	-	-	-	-	10043739	10043740
09/2019 - 07/2021	Renault Master	-	-	-	-	10081805	10081807	10081809	10043739	10043740
from 07/2021	Fiat Ducato	10076224	-	10078756	10078757	-	-	-	10078765	10078764

* with or without mirror



















Vehicle Accessories



Westfield Outdoors premium ProStep

201-695

Step with hand rail

201-698

Handrail only

- 5 Year warranty
- Premium quality, Adjustable
- All weather aluminium frame
- Slides together for storage
- High visibility step fronts
- Anti slip step
- Load spreading feet
- Extremely strong and sturdy
- Size: 80 x 47 x 117 cm.
- Step heights: 20 and 37 cm.
- Handrail height: 117cm
- Weight: 5.7 kg.
- Max load: 200 kg.



Quest folding metal step

C0067 38 x 26 x 18 cm

- Lightweight, Folds down to small size
- Easy to use, Tough and durable
- Anti slip top, Handy carry handle Size -
- Size : 38 x 26 x 18 cm , Folded - 36 x 26 x 3 cm
- Weight - 1.85 kg , Max load - 150kg



Quest double step

C021

Double step (no handrail)

C022

Double step with handrail

- Order in multiples of 6
- Handrail for added stability (can be used on either side)
- White powder coated steel frame
- Anti-slip rubber mats
- Solid construction
- Anti-sink bars
- Rubber feet
- Step Heights: 20 and 40 cm.
- Size: 44 x 65.5 x 40 cm.
- Handrail height: 110 cm.
- Weight: 4.8 kg.
- Max Load 100kg



Liberty Leisure Outdoors single metal step

LL0750

- Width 40cm, Depth 37cm
- Step Height 26cm, Step Depth 26cm
- Overall Height 30cm



Liberty Leisure Outdoors double metal step

LL0751

- Width 43 cm , Depth 64 cm
- First step height 18 cm
- Second step height 38 cm
- Step size 26x28 cm
- Overall height 41cm



Liberty Leisure Outdoors single plastic step

LL0824

- Size: Width 37.5 x 56 x 24 cm (W x D x H)
- Step size 47 x 29 cm
- Weight 1.4kg
- Max load 150kg




Liberty Leisure Outdoors folding double step

LL1647

- High quality., Folds away for easy storage.
- EN14183:2003 Approved.
- Non slip mat on each step.
- Anti-sink cross bars , Anti-Slip feet.
- Size: 50 x 59 x 39 cm., Folded: 82 x 50 x 7 cm.
- Weight: 5 kg. , Max Load : 150 kg.

Vehicle Accessories



Lippert Innolight Gradino slide-out electric step kit

2021104109	440 mm width
2021104075	550 mm width


- High power 12v motor , Energy input: 2.5a
- Waterproof sensor for open step warning light
- Patented quick release system High motion speed, from open to closed in 2.5 seconds
- Anti-slip and aluminium foot board



Lippert Innolight manual step

10856/55RM/90/000	550 mm width

- Patented guides for a frictionless slide
- Waterproof sensor for “open step” warning light integrated in the motorhome
- Anti slip, anodized aluminium foot board
- Patented quick manual release system



Lippert Innolight electric step

KG100119	440 mm width
KG100122	700mm width

- Patented guides for a frictionless slide
- Waterproof sensor for “open step” warning light integrated in the motorhome
- Anti slip, anodized aluminium foot board
- Patented quick manual release system



Lippert Innolight fixing kits

2021104102 OEM Packed

VW Crafter

2021104052 OEM Packed

856-816-0-ZF00 Retail Packed

Mercedes Sprinter

2022005213 OEM Packed

856-820-0-ZF00 Retail Packed

Fiat Ducato , Citroen Jumper, Peugeot Boxer

856-851-0-ZF00 Retail Packed

Fiat Ducato , Citroen Jumper, Peugeot Boxer Chassis


- Fixing kit for the Lippert Innolight steps



Lippert Innolight automatic storing device

2021104044 : OEM
12531 : Retail packed

- Enables automatic storing of electric steps when starting the vehicle’s engine
- Prevents steps from opening while driving
- Compatible with Alanera and Innolight steps



Innolight change-over switch for electric step

479497

- For use with Innolight electric step 2020331019



Innolight front covers

2020344560	440 mm step
2020344562	550 mm step
856-119-1-VE01	KG100120
856-137-1-VE01	KG100119
856-139-1-VE01	KG10122

- Integrates the step with the vehicle for a clean, seamless look

Vehicle Accessories



Kopak VW rear threshold cover (tailgate)

G1337

- VW T5 / T5.1 / T6 / T6.1
- Rear ABS threshold cover tailgate with plugs
- Straight replacement
- Easy to fit



Kopak VW rear threshold cover (barn door)

G1338

- VW T5 / T5.1 / T6 / T6.1
- Rear ABS threshold cover barn door with plugs.
- Straight replacement
- Easy to fit



Kopak VW extra deep side load door step

G1339

- VW T5 / T5.1 / T6 / T6.1
- ABS extra deep side load door step
- Straight replacement
- Easy to fit



MQL.CO.UK

More than you think

The MQL website grows and grows each year, not only are we putting more and more on the website, you can already :

ORDER ONLINE : You can order more and more products easily and at any time online.

ONLINE CHAT : Speak to our dedicated CS team about any of our products.

LOYALTY POINTS : You can earn points by ordering online and then use these points to pay for your goods.

Plus a whole lot more like downloading documents, getting a statement, paying for invoices.

RIB





Please note images show are left hand versions, but all codes displayed are right hand versions.

Scopema RIB 2nd Generation seat swivels

DRIVER SWIVEL BASES

CBT013RG2C/GB: T5 with Riser
CBT016G2C/GB : Ducato GB
CBTO19G2CGB: Transit Custom
CBT015G2/GB : M3 Sprinter/Crafter RHD
CBTO21G2GB : New Sprinter
CBTO23G2GB : VW Crafter from 2017 & MAN TGE

PASSENGER SWIVEL BASES

CBT013RD2C/GB: T5 GB
CBT016D2C/GB : Ducato GB
CBTO19D2CGB: Transit Custom
CBT015D2/GB : M3 Sprinter/Crafter RHD
CBTO21D2GB : New Sprinter
CBTO23D2GB : VW Crafter from 2017 & MAN TGE

- Original seat fixation points , Steelplates 5 mm (Thick) , Thickness : 23 mm
- Weight : 12 Kg (depending on the model) , Stabilization by Teflon supports
- Automatic stoppage facing the road , Easy unbolt
- Middle offset rear side : 60 to 140 mm (depending on the model)

Scopema RIB 3rd Generation seat swivels

DRIVER SWIVEL BASES

CBTO13G3R/GB : VW T5-T6 RHD (Battery) + Handbrake LWG KIT
CBTO13RD2C : T5 (no riser)
CBTO16G3/GB : Ducato GB
CBTO19G3CGB : Transit Custom
CBTO20G3GB : Renault Traffic X82
CBTO21G3GB: New Sprinter
CBTO24G3GB: Ford Custom V710

PASSENGER SWIVEL BASES

CBTO13D3/GB : VW T5-T6 RHD
CBTO16D3/GB : Ducato GB Swivel Base
CBTO19D3CGB : Transit Custom
CBTO20D3GB : Renault Traffic X82
CBTO21D3GB: New Sprinter
CBTO24D3GB: Ford Custom V710

- Enlarged central hole , Easy unlocking , Thinner: only 21 mm , Stabilizer pins
- Lighter with a weight of 8.5 kilos (depending on the model)
- Using the original mounting points , Automatic forward-facing locking



Handbrake adapters

ACAFMC : VW Crafter
ACAFMS : New Mercedes Sprinter

- Handbrake adapter for use with Scopema RIB swivel bases
- For use with VW Crafter or Mercedes Sprinter vehicles



Handbrake lowering kit

ACAFMTC : Ford Transit Custom

- Handbrake lowering kit for use with Scopema RIB swivel bases
- For use with Ford Transit Custom vehicles



Handbrake cover

AHPFT5 : VW T5

- Handbrake cover for use with Scopema RIB swivel bases
- For use with VW T5 vehicles

Vehicle Accessories

CTA swivel base plates



Ford Version
- Transit - from 2014
- Tourneo custom
- Transit custom - from 2012
- Weight: 8.7kg
- Powder coated
- Colour: Black
- Size: 474 x 455 x 51 mm

VW Version
- Transporter T5, T5.1, T6, T6.1 - from 2003
- Weight: 7.3kg
- Powder coated
- Colour: Black
- Size: 434 x 429 x 38 mm

CTACUSTOMPLATE : Ford Transit, Custom & Tourneo
CTAT6PLATE: VW T5, T5.1, T6, T6.1

CTA driver seat handbrake adaptors



Ford Version
- Transit custom

VW Version
- Transporter T5, T5.1, T6, T6.1

CTACUSTOMADAPTOR : Ford transit custom
CTAT6ADAPTOR: VW T5, T5.1, T6, T6.1

CTA Smart kits



- Each kit includes a forward, backward or face to face upper frame with pre-mounted seat belts, floor anchoring brackets, chassis fixing screws kit and assembly instructions. All the components of Smart kits are approved according to current regulations.

CTACRAFTER : VW Crafter Off-axis belt frame
CTADUCATO : Fiat Ducato Off-axis belt frame

CTA Smart kits - Combi ready



- Each kit includes a forward, backward or face to face upper frame with pre-mounted seat belts, floor anchoring brackets, chassis fixing screws kit and assembly instructions. All the components of Smart kits are approved according to current regulations.

CTADUCATOCOMBI : Fiat Ducato Off-axis belt frame

CTA Isofix for off axis double seatbelt frame



CTAISOFIX

- CTA ISOFIX For off-axis double seat belt frame
- Series 01030 - UK

CTA Wall mount headrest



CTAHEADREST

- CTA Wall Mount Headrest
- Includes padding.
- No trim

SUMMIT

A full vehicle specification and fitting guide is available on request



Summit roof bars

SUP-915	1.2m Premium Multi-Fit Roof Bars
SUP-930	1.35m Premium Multi-Fit Roof Bars
SUP-957	1.07m Premium Multi-Fit Roof Bars
SUP-957H	1.07m Premium Roof Bars
SUP-965	1.15m Premium Multi-Fit Roof Bars
SUP-A003	1.15m Premium Multi-Fit Roof Bars
SUP-A009	1.15m Premium Multi-Fit Roof Bars
SUP-A012	1.15m Premium Multi-Fit Roof Bars
SUP-A014	1.15m Premium Multi-Fit Roof Bars
SUP-A035	1.30m Premium Multi-Fit Roof Bars
SUP-A065	1.30m Premium Multi-Fit Roof Bars
SUP-A070	1.15m Premium Multi-Fit Roof Bars
SUP-A084	1.30m Premium Multi-Fit Roof Bars

- **Superb Quality** – Constructed using high quality robust and durable materials that can withstand changing weather conditions and rigorous use. Maximum resistance to rust and corrosions with non-slip coating. Guaranteed for 3 years and manufactured to TUV and GS standards. City crash tested.
- **User-Friendly Design** – Part-assembled for a straightforward and hassle-free installation. The feet are already assembled and attached to the roof bar; you just need to add the fitting kit. Full detailed fitting instructions with diagrams are included.
- **Sleek Appearance** – Premium aluminium design with 50mm x 27mm profile. Designed with an aerodynamic shape to reduce wind noise and drag. Improves vehicle fuel efficiency and enhances your driving experience.
- **20mm T-Track** – Making it even easier to attach accessories.
- **Substantial Weight Capacity** – Making them ideal for transporting luggage and equipment, such as roof boxes, bike carriers and ladders. Max load 75kg for most applications. Please consult your vehicle handbook in conjunction with this.
- **Vehicle Specific** – The roof bars are not universal; they are designed to fit your car.

Vehicle Accessories



Reimo multirails

90156 : Offside VW T4/T5 SWB : Black
901561: Nearside T4/T5 SWB : Black
90157 : Offside & nearside T4/T5/T6 LWB : Black
90193 : Offside VW T7 / Ford V710 SWB : Black
901931 : Nearside VW T7 / Ford V710 SWB : Black

- Reimo multirail for various vehicles.
- Allows the easy fitting of a drive away awning, canopy and much, much more.



Reimo Multirail end caps

90154 : Multirail Nearside End Cap
90155 : Multirail Offside End Cap

- End caps for use with the Reimo multi-rail
- Finishes the multi-rail off nice and cleanly, plus improves water run off



ReVace Awning rails

AR-RV-MR-T5-LED-BK : Near side : VW T5, T5.1, T6, T6.1 SWB, with LED, Black
AR-RV-MR-TC-LED-BK : Near side : Ford Transit Custom, with LED, Black

AR-RV-MR-T5-SK-BK : Near side : VW T5, T5.1, T6, T6.1 SWB, no LED, Black
AR-RV-MR-T5-SK-BK-D : Drivers side : VW T5, T5.1, T6, T6.1 SWB, no LED, Black
AR-RV-MR-TC-SK-BK : Near side : Ford Transit Custom, no LED, Black

- Tapered end caps for a stylish, moulded fit.
- Rail accepts threaded hangers – supplied. (perfect for hanging wetsuits or threading a washing line)
- Accommodates both 6mm and 4mm kadar strip or awning flange
- Water channel to redirect water on to front windscreen (perfect for elevating roof run off water)

LED kit includes

- 2650 mm Aluminium awning rail, 2 x flexible end caps, 2 x threaded hangers, Fixing adhesive, 2200 mm LED waterproof strip pre fitted to awning, 3m cable, Inline fuse and fuse holder, LED light switch, electrical crimps, heat shrink and conduit.

Non LED kits includes

- 2650mm Aluminium awning rail , 2 x flexible end caps , 2 x threaded hangers , Fixing adhesive Tapered end caps for a stylish, moulded fit.

Vehicle Accessories



Reimo aluminium rail

41300 Length: 2 M

- Rail made out of un-drilled aluminium for Reimo high top roofs.
- Flat aluminium profile
- Minimal change in height
- Especially suitable for plastic roofs



Reimo plastic rain gutter

46299 Length: 1.5 M


- Rain gutter self-adhesive for cab doors
- Ensure the rainwater is drained off and allows opening doors without getting wet



W4 Mastic Sealing Strip

00016	19 mm	Grey
00017	32 mm	Grey
00025	45 mm	Grey
00116	19 mm	White
00117	32 mm	White
00125	45 mm	White


- Mastic sealing strips by W4.
- Available in two colours and 3 different widths



Fawo utility rack kit

01529T20099


- Consits of a 2 m long black rubber round cord, including a patent connector and 6 retaining rings (silver) with screw covers and user manual.



Fawo magazine rack

01529T01087

- Grey



Reimo magazine rack

46195

- 415 x 210 mm



W4 elasticated storage Net

00056

- Wall mounted

W4 Vehicle stickers



Kernow

37189	Rectangular



Kernow

37183	Large oval



UK

37191	Extra Large



UK

37193	Large



GB (with flag)

37102	Small oval



Euro GB

37105	Oval



Welsh dragon

37149	Rectangle



Cymru

37143	Large oval



Euro

37106	Small rectangle



NI

37173	Large oval

Vehicle Accessories



Scotland

37159 Rectangle



SCO

37153 Oval



IRL

37163 Large oval



Euro Ireland

37167

Upright number plate



LPG

47101

• Pack of 25



Fresh water

37116



No smoking

37113 Large

37112 Small




Motorhome tracking fitted

37109



Caravan tracking fitted

37108



Vital statistics

37115



Vehicle reminder

37114



60 MPH

37110 Black circle

Security

SAS
SECURE YOUR WORLD

Nothing speaks of quality, reliability and peace of mind quite like a SAS CLAMP.



AL-KO AKS hitch lock

V277771 SAS Green Range

- Secure hardened steel enclosed shackle, padlock included). Fully enclosed top section covers fitting bolts and hitch release handle



V2 wheel clamp

V125795 SAS Green Range

- Fits wheels with widths from 155 – 265mm
- Adjustable arms to fit around the wheel and lock securely with 9 locking positions



V3 wheel clamp

V135795 SAS Green Range

- The universal fitting suits wheels with 550-720 mm diameter and up to 215 mm tyre width.
- Fits over wheel trims on steel or alloy wheels



Valiant hitch lock

V255767 SAS Green Range

- Robust case-hardened double locking top U bar. Double ratchet system, locking in 8 positions, giving flexibility for use on many different hitches



Vault hitch lock with padlock

V266733 SAS Green Range

- Strong steel box construction encloses coupling. Box structure protecting hitch from weathering. Two locking positions to allow you to fit a wide range of pressed steel couplings.



Vital universal hitch lock

V222765 SAS Green Range

- Universal design to fit most 50mm ball style trailer couplings.
- Includes a case-hardened solid steel 12.6mm diameter top U bar



Universal crook steering lock

5880765 SAS Red Range

- Sturdy quad claw, twin bar design
- Simple and quick fit to the steering wheel
- Ratchet design allowing quick fitment without using key. Supplied with 2 keys.



T-bar steering lock

SUM-902 Summit Range

- Simply attaches to the steering wheel to lock in place & restrict movement. Ergonomically shaped to fit comfortably on the dashboard.
- Supplied with 2 keys.

Security

AL-KO

QUALITY FOR LIFE

The leading German security device.



Replacement parts

1552863 : Yellow receiver cap	Pack of 5
1552865 : Barrel lock rubber cover	Pack of 5

1555478: Secure replacement lock kit

- Replacement parts for AL-KO secure wheel lock

Al-KO Secure wheel lock



- Kits comprises of a heavy duty storage bag containing, rim specific insert & wheel lock protector, kneeling mat, locking bolt & locking bolt socket, barrel lock,2 keys & barrel lock weather cover, instruction manual & registration card.

Code	Kit	Fits alloy
1287647	2	Hawk 14”
1287717	5	
1287652	6	Challenger 15”
1287992	15	Challenger 14”
1287990	19	Hawk 15”
1289576	20	Pageant 6 14”
1289487	25	Storm 14”
1289489	26	Storm 15”
1289824	28	Unicorn 15”
1289825	29	Vortex 14”
1289826	30	Vortex 15”
1556873	33	Bailey Pursuit / Phoenix 14”
1556874	34	Scorpion 15”

Code	Kit	Fits
1557310	35	Tardis 14”
1557718	36	Scorpion 14”
1557613	37	Falcon 14”
1557619	38	Lunar 14” ranges (except Venus)
1558298	39	2018 Bailey 14”
1559389	43	Swift 15” Edge
1559417	44	Swift 14” Edge
1559565	47	Falcon 15”
1821118	48	Bailey Otium 14”
1821134	49	Bailey Otium 15”
1821165	50	Swift Basecamp 16”
1821533	51	Adria
1821598	52	Swift Edge 17”



AL-KO premium safety hitch lock: AKS2004/3004

1730541

- Premium safety - hitch lock.
- Suitable for AKS 2004/3004 stabilisers
- Includes 2 keys and instructions.



Replacement cylinder

247033

- Replacement lock cylinder and two keys for all AL-KO security devices / hitch locks. AKS 1300 and 2004/3004 replacement lock.



Safety insert ball (red)

247104 24 Pack

- For use with AL-KO couplings or stabilisers.
- Needs to be used with a locking device, such as the AL-KO barrel locks or AL-KO security devices.

VITRIFRIGO

COOL AND BEYOND



Vitrifrigo 25L compressor fridge

VFC25PSIALSX 442 x 442 x 280 mm

- Featuring a nano compressor for better, more efficient cooling
- Vitrifrigo 25 litre 12 volt (or 24v) DC compressor fridge, shallow depth so popular for small campervan conversions. ideal to run from solar power.
- Popular fridge for VW T4, VW T5, VW T6, Mercedes Vito and Ford Transit conversions.
- Remote compressor
- Standard as left hinge, but can be converted to right hinge
- 12V/240V multi voltage

VitriFrigo C39i 39L compressor fridge

VFC39IBLAL : Black
VFC39ISIAL : Grey
547 x 390 x 355 mm

- Featuring a nano compressor for better, more efficient cooling
- Total volume 39 litres
- Freezer volume 3.6 litres
- Net weight 17kg
- Power supply 12/24V DC
- Nominal consumption 31w
- Reversible door





VitriFrigo C42L 42L compressor fridge Grey

VFC42LGRCL 532 x 380 x 342 mm

- Featuring a nano compressor for better, more efficient cooling
- Weight 16 kg
- Front loading fridge/freezer
- Refrigeration colour: grey
- Refrigeration input voltage: 12/24 v, multi-voltage
- Remote compressor



VitriFrigo 50L compressor fridge Black

VFC50IBLBDN 532 x 380 x 459 mm

- Featuring a nano compressor for better, more efficient cooling
- Standard left hinge, convertible to right hinge
- Automatically runs on 12V or 24V, with low voltage cut out and high voltage protection
- Thermostatic temperature control
- Internal LED light
- Highly efficient nano compressor for better energy usage and chilling performance

Refrigeration

VitriFrigo C50I 50L compressor fridge Grey

VFC50IGRBDN 532 x 380 x 459 mm

- Featuring a nano compressor for better, more efficient cooling
- Interchangeable decor panel on doors to match furniture
- Standard left hinge, convertible to right hinge
- Efficient Secop compressor with aluminium finned condenser
- Automatically runs on 12V or 24V, with low voltage cut out and high voltage protection
- Positive catch with vent position for airing when not in use
- Supplied standard with one-star (-6°C) ice box for making ice cubes and storing food for three to four days



Vitrifrigo 51L compressor fridge Grey

VFC51IGRBDN 532 x 380 x 459 mm

- Featuring a nano compressor for better, more efficient cooling
- 1mm replaceable front decor panel and positive closure with Vitrifrigo's 'air lock' latch with vent position
- Automatically runs on 12V or 24V
- Upgradeable to run on 12/24V and 110/240V AC 50/60 HZ
- 3.6L ice box , Door can be hinged left or right , Internal led light
- Tough food safe injection moulded liner with internal wire shelf with fiddle up stand





VitriFrigo 60L compressor fridge

VFC60IBLCL : Black 622 x 470 x 415 mm
VFC60PBLAL : Larder air lock
VFC60IGRCL : Grey

- Featuring a nano compressor for better, more efficient cooling
- Integral compressor mounted at the base of the cabinet
- Shallow depth fridge
- Can be supplied without ice box
- 15.8kg , 12/24V

Vitrifrigo 85L compressor fridge Grey

VF85IGRCL 791 x 485 x 427 mm

- The Chromelock series is the new complete range that covers every requirement in terms of space and capacity. Ergonomic, quiet, intuitive and safe, it is able to guarantee maximum on-board comfort.
- Featuring a nano compressor for better, more efficient cooling
- Weight: 25 kg , Volume : 85L , Freezer volume: 12.8 L
- Voltage options: 12/24V DC (upgradeable to 12/24 & 110-240V AC)
- Consumption in Watts (with compressor running): 40W
- Average 12 Volt Consumption (over 24 hours in UK summertime): 1.2 A/h





Vitrifrigo 85L compressor fridge Black

VFC85IBLBDN 532 x 380 x 459 mm

- The Chromelock series is the new complete range that covers every requirement in terms of space and capacity. Ergonomic, quiet, intuitive and safe, it is able to guarantee maximum on-board comfort.
- Ergonomic, quiet, intuitive and safe
- Featuring a nano compressor for better, more efficient cooling
- Optional extra VFR121138.K fitting frame
- Total volume : 85L , Freezer volume : 12.8L
- Net weight : 23.3 kg

Refrigeration

Vitrifrigo 90L compressor fridge Grey

VFC90IGRCL 622 x 470 x 515 mm

- The Chromelock series is the new complete range that covers every requirement in terms of space and capacity. Ergonomic, quiet, intuitive and safe, it is able to guarantee maximum on-board comfort.
- Featuring a nano compressor for better, more efficient cooling
- Total volume: 90L , Freezer volume 9,1 L , Net weight : 22 kg
- Power supply: dual electronic box 12/24V DC - 100-240V AC 50/60Hz
- Nominal consumption: 45W
- Panel colour: black
- Reversible door: yes





Vitrifrigo 90L compressor fridge Black

VFC90IBLCLMV 622 x 470 x 515 mm

- The Chromelock series is the new complete range that covers every requirement in terms of space and capacity. Ergonomic, quiet, intuitive and safe, it is able to guarantee maximum on-board comfort.
- Featuring a nano compressor for better, more efficient cooling
- Total volume: 90L , Freezer volume 9,1 L , Net weight : 22 kg
- Power supply: dual electronic box 12/24V DC - 100-240V AC 50/60Hz
- Nominal consumption: 45W , Panel colour: black , Reversible door: yes

Vitrifrigo 95L compressor fridge Grey

VFC95LSIAL 712 x 485 x 429 mm

- The Airlock C95L fridge-freezer is an optimal solution, boasting a total capacity of 95L, with 12.8L allocated to the freezer compartment if chosen as an option. The refrigerant unit is positioned externally. Among its key features, you'll find a grey panel door with a snap-lock mechanism designed to prevent accidental openings.
- Featuring a nano compressor for better, more efficient cooling
- Door Finish : Laminate
- Capacity : 95 L , Voltage : 12/24V DC , Remote compressor





Vitrifrigo C115I 115L compressor fridge Silver

VFC115iSIAL 766 x 525 x 518 mm

- 115 litre 12/24 volt fridge with integral compressor, 27.4kg 12v/24v
- Featuring a nano compressor for better, more efficient cooling
- With ice box
- Optional fitting frame, Door can be hinged left or right, Internal led light
- Compressor voltage: automatically runs on 12v or 24v
- Can be integrated and fitted behind galley cupboard doors using sliding hinge kit (VFR12468)

Vitrifrigo C115I 115L compressor fridge Black

VFC115IBLALSX-LED 766 x 525 x 560 mm

- The C115i fridge-freezer from the Airlock series offers an ideal solution with a total capacity of 115L, including 17.1 L for the freezer compartment, if selected as an option. The refrigeration unit is positioned internally.
- Featuring a nano compressor for better, more efficient cooling
- This appliance features a black panel door with a secure snap-lock closure to prevent accidental openings.
- Internal LED



Refrigeration

Vitrifrigo Slim150 compressor fridge freezer Black



VFDP144LBLALGR

- 9L 3 star freezer compartment
- Supplied pre-charged with couplings
- Remote compressor
- Stainless steel drawers & runners
- Drawer is 365mm making it ideal for storage of large drinks bottles
- Doors can be hung left or right
- LED digital thermostat
- Turbo mode or fast chill boost
- Automatically runs on 12v or 24v
- Positive closure with Vitrifrigo's 'air lock' latch with vent position

Vitrifigo 20L top loading compressor fridge Black



VFTL20L-R600a

325 x 248 x 426 mm

- Vitrifrigo narrow width, top opening 12/24 volt fridge ideal for shallow depth work surfaces. perfect for small conversions.
- Refrigeration application : Leisure, marine, off-grid
- Refrigeration type : Fridge
- Refrigeration colour :Black
- Refrigeration fridge type : Top loading
- Refrigeration input voltage : 12/24V, multi-voltage



Vitrifrigo DP150 150L compressor fridge freezer Black

VFDP150IBLCL 1095 x 525 x 530 mm

- Automatically runs on 12v or 24v, by sensing the input voltage
- Supplied with the positive air lock latch system with vent position
- 1mm front panel which can be changed to match kitchen units
- Internal led light as standard
- Internal grill shelves with fiddle upstands and salad bins as standard
- Weight: 38.8kg
- Freezer:30L



VitriFrigo compressor drawer fridge Black

VFD20ABL : 20L
VFD30ABL : 30L
285 x 440 x 727 mm

- Compact drawer fridge freezer
- Automatically runs or 12v or 24v
- The compressor and cooling unit can be removed from the back of the drawer and mounted remotely up to 1.5m from the drawer
- LED thermostat control
- The drawer cannot open when driving over rough terrain or cornering in a vehicle or motorhome

Vitrifrigo 40L top loading comporessor fridge or freezer

VFTL43L 620 x 500 x 340 mm

- Membrane LED Digital thermostat
- Lowest noise level and reduced consumption during night time
- High bright internal Led lights
- Inside out fixings and concealed lid fixings for easy installation
- Removable seal and easy replacement
- The external compressor is removable up to 1,5m
- 12/24V DC 100-240V AC - 50/60 Hz, Nominal Consumption 45w
- Total Volume 40L
- Net Weight 14.5kg
- Internal Temperature Range +10°C / -10°C



DOMETIC



Dometic RC10.4T compressor fridge Black

9600050782 : 70L	821 x 420 x 450 mm
9600050783 : 90L	975 x 420 x 485 mm

- Double-hinged door
- Patented removable freezer compartment
- Ease of use with TFT colour display and turn/push button
- Reliable cooling and deep-freezing
- Elegant aluminium door handles
- Internal ventilation system – no further ventilation grills required
- Quiet operation in night mode
- 12/24v



Dometic RCD 10.5T 176L compressor fridge Black

9600050528	1283 x 523 x 550 mm

- Double-hinged doors – open left and right without the need to change the hinge, Separate doors for the fridge and freezer
- VG Fresh crisper with adjustable humidity – keeps fruit and vegetables fresh for longer
- Elegant aluminium door handles extend over the complete fridge height
- Internal ventilation system – no further grills required for installation
- Easy to use controls with intuitive TFT colour display



Dometic RCS10-5XT 98L compressor fridge Black

9600028199	821 x 610 x 523 mm

- Extra deep & TFT display
- Double-hinged door – opens left and right without the need to change the hinge
- Patented removable freezer compartment (opens to the bottom)
- Smart use of space: extra-deep under counter model with wheel arch cut-out

Refrigeration



Dometic NRXC compressor fridges - Dark Silver

9620001484 : NRX35C : 35L	525 x 380 x 480 mm
9620001481 : NRX50C : 50L	525 x 380 x 510 mm
9620001486 : NRX60C : 60L	525 x 448 x 537 mm

- 12/24 V DC , Touch control panel , Integrated LED light bar
- **NRX35C** : 34L Total capacity, 4.4L Freezer capacity
- **NRX50C** : 46L Total capacity, 4.4L freezer capacity
- **NRX60C** : 58L Total capacity, 6.1L freezer capacity



Dometic NRX50E 50L compressor fridge Black

9620000804 : NRX50E : Black 525 x 380 x 510 mm

- 46L capacity
- Frame less door
- Full-width handle
- Please note that this fridge does not come with a freezer compartment.



Dometic NRX80C 80L compressor fridge Dark Silver

9620001483 625 x 475 x 537 mm

- Total Volume : 78 L
- Fridge : 72 L
- Freezer : 6.1 L (Removable)
- Full-width handle
- Touch control panel
- Integrated LED light bar

Dometic NRX90 90L compressor fridge Dark Silver

9620006673 821 x 486 x 480 mm

- Net weight : 22 kg
- Total volume : 92 L
- Fridge Total : 70.6 L
- Freezer Volume : 8.4 L
- Input voltage (DC), [V] 12/24
- Integrated LED light bar



Dometic NRX115C 115L compressor fridge Dark Silver

9620001485 525 x 745 x 568 mm

- 116L capacity
- Full-width handle
- 9L freezer
- Touch control panel
- Integrated LED light bar

Dometic NRX130C 130L compressor fridge Dark Silver

9620001482 812 x 525 x 568 mm

- 126L of cool storage
- Full-width handle
- Removable 8.2L freezer

Refrigeration



Dometic RMS10.5T 83L absorption fridge freezer Black

9600027101 821 x 523 x 548 mm

- Double-hinged door
- Removable freezer compartment
- Smart use of space: under counter model with wheel arch cut-out
- Easy to use with TFT colour display and turn/push button
- Noiseless absorption cooling
- Net weight: 27.4 kg
- Gross volume 83L
- Storage volume - total 81L
- Fridge storage volume 67.8 L
- Freezer storage volume 8.2 L



Dometic RM10.5T 93L absorption fridge Black

9600027098 821 x 523 x 548 mm

- Double-hinged door
- Patented removable freezer compartment
- Ease of use with TFT colour display and turn/push button
- Elegant aluminium door handles
- Flexible interior storage with two small crisper's
- Noiseless absorption cooling on 12 v, 230 v or petrol
- Full side led interior light
- Net weight 28 kg



Dometic RML10.4T 139L absorption fridge - black

9620004548 1293 x 420 x 578 mm

- Patented double-hinged door
- Removable freezer compartment
- Elegant aluminium door handles
- TFT display and turn/push button
- VG Fresh crisper with adjustable humidity
- 170W , Voltage : 12V (DC) , 230V (AC)



Dometic RMD 10.5T 153L absorption fridge - black

9620006713 1245 x 523 x 550 mm

- Patented double-hinged door
- TFT display and turn/push button
- 3 Way : Electric (240V or 12V) or gas
- Two-point locking system
- Versatile interior , LED light bar , Crisper
- Gas consumption : 580g/24h



Dometic RM10.5XT 177L absorption fridge - black

9620012756 1245 x 523 x 605 mm

- Patented double-hinged door
- TFT display and turn/push button
- 3 Way : Electric (240V or 12V) or gas
- Two-point locking system
- Versatile interior , LED light bar , Crisper
- Gas consumption : 580g/24h

Refrigeration

THETFORD



Thetford T2090 84L compressor fridge - black

693483SP 975 x 418 x 486 mm

693481 (OEM) 975 x 418 x 486 mm

- OEM Model (693481) has no front panel
- LCD control panel
- Door shape: flat , hinged: Right
- Energy: 0.35 kW/24h, Net weight: 34.2kg,
- Total volume: 84L , Freezer volume: 6.1L



Thetford T2095 90L compressor fridge - black

693463SP 975 x 418 x 486 mm

- LCD control panel
- Door shape: flat framed , slide out
- Energy: 0.36 kW/24h
- Net weight: 33kg,
- Total volume: 90L
- Freezer volume: 9 L



Thetford T2138 138L compressor fridge - black

692935SP 1598 x 418 x 503 mm

- Slim line fridge
- LCD control panel
- Door shape: flat , hinged: Right
- Energy: 0.50 kWh/24h
- Net weight: 34.2kg
- Total volume: 138L , Freezer volume: 13.6L



Thetford T2152 150L compressor fridge - black

693471SP 1500 x 418 x 569 mm

- Slim line fridge : LCD control panel
- Door shape: flat , hinged right
- Energy consumption: 0.47kwh/24h
- Net weight: 35kg
- Total volume: 150L, Freezer volume: 17L



Thetford T2160 158L compressor fridge - black

693476SP 1245 x 525 x 563 mm

- LCD control panel
- Door shape: flat , hinged right
- Energy consumption: 0.56 kWh/24h
- Net weight: 37.4kg
- Total volume: 158L, Freezer volume: 30.5L



Thetford T2175 174L compressor fridge - black

693479SP 1245 x 525 x 613 mm

- LCD control panel
- Door shape: flat , hinged right
- Energy consumption: 0.56 kWh/24h
- Net weight: 38.4 kg
- Total volume: 174L, Freezer volume: 35L

Refrigeration



Thetford N4080E / N4080E+ absorption fridge Black

692054SP : N4080E+
692056SP : N4080E
821 x 486 x 543 mm

- Control panel: led
- Door shape: flat framed 30mm
- Door type hinging: left
- Energy: 2.6 kwh/24h , 270g/24h
- Energy selection: manual
- Single pressure absorption
- Net weight: 22.5kg
- Gross Volume: 81L
- Total Volume : 71 L
- Freezer Volume : 10 L



Thetford N4090E+ absorption fridge Black

692180 : OEM packed
693570SP : Retail packed
821 x 525 x 543 mm

- Control panel: led
- Door shape: flat framed 30mm
- Door type hinging: left
- Energy: 2.9 kwh/24h , 300g/24h
- Energy selection: manual
- Single pressure absorption
- Net weight: 22.5kg
- Gross Volume: 89L
- Total Volume : 78 L
- Freezer Volume : 11 L

- **Please note 692180 does not include front door (69157127SP), which can be ordered in but only on request.**



Thetford N4141 141L absorption fridge Black

692168 : A ***692087SP : E+***
1500 x 418 x 561 mm

- Slim line fridge
- A Model has LCD control panel
- E+ model has LED control panel
- Door shape: flat , hinged left
- Energy: 4.5 kWh/24h , 468 g/24h
- Net weight: 38kg
- Total volume: 135L, Freezer volume: 15L



Thetford N4142 142L absorption fridge Black

692134SP A ***692095SP E+***
1500 x 418 x 561 mm

- Slim line fridge
- A Model has LCD control panel
- E+ model has LED control panel
- Door shape: flat , hinged left
- Energy: 4.5 kWh/24h , 468 g/24h
- Net weight: 37kg
- Gross volume: 142L
- Total volume: 135L, Freezer volume: 15L

Refrigeration



Thetford Fridge N4150-A absorption fridge Black

692106SP 1245 x 525 x 578 mm

- Curved frame less door
- Control panel: LCD
- Door type hinging: left
- Energy consumption: 4.0kwh/24h
- Energy consumption (gas): 420g/24h
- Energy selection: automatic
- Refrigeration technology: single pressure absorption refrigerator
- Total volume: 145L
- Frozen compartment: 25lL
- Net weight: 37.5kg

Thetford N4150E absorption fridge Black

692107SP 1245 x 525 x 578 mm

- Door shape: curved framed
- Door type hinging: left
- Energy consumption: 4.0 kwh/24h
- Weight: 37.5kg
- Total volume: 149L
- Double doored
- Control panel with LED display

Thetford N4145E 136L absorption fridge Black

692102SP 1245 x 525 x 543 mm

- Door shape: flat framed 10mm
- Energy selection: manual
- Net weight: 37kg
- Total volume: 136L
- Freezer volume: 23L
- Door type hinging: left
- Control panel: LED

Thetford N4150A 149L absorption fridge Black

692105SP 1245 x 525 x 578 mm

- Left hand framed door
- Power supply, gas, 12v and 230v
- Stable and strong 3-way cooling
- LCD control panel
- Automatic and manual energy source selection
- Gross volume 149L
- Freezer volume 25L

Thetford N4175A 175L LCD absorption fridge Black

692118SP 1245 x 525 x 628 mm

- Door shape: curved framed
- Energy selection: automatic
- Control panel: LCD
- Net weight: 39.5kg
- Total volume: 165L
- Freezer volume: 31l
- Door type hinging: left

Thetford N4175A absorption fridge Black

692119SP 1245 x 525 x 628 mm

- Door shape: curved frame less
- Energy selection: automatic
- Control panel LCD
- Doors can be converted to right doors with the door swing kit (is included)
- Net weight 39.5 kg
- Total volume 165L
- Freezer volume: 31L
- Refrigerant amount 126 g

Thetford N4175E absorption fridge Black (retail packed)

692122SP 1245 x 525 x 628 mm

- Door shape: curved framed
- Control panel: LED
- Door type hinging: left
- Energy consumption: 4.0kwh/24h
- Energy consumption (gas): 420g/24h
- Single pressure absorption refrigerator
- Frozen compartment: 31lL
- Total volume: 165L
- Energy selection: automatic
- Net weight: 39.5kg

Thetford N4170E+ absorption fridge Black

692117SP 1245 x 525 x 593 mm

- Double-door
- Total volume: 156 L
- Freezer volume: 29 L
- Power supply, gas, 12v and 230v (between 210 and 250v)

Thetford N4170A absorption fridge Black

692112SP 1245 x 525 x 593 mm

- LCD control panel
- Matte black door panel
- Door shape flat framed
- Door type hinging left
- 156L fridge
- 29L freezer
- 3 way power supply, gas, 12v, 240v



Thetford fridge ventilator kit

630543

- Original Thetford part.
- Improves the airflow over the condenser, temperature control and maximisation of the total cooling capacity



Vitrifrigo fitting frame for 39 litre fridge air lock - silver

VFR121120.GK

- Original Vitrifrigo part.
- Fitting frame for Vitrifrigo 39 litre air lock fridge
- Silver in colour



HEATEK CF1 fridge fan

3304001

- Fits all absorption refrigerators , Integrated mounting and on/off switch
- High performance cooling , Low noise and low power consumption
- Operating voltage: 12V DC, Power consumption: 1.8 W
- Airflow: 70 m /h , Noise level: 22 dB(A)
- Dustproof and waterproof: IP 45 ,Power cable: 150 cm



N3141 / N4141 cabinet infill panel – Piano black

690630138SP 394 x 947 x 1.5 mm

- Original Thetford part.
- Cabinet infill for the Thetford N3141 and N4141 fridge models



N3141 / N4141 drawer infill panel – Piano black

690631138 394 x 450 x 1.5 mm

- Original Thetford part.
- Drawer infill for the Thetford N3141 and N4141 fridge models



Thetford T2090 door panel Matt black

69233027SP

- Original Thetford part.
- T2090 door panel insert
- Single pack



Thetford table top fridge vent covers and frames

62445480 : White full vent
62445427 : Black full vent
62445425 : Dark grey full vent
62844880 : White OEM grill only
62844825 : Dark grey OEM grill only
62407780 : White OEM frame only

- Original Thetford part
- Compatible with Thetford tabletop fridges
- Vent size : 186 x 483 mm
- Cut out size : 154 x 449 mm
- NET Ventilation area : 363 cm^2
- Weight: 0.5 kg

Thetford slim fridge vent covers and frames

69110080 : White full vent
69110027 : Black full vent
69110025 : Dark grey full vent
69078980 : White OEM grill only
69078927 : Black OEM grill only
69078925 : Dark grey OEM grill only
69079080 : White OEM frame only
69079027 : Black OEM frame only

- Original Thetford part
- Compatible with Thetford fridges 418 mm wide
- Vent size : 257 x 432 mm
- Cut out size : 228 x 400 mm
- NET Ventilation area : 467 cm^2
- Weight: 0.6kg





Thetford large fridge vent covers and frames

63114080 : White full vent
63114027 : Black full vent
63114025 : Dark grey full vent
63114180 : White OEM grill only
63114125 : Dark grey OEM grill only
63114280 : White OEM frame only


Refrigeration



Thetford small winter covers

62445580 : White ***62445525 : Dark Grey***
62445527 : Black

- Original Thetford part, compatible with Thetford tabletop fridges
- Cover size : 186 x 483 mm , Cut out size : 130 x 437 mm
- Weight: 0.206 kg



Thetford large winter covers Multiple sizes available

69109980 : White : Slim fridges
63115080 : White : Large fridges

- Original Thetford part, compatible with Thetford slim and large fridges
- Slim : Size : 257 x 432 mm , Cut out : 210 x 390 mm, Weight: 0.714 kg
- Large : Size : 281 x 523 mm , Cut out : 234 x 482 mm, Weight: 0.714 kg



Dometic LS100 fridge top vent

9620009231 : White ***9620009243 : Black***

- Original Dometic part
- Size : 45 x 479 x 185 mm (D x W x H)
- Includes winter cover



Dometic LS200 fridge bottom vent

9620009291 : White
9620009217 : Black

- Original Dometic part
- Size: 45 x 479 x 185 mm (D x W x D)
- Weight 0.48 kg



Dometic fridge winter cover kit Includes WA120 and WA130

9620009215 : White
9500001460 : Black

- Original Dometic part
- WA120 covers top vent (LS100) and WA130 covers bottom vent (LS200)



Dometic LS300 fridge double door grill vent

9620009255 : White

- Original Dometic part
- Size : 518 x 278 mm (W x H)
- Suggested cut out 490 x 249 mm



Dometic EWS300 fridge winter cover

9105900017 : White

- Original Dometic part
- Winter cover kit for LS300 vents
- Size: 515 x 275 x 30 mm (H x W x D)







Quest Nuuk three way fridge

E0225

- This is the premium quality Quest Nuuk 3 way fridge. As this is a 3 way fridge which means you get a flexibility on how to power it. It works on gas, 240 mains electric or 12V electric. This allows you to easily use it when off grid using the gas or 12V options, plus you can take advantage of 240V mains electric when you have it. This is a fridge rather than a cool box. What this means is that the way it cools the inside down works better in all conditions. It cools the inside of the fridge down to 25 degrees lower than the outside temperature. Whilst some cool boxes can do the same, cool boxes suffer more in very hot weather, but fridges carry on working well even when the weather gets hot.
- **Low Wattage**: The low wattage of this fridge means that it can be used on all camp sites without the issue of overloading the electrics. It also means that it is cheaper to run than non low wattage items as it draws a lower wattage.

- Gross Capacity: 43L
- Weight: 16 kg
- DC Cooling : 75 Watts | AC Cooling : 75 Watts
- Energy Consumption (24hr)
- AC: 1.02 kWh/24h | DC: 150 Ah/24h
- Gas : 100% propane or 100% butane recommended.
- Category i3+
- Gas Pressure: 28 - 30mbar (butane), 37 mbar (propane)
- Gas consumption (g/h) : 14.2 g/h

Refrigeration



Thetford SR LED DM fridge PCB N3000 V2 display PCB

692233



Thetford SR LED control panel kit N3000 display PCB

692234



Thetford fridge power control board rear PCB

692247

- Models :N3000 ,N4000



Thetford PCB LCD display module N3000 V1

690821



Thetford - SR PCB +DM N4000 battery pack display PCB

692244



Thetford SR PCB LCD DM N4000 CI-BUS display PCB

692245 BIN



Thetford SR LCD fridges Display PCB

626972



Thetford SR control power board

692755

- Models : T2090



Thetford SR control panel assembly

692803


- Models: T2152



Thetford SR technical panel

692754

- Models: T2152 , T2090



Thetford SR control housing with sticker

693064

- Models : T2090



Thetford SR control PCB

691861

- Models: T1152



Thetford SR control modules

691871

- Models : T115


691391

- For models : T2138, T2152, T2160, T2090C, T2090E

692821

- For models : T2138, T2152, T2160, T2175, T2090, T2156

Refrigeration



Thetford SR heater AC

633575

230V , 153W

- Models : N3080, N3090, N3097, N3108, N3112, N3115 After 12/05/2009



Thetford SR fridge heater DC

633574 : 12V , 140W

- Models : N3080, N3090, N3097, N3108, N3112, N3115



Thetford SR heater AC

633573 : 240V, 220W

- Models: N3145, N3150, N3170, N3175 - After 28/05/2009



Thetford DC Element with moulded ends

633572 : 190W

- Models: N3145, N3150, N3170, N3175



Thetford AC element

692250 : 230V, 220W

- Models: N4080, N4090, N4097, N4108, N4112



Thetford Heater AC

691193 : 300W

- Models: N4145, N4150, N4170, N4175, N4141, N4142



Thetford SR Heater AC

691124 : 230V , 220W



Thetford SR heater DC

691125 : 12V, 205W

- Models: N4145, N4150, N4170, N4175, N4141, N4142



Thetford AC element

626990

- Models: N145 - N150 LED display fridges After 17/01/2005



Thetford 12v DC element

626991

- Models : N145 - N150 LED display fridges after 17/01/2005



Thetford fridge element AC

633570 : 240V , 153W

- Models :N80, N90, N97, N100, N108, N112, N115



Thetford SP fridge heating element

623064 : 220V, 140W

- Models: N80, N90, N100, N110, N112



Thetford AC heater SR AC (old style)

626994 : 230V , 157W

- Models: N90, N97, N100, N112, N104, N109 - Before 12/05/2009



Thetford SR fridge heater element

626992

- Models: N145, N150, N175, N180 - Before 28/05/2009



Thetford heating element

628450 : 220V , 140W

- Models : N80,N90,N97,N98, N108, N112, N115 - 01/07/2005 - 14/05/2009


Refrigeration



Thetford SP fridge burner assembly

623019

- Models : N90, N97, N100, N112, N104, N109 & N3100, N3104 & N4100, N4104



Thetford SR fridge burner & jet 5 slot

623058

- Models : N3141, N3142, N3145, N3150, N3170, N3175 & N4141, N4142, N4145, N4150, N4170, N4175



Thetford SR burner 4 slots

634570

- Models: N3080, N3090, N3097, N3108, N3112, N3115 & N4080, N4090, N4097, N4108, N4112



Thetford SR gas assembly

631249

- Models : N90, N97, N109, N112 - Before 25/09/2006



Thetford SR gas valve automatic V5

630440


- Models : N90, N97, N100, N104, N109, N112, N145, N150, N175, N180 After25/09/2006



Thetford SR fridge gas valve

690810

- Models: All 3000 & 4000 models



Thetford fridge gas valve ST


62568807

- Models : Deluxe line versions of N115, N80, N90, N97, N98, N100, N104, N108, N109, N110,N112



Thetford SR fridge gas solenoid valve kit

631248



Fridge thermocouples

623020	SP fridge flame
625681	V2 with fixings




Thetford SP fridge thermistor

623077




SP fridge electrodes

623021	All electric models
623076	Standard




Thetford spark electrode

631736



Thetford SR fridge spark electrode

690813 : ACU205



Thetford SR spark electrode

690840

- Models : N3145, N3150, N3170, N3175



Thetford SR spark electrode

626987

- Models : N146, N180



Thetford SR spark electrode

626988

- Models : N112

Refrigeration



Thetford spark Electrode

627004

• Models : N112



Thetford SP fridge electronic ignition

623022



Thetford 6 position selector switch

626999



Thetford gas control knob

62302627




Thetford SP fridge piezo spark ignition

623041



Thetford fridge piezo spark ignition ST

625689



Thetford fridge SR flame metre

623029



Thetford SP fridge combustion flap

624020



Thetford SRC flue exhaust

624480



SP fridge fin clip

623023

• Pack of 6



SR thermistor and thermistor cover

691390



Battery pack

69288727



Battery pack R3G fridge black

69022527



Thetford fridge ventilator kit

630543



HEATEK CF1 fridge fan

3304001




SR condenser fan T1152

691870



Thetford SR fridge lock & pocket cover V3

69173927



Thetford fridge SR V2 black travel catch

62698527



Thetford fridge SR V2 travel catch for N112 black

62698627



Thetford SR bottom latch small

62400127



Thetford SR winter/storage latch black 2 pack

62467927



Thetford SR freezer door hinge 2 pack

62468008



Thetford fridge SR door lock

691113

Refrigeration



Thetford SP white fridge clip shelf large

62362508



Thetford SR white shelf clip small


62362608



Thetford guiding cover

69111808

• N3142, N4142 (bin 69145708)



Thetford bottle shelf

62972508

• Models : N180

Thetford shelves




Code	Description	Size (L x W mm)	Models
69111508	SR Shelf Small	340.5 * 182	N3141, N3142, N4141, N4142
69111608	SR Fridge Shelf Large	340 x 241	N3141, N3142, N4141, N4142
691584	Fridge SR small shelf Kit	340 x 223	
691585	Fridge SR big shelf Kit	340 x 262	
69083108	SR fridge shelf E	451 x 204	N4112
69084408	SR shelf	428.4 x 282.3	N3170,N3175
69084308	SR fridge shelf freezer	404 x 238.5	N3170, N3175
69081408	SR shelf	455 x179	N4090, N4097
69081508	SR fridge shelf	455 x 133	N4090, N4097, N4100, N4104
62972608	SR fridge shelf	453 X 212.3	N180
62972708	Fridge shelf	453 x 258.8	Premium model N180
69111708	SR shelf large	333.2 x 264	N3141, N4141
69083608	Shelf	405 x 189	N3150
69083708	Fridge shelf	428.5 x 158	N3150
69083808	Fridge shelf	427.5 x 218.3	N3150

Thetford vegetable bins



Code	Description	Models
692767	Vegetable bin	T2090
691220	Vegetable Bin (2pk)	T1090
623617	SP fridge vegetable bin slide out	N90, N97, N112
623618	Vegetable bin	N104, N109, N100
62303912	Fridge vegetable bin	N80
62698012	Vegetable bin blue	N150
69081608	SR vegetable bin	N4090, N4097
69080208	SR vegetable bin	N3080 - N4080
69082908	Fridge vegetable bin	N3100, N3104, N3145, N3150, N3170, N3175, N4100, N4104 - before July 2018
692523	Vegetable bin right	N3145, N3150 - After July 2018
692524	Vegetable bin reversible	N3170, N3175, N41760, N4175

Refrigeration

Thetford wire shelves	Code	Description	Size (L x W mm)	Models
	69080008	Wire shelf	416 x 176	N4080
	69080108	Small wire shelf	416 x 130	
	62664308	Top wire shelf	453.8 x 180	N108,N112
	62697808	Fridge top wire shelf (white)	428.5 x 172	N150
	62697908	Fridge top wire shelf (white)	428.5 x 172	N150
	62303708	SP fridge bottom wire shelf	420 x 120	N80
	62303808	Fridge wire shelf (white)	415.7 x 163.9	N80
	692511144	SR wire shelf rack	415 x 200	N4145,N4150, N4170
	62304408	SP fridge top wire shelf	428.5 x 143.1	
	62304508	SP fridge middle/bottom wire shelf (white)	427.5 x 203.3	
	62304708	SP fridge wire shelf (white)	455 x 118.2	
	62304808	SP fridge wire shelf	455 x 163.9	N90
	62305108	SP fridge wire shelf	453.8 x 205	
	62305508	SP fridge bottom wire shelf (white)	455 x 212.3	
	62664308	Top wire shelf	453.8 x 180	N108,N112
	62697808	Fridge top wire shelf (white)	428.5 x 172	N150
	62697908	Fridge wire shelves	428 X 232	N150
	63174308	Wire shelf	428.4 x 232.3	N175

Thetford retainers	Code	Description	Models
	62698912	Fridge bottle retainer (blue)	N150,N175
	62445708	SR fridge shelf food retainer (white)	
	69118808	Food retainer (white) : 370 mm	N3112
	62304212	SP fridge bottle retainer	All models
	69111408	SR fridge food retainer shelf	
	69252108	Thetford SR bottle retainer MK1	
	692765	Bottle retainer	

Thetford SR white shelf food retainer bracket

62445608



SR shelf rack food retainer bar

69251608



Thetford salad bin lid

62664112

- Models : N112,N115,N108



Plastic shelf tray insert (blue)

62664212

Refrigeration



Thetford SP fridge interior light cover

624002

- All models



Thetford SR fridge vent fly screen

69112880



Thetford SR fridge drip tray

69188508

- Models : N3140




Thetford drawer bin

69145708

- Models : N3142, N4142

Thetford door / shelf bins









Code	Description	Models
69082408	SR bin curved wide	N3097, N3112, N4097, N4112
69082308	Door bin curved shallow	N3097, N3112, N4097, N4112
69080408	SR fridge bin flat wide	N3080, N4080
69080308	SR fridge bin flat shallow	N3080, N4080
69112108	SR fridge door bin shallow	N3140
69112112	SR fridge door bin shallow (blue)	N3140
69081708	SR fridge door bin shallow	N90, N100, N4090, N4097, N4100, N4108, N3090, N3100, N3108
69081808	SR fridge door bin flat wide	N90, N100, N4090, N4097, N4100, N4108, N3090, N3100, N3108
69084108	Fridge door bin shallow	N3150 and N3175 until 16.07.2018
692519144	SR Door bin flat MK1	N4170
692520144	Door bin curved MK1	N4150
62974712	Fridge door bin (blue)	N180
62402512	Door bin shallow (clear blue)	N110, N112
62697612	Door bin shallow (blue) 119 mm deep	N150, N175
62697712	Door bin (blue) 89.5mm deep	N150, N175
692254144 bin	Fridge door bin	N4141, N4142
692766	SR Fridge door bin	T2090

THETFORD

Here at MQL we stock the vast majority of all Thetford products, spares, replacement parts and everything in between.
if you don;t see what you need in this catalogue, just get in contact with us (all our details are at the start of this catalogue) and we'll endeavour to help you out.

Refrigeration



Dometic element heater service

289020944 : Service

- Rating: 240v , 250W



Dometic heater

289081562 : Element
289081569: Heater
289081560: Heater

- Rating: 12v , 170W



Dometic fridge element

173754136 : Element


- Rating: 230v , 220W



Dometic element

289081504 : Element

- Rating: 230v , 170W



Dometic heater

289012620
289081521


- Rating: 230v , 250W



Dometic heater

385064454


- Rating: 230v , 325W



Dometic heater

289081509 : Heater
289020942 : Element

- Rating: 235v , 125W



Dometic heater

289018015: Heater
289012603: Element

- Rating: 240v , 170W



Dometic heater

2890209030 : Heater
289020945 : Service
289081512 : Heater

- Rating: 240v , 190W



Dometic heater

289081572 : Element

- Rating: 12v , 130W



Dometic heater

289020940 : Service
289081511 : Heater

- Rating: 230v , 190W



Dometic heater

289020911 : Service
289081502 : Heater
4450022701 : AC element

- Rating: 235v , 135W



Dometic heater

289081571 : Heater

- Rating: 12v , 120W



Dometic heater

173767013 : Element

- Rating: 12v , 175W



Dometic immersion heater

2072514017 : Heater

- Rating: 230v , 65W



Dometic immersion heater

289081503 : Heater


- Rating: 235v , 105W

Refrigeration



Dometic electronic receiver

4450014055



Dometic AES PCB

241280412



Fridge control panel

207999503


- Model 10.4S



Operating panel complete left RMD

289064250

- Models: 85x5 / AES4



Dometic connection brick complete

289078806	RMD8551 / 8555 / 8505
289078811	RMD85XX
289078802	MES4 / AES4 200-240v , MTA
289078805	MES4 / AES4 , AMP6
4450024764	
207999468	Option Modul-RMD10.5 / XT / X / T
289024124	200-240v RML9335
207999415	MES4 / AES4, 200-240V - RM85XX



Operating panel, new controls


289069460

- Models : RML9336



Dometic connection wiring-12v Solar D+

2412796100



Dometic control panel PCB

4450026433

- Models : CRX50 / 60



Dometic control unit

4450018984

- Models : CRX50, 65, CD20



Dometic display automatic (RH)

2890644202

- Models : RMD8505, RMDT8505



Dometic display board (LH)

289064310

- Models : RMS85X1



Dometic display complete (RH)

289064320

- Models : RMD85X1



Dometic display complete (LH)

2890644004

- Models : RMD85X5

Refrigeration



Dometic operating panel complete (LH)

289064230	RMD85X1
289040491	RMD8556



Dometic operating panel complete (RH)

289064240	Old code
289064240	New code

- Models : RMD85X5, AES4



Dometic PCB 100-250v

2890347038

- Models : RMD85X1



Dometic display board (LH)

2890643006

- Models : RMD85X1



Dometic operating panel with temperature probe

2890639129	RM85XX
289064903	RM8405
2890638022	RMS8551
289064803	RMS8401, RMS8501
2890639020	RMS85XX



Dometic operating panel, new controls

2890694108

- Models : RMS8406, RMS8506, RMS8556



Dometic complete operating panel (LH)

2890642107

- Models : RMD8551, RMD8501



Dometic control panel

2413355120	Door hang L

- L=523mm, Models : RM/S85XX



Dometic control panel silver / grey

2413389111	Door hang L
2413389012	Door hang L

- L=486mm,Models: RM/S84xx



Dometic control panel

2413390119	Door hang R

- L=486mm, Models : RM/S84XX



Dometic control panel black

2413356128	Door hang R

- Models : RM/S85xx



Dometic control panel black / grey

289024452 : Complete

- Models : RM53xx



Dometic control panel black / grey

241338912	Door hang L
289065402	Door hang R

- L=486mm, Models : RM84xx
- L=523mm, Models : RM/S85X0



Dometic electronics kit

2413490125

- Models : AES-RM85XX

Refrigeration



Dometic selector switch gas, electric

2952025522	



Dometic gas inlet pipe

292677560	
2412593986	CPL





Dometic gas valves

289060395	
241279837	Old code
407158686	New code
407158683	
407158692	

- All come with gas connections



Dometic nozzle

2922033044	KZ45
2890483114	KZ16
2890483007	KZ65



Dometic burner control device

2412789303	



Dometic burner housing

2412559664	



Dometic gas burner

407158693	without nozzle
407158694	without nozzle
292343710	



Dometic gas burner

289060489	



Dometic gas burner

289060494	

- CBS2, DN16 Piezo



Dometic gas burner

289060495	


- CBS2, DN16, MES/AES



Dometic gas burner

289060497	

- CBS2, DN65, MES/AES



Dometic gas burner complete

289060499	



Dometic gas burner complete

289056796	

- CBS1, Piezo, KZ65



Dometic gas burner complete

289063496	

- CBS2X, MES/AES, DN58



Dometic gas burner complete

289060498	

- DN16, New Controls

Refrigeration



Dometic Flue kit Packed - fitting plate, cap, chimney (beige)

50600019600



Dometic black Igniter for battery

289019010



Dometic piezo igniter

2923024612



Dometic piezo igniter

2923024109



Dometic piezo igniter

207528301



Dometic Ignition electric

295236301	Old code
295165420	New code

- DCZ1/12E, 12/24V



Dometic temperature probe

2952248504



Dometic temperature probe

295224850	Length: 1100mm
295224870	Length: 1450mm
2952248819	Length: 1500mm



Dometic thermo element

293149604



Dometic thermo element

2923435321

- Length : 1400mm



Dometic thermocouple

2932333020



Dometic thermocouple

2923435289	Length: 2000mm
292343576	Length: 2100mm
292343591	Length: 2200mm



Dometic thermostat CPL

44500081755	CR80/CR110
4450008044	CR-50/CR-65



Dometic thermostat

2926528106

- EL



Dometic dial gas

2923499210



Dometic bezel cooker mantle

292497900



Dometic hinge CPL freezer compartment

2412125011

- White



Dometic hinge freezer flap door NCS SO

2412125110



Dometic freezer flap door hinge - kit

2412865004 Old code

207999317 New code

- Bearing evaporator flap



Dometic door hinges & bearings

289078655



Door lock complete, black/grey

207999416



Dometic door lock

2412126308

- Service



Dometic fridge door lock assembly

4450018622



Dometic slider door lock

2412883965

4450031099



Dometic slider door lock (black/grey)

2412883973

289011907



Dometic slider door lock (grey)

2412883908

2413272002

289011900



Dometic door lock bent

2412757805 Grey

241275785 Silver

295213817 Grey



Dometic door lock assembly

4450022086



Dometic door lock

207999513	Complete
207999364	Complete, For RMS8550/1
2412757870	CPL, 7021
2412757300	CPL, complete
2412757607	CPL, complete, grey
2412345601	CPL, For RM6xxx

Refrigeration



Dometic door lock freezer compartment

289037121
289047110



Dometic lock (white)

2951766019



Dometic door catch

2952148001



Dometic central hinge

2412954303
241295437



Dometic door lock lighting

2890371020	Door hang L
2890371053	Door hang L



Dometic door lock lighting

2890371129	Door hang R
2890371152	Door hang R



Dometic fixing bar lighting

292316056



Dometic lamp (white)

2951641428

- Rating : 8V , 2W



Dometic LED dispenser air

44500131014



Dometic LED lighting

295164142




Dometic LED lighting

2951641444



Dometic lighting complete (white)

295179961



Dometic lighting sensor

295138030



Dometic lighting sensor CPL

207999341



Dometic sensor complete lighting

2951380118

Refrigeration



Dometic 9 series turning knob

207999372



Dometic turning knob selector switch

2413382009

- For model; : RM8550



Dometic turning knob thermostat

2413383007	Silver
2413383015	Black



Dometic turning knob gas regulator valve

2951289004

- Colour : Grey / Brown



Dometic turning knob selector switch

2951289004	Black
2413382017	Black / Grey



Dometic turning knob, gas thermostat

2413383213	Black
2951287008	Black / Grey



Dometic turning knob for thermostat and selector switch

44990001123

- Grey



Dometic switch

2926274107

- Rating: 230V



Dometic igniter switch

2926275203	RM4281
2926273505	12 / 24V



Dometic ignition cable

2927880142	560mm
2951105713	Comp / 600mm
2927880951	2100mm



Dometic selector switch

2412138105

- For model : RM7270




Dometic shaft selector switch light

2412784304



Dometic shaft temperature in yellow

2412785103



Dometic door handle

289012146



Dometic door handle chrome plated

2890121565



Dometic bearing bottom freezer compartment

2925177103

- Colour : white

Refrigeration



Dometic winter cover LS330

2890600006

- Colour : White



Dometic winter cover NCSS0505

241320500 223 x 482 mm

- Colour : Beige



Dometic winter cover bottom

289059603 442.5 x 130.5 mm

- Colour : black



Dometic winter cover NCS7000

289059802 223 x 482mm

- Colour : Grey



Dometic winter cover L300 210

289059801

- Colour : Bianco



Dometic winter cover

2890598002

- Colour : Light grey



Dometic winter cover LS200 bottom

2890596006

- Colour : White



Dometic winter cover LS300

9620009209



Dometic winter cover pack LS100 & LS200


9620009215



Dometic winter cover upper

289059503 371 x 130.5 mm

- Colour : Black



Dometic winter cover upper RAL 7015

295210521

- Colour : Grey



Dometic winter cover pack WA120 & WA130

9500001460

- Colour : Black

Refrigeration



Dometic top door shelf

289072710

• Models : RC104xx,RCL/RML10.4



Dometic middle étagère (blue)

2413342102 L: 373.5mm

2413341104 L: 374.5mm

• Models: RM(S)84xx



Dometic bottles étagère (blue)

295123816 L: 384mm

• Models : RM5310



Dometic étagère upper with lid

207999438 L: 374.5mm

• Models : RM8550 , RM84XX



Dometic bottle Shelf

2951238100 L: 384mm

• Models : RM4271, RM4203



Dometic door shelf

2951239009 L: 384mm

• Models : RM4361, RM4203



Dometic vegetable bin

2412078103

• Models : RM7401L



Dometic vegetable tray lid

2412079002

• Models : RM6271



Dometic crisper shelf (blue)

2413367000

• Models : RM(L)85xx



Dometic middle fridge shelf (blue)

2413342003

• Models : RM/RMS/RMD85XX



Dometic salad divider crisper

2413377108 220mm

• Models : RM/RMS/RMD85XX

2413377009 171mm

• Models : RM/RMS/RMD85XX




Dometic crisper (blue)

2413385002 L 405mm

• Models : RM8550 , RM84XX

Refrigeration



Dometic grating crisper cover

2413381704

- Models: RM8550



Dometic salad bin (blue)

2413368008

- Models : RMS(L)85xx



Dometic crisper

289078608

- Models : RMD10.5



Dometic salad crisper divider

2413377207

- Models : RMD(L)855x



Dometic salad crisper drawer

289071420


- Models: RML10.4



Dometic salad crisper shelf (blue)

2413392008

- Models: RMD8551 , RMD8555



Dometic bottom freezer compartment

2413339108


- Models: RM/RMS84XX/RMS85XX



Dometic fridge bottom flap door

44500109127

- Models : CRX50



Dometic fridge divider

4450018300

- Models : CRX50



Dometic bottom door bin

2412077006

- Models: RM6271/RM727



Dometic fridge door bin

2412076008

- Models: RM7291L



Dometic crisper (blue)

2413369006

- Models : RM85XX



Dometic crisper draw

241336751

- Models : RML(T)933X



Dometic crisper drawer

289049240

- Models : RML(T)943X




Dometic crisper shelf (blue)

2413393006

Refrigeration

Dometic Door Shelves




Code	Type	Colour	Size (L x H x W mm)	Models
241334351	DS	B	360.3 x 75 x 89	RML(T)943X
241334361	DS	B	305 x 75 x 85	RML933X
4450024289	BS	C	372 x 93 x 104	RMS10.5
241340831	BS	B	290 x 120 x 80	RML8230
241340821	BS	B	314 x 102 x 75	RML8330
289078664	BS	C	610 x 460 x 460	
2413341005	BS	B	411 x 120 x 85	
4450016601	DS	C	387 x 102 x 64	


Type : DS: Door shelf, Bottle Shelf **Colour** : B : Blue, C : Clear

Dometic gratings / shelves









Code	Type	P/M	Size (L x W mm)	Models
2413379302	B	M	462.5 x 220	RM8500
2951521257	B	M	66 x 392	RM5330
241338040	B	M	462.5 x 180	RMS85XX
2413380508	B	M	426 x 125	RMS84XX
2413379401	B	M	462.5 x 292	RM855X
2413269206	B	M	458 x 230.7	RMSL85XX
2413981610	B	P	348 x 303	RML8330
2413981305	B	P	450 x 310	RMD855X
2413981206	B	P	462.5 x 255	RMD8505
289078602	S	M	235 x 447	RMD10.5
289078650	S	M	360 x 265	RCL/RML10.4
289078606	S	M	211 x 447	RMD(T)10.5
289078607	S	M	290 x 447	RMD(T)10.5
4450002773	S	M	230 x 130	CRX50
2413375904	U	M	450 x 220	459X-RML855X
2413375508	U	M	462.5 x 165	463X-RM(S)(F)85XX
4450024290	U	M	440 x 210	RML(T)933X
2413375607	U	M	462.5 x 220	
2413269107	U	M	458 x 159	RMSL850X
241337560	U	M	462.5 x 220	RM(S)855X
2951421250	U	M	223 x 102	RM5330
2951422159	U	M	392 x 172	RM4271
2413981008	U	P	450 x 175	RMD8505
2413981107	U	P	450 x 230	RMD855X
289052910	U	P	348 x 220	
289072300	FS	M	408 x 180	RMD(T)10.5
2413399300	FS	M	471 x 161	RM8550
2413269602	FS	M	406.5 x 176	RMSL85XX
2413963105	FS	P	394 x 146	RMD8555

Type	B : Bottom, S: Shelf, U : Upper, FS : Freezer shelf
P/M	P : Plastic , M : Metal (zinc coated)

POLYPLASTIC
BY LIPPERT

Polyvision windows

Principal product features & competitive benefits :

FRAME
- One-piece aluminium, with integrated hinge profile and thermal insulation

SEALING RUBBER
- Supple, frost proof compound that seals directly onto the acrylic (no hinge step to cope with).

ACRYLIC
- Cast 3mm acrylic, not thinner and extruded.

LIGHTWEIGHT CONSTRUCTION
- Typically only 0.3kg heavier than a 4.26 window and approx 2kg lighter than a plastic framed version (based on a 900x550 unit).

INCREASED VISIBILITY
- Lack of blind infringement into aperture giving increased clear field of vision (enabling smaller aperture sizes to be used, less weight and cost).
- Fixed by adding material (glue), not by routing and removing material.

EASE OF FITTING
- Off line preperation needed.
- Removal of the 'human element' of rubber windows.
- Quicker to fit; fully assembled.

ALSO TO CONSIDER
- Timberless aperture possibilities.
- •Automated sealant application.
- Decreased inventory of parts ie, fully assembled.
- Direct interchange with aperture for non framed windows; standardisation of side manufacture.

Roxlite® Acrylic features

- **Shockproof**
- **Lightweight**
- **Thermo formable**
- **Excellent transparency**
- **Stronger than glass (due to molecule structure)**
- **Chemical resistant**
- **UV transmitting**
- **Easy to work with (cut and drill)**





Polyvision best selling sizes

All windows come complete with stays and catches

Product No	*Width (mm)*	*Height (mm)*	*Fixing Brackets*
06.25.527	500	400	8
06.25.532	500	550	10
06.25.523	600	250	6
06.25.509	600	550	10
06.25.502	700	350	10
06.25.505	700	450	10
06.25.510	750	550	12
06.25.526	800	400	10
06.25.506	900	450	10
06.25.501	900	550	12
06.25.554	1000	500	12
06.25.518	1000	550	12
06.25.511	1100	550	14
06.25.512	1300	550	14

Polyvision Aero windows

Polyvision aero windows with black frame and privacy glass

Product No	*Width (mm)*	*Height (mm)*	*Fixing Brackets*
6.25.034.97.00.06	350	550	8
6.25.027.97.00.06	500	400	8
6.25.009.97.00.06	600	550	10
6.25.002.97.00.06	700	350	10
6.25.006.97.00.06	900	450	10
6.25.001.97.00.06	900	550	12
6.25.018.97.00.06	1000	550	12
6.25.011.97.00.06	1100	550	14
6.25.012.97.00.06	1300	550	14

Polyvision fixing screws

9.25.000.00.05.08.00

- Order in multiples of 100
- Fixing screw kits

Polyvision fixing bracket

9.25.522.00.00.30.00

- Fixing bracket for polyvision windows



Horrex DuoPliss UCS blinds (cream)

- Thanks to its innovative design, UCS is the most compact and quick to mount window blind system on the market. the modular system enables us to quickly tailor it to our customers' needs to easily fit any interior. the attractive and practical design has a solid construction that ensures noise-free and hassle-free use. This is particularly important when driving a motorhome.
- The shade fabric (blackout) consists of 4 layers ensuring no light gets through and long durability. the mesh is made of high-quality polyester that provides excellent airflow and durability after pleating.
- Both the blackout fabric and the mesh are available in a fire retardant version.
- Available in various sizes (shown below) and in cream and white
- Also available a specific version for the rear window on a Ducato van with polyplastic windows (as listed below)

Horrex DuoPliss UCS blinds (cream)

256.007	350 x 500	***256.006***	600 x 500	***256.021***	700 x 520	***256.033***	1000 x 500
256.028	350 x 550	***256.055***	600 x 520	***256.008***	800 x 400	***256.015***	1000 x 550
256.041	430 x 600	***256.022***	600 x 550	***256.034***	800 x 550	***256.036***	1100 x 550
256.027	500 x 400	***256.002***	700 x 350	***256.016***	900 x 450	***256.012***	1300 x 550
256.024	500 x 550	***256.062***	700 x 450	***256.071***	900 x 500	***256.082***	1450 x 550
256.031	600 x 250	***256.032***	700 x 500	***256.009***	900 x 550	***256.011***	1450 x 600

Horrex DuoPliss UCS blinds (white)

256.199	500 x 400	***256.202***	700 x 350	***256.200***	900 x 500	***256.201***	1100 x 550
256.196	600 x 500	***256.198***	900 x 450	***256.197***	1000 x 500		

Cream DuoPliss Ducato rear window blind code and size (mm)

257.256	580 x 560



Horrex resizeable UCS blind kit (cream)

258.961	472 x 501	***258.957***	872 x 808
258.960	472 x 808	***258.955***	1172 x 501
258.959	472 x 1100	***258.954***	1172 x 808
258.958	872 x 501	***258.951***	1472 x 808

- Semi-assembled unlimited creative solutions (UCS) black-out pleated blind with insect screen and side guiding channels for rattle free use and installation on straight windows inside recreational vehicles (rv's).
- Black-out fabric: Fabric with 15 mm pleat consisting of non woven white front and dirt repelling white pet backing with built-in insulating aluminium layer.
- Fabric thickness 0.3 mm.
- Blind cord runs behind the fabric panel through attached transparent guiders
- Insect screen mesh: black polyester yarn with 15 mm pleat and 1.3 x 1.3 mm mesh opening.
- Visible black cords through holes in the mesh
- Horrex UCS is the improved version of the classic duo plissé. This resizeable blind means that coming from the 15 sizes delivered you can cut down for truly any size window.
- Super-versatile meaning quick solutions for the consumer and a lower stock of sizes needed.

DOMETIC

The hinged windows open up to a max. of 80° and the thermal insulation rating meets house building standards. We stock a wide size range of seitz S4 windows by Dometic to meet your needs.

- Comes with telescopic arms and safety handles.
- Solid quality acrylic double glazed pane
- Integrated roller blind and fly net
- Safety catches prevent the window from being opened from outside
- Outer frame black ral 9005. Inner frame cream white ral 9001
- The blind has an off-white interior with an aluminium coating to the outside which aids with thermal insulation.







S4 Opening windows

9104115543	*350 x 500*	*9104115559*	*700 x 500*	*9104115574*	*1000 x 500*
9104115544	*500 x 300*	*9104115561*	*700 x 600*	*9104115576*	*1000 x 600*
9104115545	*500 x 350*	*9104115565*	*800 x 350*	*9104115577*	*1000 x 800*
9104115546	*500 x 450*	*9104115566*	*800 x 450*	*9104115578*	*1100 x 450*
9104115547	*500 x 500*	*9104115568*	*900 x 400*	*9104115579*	*1100 x 550*
9104115549	*550 x 550*	*9104115569*	*900 x 450*	*9104115581*	*1200 x 300*
9104115553	*600 x 600*	*9104115570*	*900 x 500*	*9104115583*	*1200 x 500*
9104115555	*700 x 300*	*9104115571*	*900 x 550*	*9104115584*	*1200 x 600*
9104115557	*700 x 400*	*9104115572*	*900 x 600*	*9104115588*	*1300 x 600*
9104115558	*700 x 450*	*9104115573*	*1000 x 450*	*9104115590*	*1450 x 600*

S4 Sliding windows

9104100141	*500 x 450*	*9104100175*	*900 x 500*
9104100151	*700 x 300*	*9104100179*	*900 x 600*
9104100155	*700 x 450*	*9104100185*	*1000 x 600*
9104100153	*700 x 400*	*9104100181*	*1000 x 500*
9104100167	*800 x 450*	*9104100187*	*1100 x 450*
9104100171	*900 x 400*	*9104100189*	*1200 x 600*
9104100173	*900 x 450*		

- The classic model with acrylic glass panes and locking system.
- The front pane (from the driver's perspective) is adjustable, the rear pane is fixed.
- External and internal frames are screwed together from the inside and provide durable and effective insulation.









Dometic grey Midi Heki 700 x 500 mm lever rooflight

9620008629	Forced ventilation
9620008632	Without ventilation

- Separately adjustable darkening and fly screens
- Well insulated dome with double acrylic glazing
- Improved aerodynamics reduce by 20%
- Hinge and lock integrated into frame for improved safety and reliability
- Opens to three positions: fully open, half-open and bad-weather position
- Size: 700 x 500 mm
- Weight: 8.2 kg

Dometic Midi Heki 700 x 500 mm lever rooflight

9620008623	Forced ventilation
9620008631	Without ventilation

- Separately adjustable darkening and fly screens
- Well insulated dome with double acrylic glazing
- Improved aerodynamics reduce by 20%
- Hinge and lock integrated into frame for improved safety and reliability
- Opens to three positions: fully open, half-open and bad-weather position
- Size: 700 x 500 mm
- Weight : 8.2 kg





Dometic Midi Heki 700 x 500 mm crank rooflight

9620008688	Forced ventilation
9620008690	Without ventilation

- Large roof opening (700 x 500mm)
- Easy to use crank
- Assembly kits available as accessory
- Inner frame with darkening and fly screen (can be adjusted separately)
- Double acrylic glazing
- For roof thickness of 25 to 60mm
- Size: 700 x 500 mm

Dometic Micro Heki 280 X 280 mm rooflight

9104117679	Forced ventilation
9104117680	Without ventilation

- With fly screen / blind
- Darkening screen plus various fly screen and blind options
- Adaptor frame and fitting kit sold separately

9104117434	Forced ventilation
9104117435	Without ventilation

- Without fly screen / blind
- Darkening screen plus various fly screen and blind options
- Adaptor frame and fitting kit sold separately





Dometic Mini Heki 400 x 400 mm lever rooflight

9620008619	Forced ventilation
9620008620	Without ventilation

- Maximum opening position 50 degrees (roof thickness 25-42mm)
- Easy adjustment with operating lever
- Inner frame with blind and fly net
- Opens in 3 positions
- For roof thickness of 25 - 42 mm
- Size: 400 x 400 mm
- Weight : 3.3 kg

Dometic Mini Heki 400 x 400 mm lever rooflight

9620008612	Forced ventilation
9620008618	Without ventilation

- Handle operated, three positions
- Highly insulating, double acrylic glazing, Aerodynamic
- For roof thickness of 43 - 60 mm
- Size: 400 x 400 mm
- Weight : 3.3 kg






Dometic Mini Heki S rooflight (forced ventilation optional)

9104100289	Old code
9620008857	New code

- Designed for standard roof openings (400 x 400mm) and is easy to open thanks to its handles
- Forced ventilation optional
- For roof thickness : 25 - 42 mm
- Size: 400 x 400 mm

9104100290	Old code
9620008880	New code

- Designed for standard roof openings (400 x 400mm) and is easy to open thanks to its handles
- Forced ventilation optional
- For roof thickness : 43 - 60 mm
- Size: 400 x 400 mm



Dometic fixing kits

9104100248

- Assembly kit for heki 2, 3 and 4
- For roof thickness : 53 - 60 mm

9104100246

- Assembly kit for Midi Heki
- For roof thickness : 39 - 46 mm



Dometic Heki 3 plus rooflight without lighting

9104115635 900 x 655 mm

- Cut out : 900 x 655mm
- Weight : 15kg
- Double pleated blind, fly screen, double acrylic glazing, crank handle

Dometic Heki 2 deluxe rooflight

9104100240 900 x 655 mm

- Complete with LED lights
- Weight: 11kg
- Cutout: 900 x 655mm
- Possible roof thickness: 25-60mm
- Maximum opening angle: 55degrees





Dometic Heki 2 rooflight

9104100235 900 x 655 mm

- Net weight 11 kg
- Cut out 900 x 655mm



Dometic adapter frame

9104116107 : Midi Heki S rear
9104118059 : Micro Heki

- Adapter frames for Dometic Midi Heki S and Micro Heki rooflights



Dometic Micro Heki fixing kit

9104118049 : 26 - 27 mm
9104118050 : 28 - 29 mm
9104118057 : 42 - 43 mm

- The fixing kit comes with all the screws and fixtures required to install the roof vent



Dometic Mini Heki adapter frame for trapezoidal sheet metal roofs

9104114007

- For Fiat Ducato type 250 and 290 with trapezoid-shaped, sheet metal roof
- Suitable for roof cut-outs 400 x 400mm
- Ideal for Mini Heki rooflights or air conditioners

Windows & Rooflights



Carbest rooflight with LED lighting

318540 : Forced ventilation	700 X 500 mm
31854 : Without ventilation	Weight : 8 kg

- Double glazing and UV resistant rays
- Blackout blinds and integrated mosquito nets
- LED and integrated switches
- Maximum aperture at 60 degrees
- Easy operation with gas springs
- For roof thickness from 25 to 60mm
- Cutting dimensions: 702 x 502mm
- Panoramic roof 700 x 500 mm
- Hood: tinted acrylic glass

Remitop Vario 2 Rooflight

10030461 : 400 x 400	400 x 400 mm
10036788 : 900 x 600	900 x 600 mm

- For roof thickness of 24 - 35mm
- Black out blind & insect protection
- 45° opening





Maxxfan Deluxe

7500Ki : 350 x 350 Smoke	350 X 350 mm
7500KI40 : 400 x 400 Smoke	400 x 400 mm
7500kI40T : 400 x 400 Clear / tint	400 x 400 mm

- Fits standard European 40cm x 40cm motorhome/caravan roof openings and USA 35 x 35 cm RV roof openings.
- Opens and closes automatically with a remote control or, by using a manual knob located on the ceiling unit.
- Includes a powerful 10-speed fan, thermostat, air intake and exhaust functions.
- 2 year international warranty as standard



Maxxshade for Maxxfan

3900i : Standard model
3901I : Plus model with LED light

- Perfect for blocking out sunlight and UV rays
- Fully retractable, spring loaded roller shade with secure “snap-lock”
- Install using the existing 4 screw holes



Maxxfan Dome Plus

3810B : Black with LED light
3810W : White with LED light
3812B : Black without LED light
3812W : White without LED light

- 12v exhaust fan
- Designed for rooftop or sidewall ventilation applications
- 6” exhaust only fan with manual lift lid
- Locking lid with single hand push button operation
- Removable screens make cleaning a breeze
- For 1” roof thickness - extensions available up to 6”
- Packaged with a matching fan guard that must be used for sidewall applications



SkyMaxx LX rooflight

00-97100i : 23 - 42 mm 700 x 500 mm
00-97000i : 42 - 60 mm

- Manual lift with 3 open positions
- Pleated screen and blind
- Fits 700 x 500mm roof opening
- Forced and non-forced ventilation
- CE and R43 approval. ROHS compliant

SkyMaxx LX Plus rooflight

00-97110i : 23 - 42 mm 700 x 500 mm
00-97010i : 42 - 60 mm

- Interchangeable panels- can be both vented and non vented
- Fits roof thickness from 23 to 60 mm
- Manual lift with 3 open positions
- Pleated screen and blind
- Skymaxx LX fits 700 x 500 mm roof opening
- With 12v LED lights incorporated into the frame (12v dc 2amp)





SkyMaxx rooflight

00-97500i : 23 - 60 mm 400 x 400 mm

- Manual lift with 3 open positions
- Pleated screen and blind
- Fits 400 x 400mm roof opening
- Forced and non-forced ventilation
- For 23mm to 60mm roof thickness
- CE and R43 approval. RoHS compliant

SkyMaxx Plus rooflight with LED lighting

00-97510i : 23 - 60 mm 400 x 400 mm

- Features integrated LED lighting
- Manual lift with 3 open positions
- Pleated screen and blind
- Skymaxx fits 400 x 400mm roof opening
- Forced and non-forced ventilation optional
- LED lighting (12vdc, 2 amp)
- For 23mm to 60mm roof thickness, no cutting or adapters required





Dometic GY20 roof vent

9107300319

- Effective roof ventilator powered without a motor
- Efficient noiseless operation that works through differential pressure
- Robust waterproof roof dome
- Noiseless motor-free roof ventilator
- Provides constant ventilation.
- Designed for roofs with a thickness of 25-45mm



FAWO Mushroom vent black

00175T01081

- Suitable for roof thickness up to 50mm

TIME TO ENJOY

It's all about you

Remember as a valued customer of ours we try to ensure we look after you from start to finish. Sit back, relax and let us help you through the journey



Polyplastic tube stays screw fit

9.00.152.00.00.PK	200 mm : 1 Pair with fittings
9.00.158.00.00.PK	230 mm : 1 Pair with fittings
9.00.154.00.0C.PK	300 mm : 1 Pair with fittings
9.00.152.00.00.01	200 mm : Left hand only
9.00.153.00.00.00	200 mm : Right hand only
9.00.158.00.00.01	230 mm : Left hand only
9.00.159.00.00.00	230 mm : Right hand only
9.00.154.00.0C.01	300 mm : Left hand only
9.00.155.00.0C.00	300 mm : Right hand only

- Polyplastic Window Stays
- Packs (which include a pair and the fittings) plus singles (left or right hand) available
- These are the 'screw' type which screw through the window.
- When fully retracted the length from hinge pin to hinge pin is shown above



Polyplastic Polyfix slide on tubular stays with catch

9.05.150.00.0B.PK	140 mm : 1 Pair with fittings
9.05.152.00.00.PK	200 mm : 1 Pair with fittings
9.05.158.00.0C.PK	230 mm : 1 Pair with fittings
9.05.154.00.00.PK	300 mm : 1 Pair with fittings
9.05.152.00.00.01	200 mm : Left hand only
9.05.153.00.00.00	200 mm : Right hand only
9.05.158.00.0C.01	230 mm : Left hand only
9.05.159.00.0C.00	230 mm : Right hand only
9.05.154.00.0C.01	300 mm : Left hand only
9.05.155.00.0C.00	300 mm : Right hand only

- Polyplastic polyfix window stays with catch
- Packs (which include a pair and the fittings) plus singles (left or right hand) available
- When fully retracted the length from hinge pin to hinge pin is shown above



Polyplastic auto stay black screw fit

9.00.162.00.00.PK	200 mm : 1 Pair with fittings
9.00.164.00.00.PK	300 mm : 1 Pair with fittings
9.00.162.00.00.01	200 mm : Left hand only
9.00.163.00.00.00	200 mm : Right hand only
9.00.164.00.00.01	300 mm : Left hand only
9.00.165.00.00.00	300 mm : Right hand only

- Polyplastic Window Stays
- Packs (which include a pair and the fittings) plus singles (left or right hand) available
- These are the auto stay versions.
- When fully retracted the length from hinge pin to hinge pin is shown above



Polyplastic Polyfix slide on auto stay with catch

9.05.162.00.00.PK	200 mm : 1 Pair with fittings
9.05.164.00.00.PK	300 mm : 1 Pair with fittings
9.05.164.00.00.01	280 mm : Left hand only
9.05.165.00.00.00	280 mm : Right hand only

- Polyplastic Window Stays
- Packs (which include a pair and the fittings) plus singles (left or right hand) available
- These are the auto stay versions, with polyfix slide and catch
- When fully retracted the length from hinge pin to hinge pin is shown above



Polyplastic auto stays with perma fix end

9.00.751.00.00.00	140 mm : Right hand only
9.00.767.00.00.00	200 mm : Right hand only
9.05.766.00.00.01	200 mm : Left hand only
9.05.767.00.00.00	200 mm : Right hand only
9.00.768.00.00.01	300 mm : Left hand only
9.00.769.00.00.00	300 mm : Right hand only

- Polyplastic Window Stays
- These are the auto stay with perma fix end type
- When fully retracted the length from hinge pin to hinge pin is shown above



Polyplastic tube stay with perma fix end

9.00.751.00.00.PK	140 mm : Right hand only (Retail packed)
9.05.751.00.00.PK	140 mm : Right hand only (Retail packed)
9.05.750.00.00.01	140 mm : Left hand only
9.05.751.00.00.00	140 mm : Right hand only
9.05.756.00.0C.00	200 mm : Left hand only
9.05.757.00.0C.00	200 mm : Right hand only

- Polyplastic Window Stays
- These are the tube stay with perma fix end type
- When fully retracted the length from hinge pin to hinge pin is shown above



Screw on lever lock window catch

9.00.451.00.PR.PK : 2 Pack
9.00.451.00.00.00 : Single



Polyfix lever lock window catch

9.05.451.00.PR.PK: 2 Pack
9.05.451.00.00.00: Single



Polyfix lever lock window catch with push button operation

9.15.451.00.00.00: Single



Lock plate

9.00.881.00.00.00



Backing plate

9.00.814.00.00.00



Wide black stay/catch lock plate

9.00.810.00.00.00



Narrow Lock plate for lever lock fasteners

9.00.811.00.00.00



Narrow black stay/ catch lockplate

9.00.813.00.00.00

Windows & Rooflights



Polyplastic black rubber seal 22 - 26 mm

9.00.662.00.03.KT : 40m ***9.00.662.00.03.KTPK : 4m***

- Order in multiples of 40m or in 4M lengths



Black rubber seal 20 - 24 mm

9.00.661.00.KT.00 : 40m

- Order in multiples of 40m



Black rubber seal 24 - 28 mm

9.00.663.00.03.KT.00: 40m
9.00.663.00.KT.00PK: 10m

- Order in multiples of 40m or in 10m lengths



Black rubber seal 26 - 30 mm

9.00.664.00.KT.00 : 40m
9.00.664.00.KT.00PK : 10m

- Order in multiples of 40m or in 10m lengths



Black rubber seal 28 - 32 mm

9.00.665.00.KT.00 : 40m
9.00.665.00.KT.00PK : 5m

- Order in multiples of 40m or in 5m lengths



Black rubber seal 30 - 34 mm

9.00.666.00.KT.00 : 40m
9.00.666.00.KT.00PK : 5m

- Order in multiples of 40m or in 5m lengths



Black rubber seal 36 - 40 mm

9.00.669.00.K0.00 : 40m
9.00.669.00.K0.00PK : 5m

- Order in multiples of 40m or in 5m lengths



Polyplastic twin fin black rubber seal 28 - 32 mm

9.00.685.03.KT.00
40m

9.00.685.00.KT.00PK
10m

9.00.685.03.KT.00PK
5m

- Order in multiples of 40m or in 5 and 10m lengths



Twin fin black rubber seal 24 - 28 mm

9.00.683.00.03.KT.PBX

- Order in multiples of 30m



Twin fin black rubber seal 26 - 30 mm

9.00.684.00.K0.00: 40m

- Order in multiples of 40m



Polyvision interior trim

09.00.879.00.20.00.000



Window bung

9.20.000.00.04.01.000
Single

9.20.000.00.04.01.000PK
10 Pack



White insert strip 24mm

9.00.819.00.00.00

- Order in multiples of 100m



Grey insert strip 24mm

9.00.829.00.00.00

- Order in multiples of 100m



Dometic MO9722 Slimline Piezo Hob and Sink Unit

9620017483

Left hand with gas shut off

9620017484

Right hand with gas shut off

- Size: 760 x 179 x 325 mm
- Heat resistant glass lids
- Enamel LED burner caps
- Recessed controls
- 20mm waste outlet.
- Cut-out: 742 x 283 mm
- Sink: 270 x 220 x 130 mm
- Weight : 6 kg
- Burners : 1.8 kw, 1.0 kw
- Models : 9620017483 and 9620017484 have glass lid - gas shut off feature

Dometic SMEV MO9222 2 Burner Hob and sink combi unit

9620017487

Left hand with gas shut off

9620017488

Right hand with gas shut off

- Size : 152 x 900 x 370 mm
- Heat resistant glass lids
- Detachable chromed grids
- Enamelled burner caps
- Recessed controls
- Safety ignition system
- Gas consumption (g/h) : 2.8
- Gas pressure (mbar) : 30
- Models 960017487 and 9620017488 have glass lid - gas shut off feature





Dometic Vision Double Burner CVH1525G with gas shut off

9600050573 525 x 97 x 350 mm

- Twin burner gas hob
- Soft close lid
- Safety glass
- Heat resistant
- Gas shut off
- EN30-1-1 compliant
- Power : 1 x 1.1 kW; 1 x 2.0 kW
- Gas consumption 146 g/h
- Gas connection 30 mbar
- Weight 5 kg



Dometic Vision Combination Unit CVC1700G sink gas shut Off

9600051209 : Left hand 700 x 170 x 350 mm
9600051167 : Right hand

- Available in left or right handed versions, both with gas shut off
- Heat-resistant
- Safety glass-lid
- New burner
- Soft-close hinges
- Gas-cut-off
- EN30-1-1:2021 compliant
- Weight: 7.9 kg
- Output 1 x 1.1 kW; 1 x 2.0 kW



Thetford Induction Hob

SHB90288-SP 53 x 305 x 500 mm

- Weight: 5.5 kg
- Touch controls
- Induction zones: 1.4 Kw (1.8 Kw Boost) / 1.8 Kw (2.3 Kw Boost)



Dometic CVI1525 Vision 2 Zone Induction Hob

9600050571 350 x 55 x 525 mm

- 2-zone hob with state-of-the-art induction technology
- Convenient regulation of the cooking heat in 9 steps
- Retains its beauty for a long time
- Vibration resistance
- Designed to respect 10A /2300 W limitations
- For extra-fast heat-up with automatic over-boost cut-off



Thetford TOPLINE 922 2 burner Hob

SHB92298-SP 500 x 305 x 95 mm

- Strong ceramic glass
- Frame less glass for easy cleaning
- 12V all gas cooker



Thetford TOPLINE 981 Hybrid Hob 2x Gas and 1x Induction

SHB98199-SP 100 x 500 x 380 mm

- Gas Burners - 1x1.0KW, 1x1.5KW
- Induction - 145MM 1.4KW
- Ignition -12V Spark Ignition
- Lid - Gas lid shut-off - 6.5KG
- Weight - 6.5kg
- Hob capacities (mm) : - 100 - 160, 120 - 200, 180 - 220



Thetford TOPLINE 931 3 Burner Hob

SHB93199-SP 95 x 770 x 350 mm

- Hob material: glass
- Fixation: surface mounted
- Total heat input (kw): 5.0kw
- Burners: 1.5kw, 1.0kw, 2.5kw
- Ignition: 12v
- Weight: 6.0kg



Thetford TOPLINE 910 1 burner Hob

SHB91099-SP 95 x 305 x 355 mm

- Fixation: invisible foam seal
- Fuel: all gas
- Burners: 1.5 kw
- Hob material: black glass
- Net weight: 4.0 kg
- Total heat input (gas): 1.5 kw
- Cut-out (wxd): 285 x 335 mm
- Knobs: matt nickel straight



Thetford TOPLINE hob 165 Long side

SHB16549-SP 106 x 576 x 361 mm

- Total heat input (gas) : 4kw
- Gas burners : 1.5kw / 2.5 kw
- Ignition : 12v
- Hob material : black glass
- Knobs : matt nickel straight
- Glass lid : yes (black)
- Fixation : surface mounted
- Net weight : 8kg
- Side hinge



Thetford TOPLINE 111 2 Burner Hob and sink combination unit

SCU11189-SP 195 x 900 x 370 mm

- Surface mounted fixation
- All gas fuel
- Gas burners: 2 x 1.5kw
- Glass lid
- Hob material: black glass
- Ignition: 12v
- Knobs: matt nickel straight
- Net weight: 11.0kg
- Total heat input: 3.0kw



Thetford Triplex 3 Burner Hob & Oven

SOH70997-SP 468 x 463 x 500 mm

- Oven capacity: 36 litres
- Burners: 2 x 1.8kw and 1 x 2.4 kw
- Oven: 1.6kw, Grill: 1.6kw
- Ignition: 12v
- With lid shut off
- Built-in dimensions: 463 x 445 x 493 mm



Thetford K1520 4 All Gas cooker 12V IGN

SCK41199-SP 645 x 515 x 501mm

- High-quality materials and components
- Contemporary, home-like design
- Optimal use of space
- Superior cooking performance
- Knobs: Brushed nickel
- Net weight: 25 Kg



Thetford Midi Prima 3 Without Lower Pan Storage

SOP70998-SP

458 x 640 x 450 mm

- Overall : 644 x 444 x 450 mm
- Built-in : 646 x 445 x 490 mm
- Total heat input (gas) : 3.1Kw
- Fuel : all gas
- Gas burner : 1.5Kw
- Oven burner : 1.6Kw
- Ignition : 12v
- Oven capacity : 36L
- Grill capacity : 13L
- Knobs : matt nickel straight
- Net weight : 18Kg




Thetford Dual Fuel 12v Ignition cooker

SCK42199-SP

645 x 515 x 501 mm

- Electric hotplate 1025 w
- Features grill pan kit / • 2 oven shelves
- Fuel dual fuel
- Gas burners 1 x .95 kw / 2 x 1.72 kw
- Grill burner 1.64 kw
- Grill capacity 15L
- Ignition 12v dc
- Knobs brushed nickel
- Net weight 25.5 kg
- Oven capacity 34 l
- Total heat input (electric) 1.0 kw
- Total heat input (gas) 8.0 kw



Thetford 420 Oven

SOV4205-SP 418 x 335 x 440 mm

- Oven capacity:23 litres
- Total heat input: 1kw
- Spark ignition (12v DC)
- Weighs 10.5kg
- Accessories: oven shelf x 2
- Options: oven light
- Retail packed
- Size: 418 x 335 x 440 mm



Thetford 525 Oven

SOG5205-SP 369 x 525 x 480 mm

- Total heat input : 2.5 KW
- Grill Burner : 1.5 KW
- Oven Burner : 1 KW
- Ignition : 12V
- Oven Capacity : 23L
- Knobs : Chrome & black cylinder
- Net weight : 15.8kg



Thetford Duplex XL Oven and Grill

SOG10975 518 x 496 x 483 mm

- The duplex is a high quality combined oven and grill, with easy to clean stainless steel interior.
- 12V Ignition
- Fan: 12V DC / 150mA / 1.8W
- Oven Capacity: 50L
- Weight: 20kg
- Butane (G30): 28 - 30 mbar
- Propane (G31) : 37 mbar



Thetford Duplex Oven

SOG70998-SP 445 x 456 x 490 mm

- Build-in: 438 x 445 x 490mm
- Gas burner: 1.6kw
- Grill burner 1.6kw
- Ignition: 12v
- Net weight: 14.0kg
- Oven capacity: 36l
- Total heat input: 3.2kw
- Knobs: matt nickel straight



Dometic OV 1800

9103303708 410 x 311 x 490 mm

- 12V DC (electric ignition)
- Output: 1.1kw
- Gas consumption: 80g/h
- Gas supply pressure: 30mbar
- Oven capacity: 18 litres
- Weight: 13.7kg
- Built-in size: 398 x 304 x 490 mm
- Electronic 12-volt ignition
- Heat-resistant and
- Panoramic glass door



Dometic OG3000

9103303709 530 x 430 x 415 mm

- Stainless steel oven with grill
- Stainless steel grid & baking
- Interior light
- Electronic 12v ignition with safety ignition system
- Thermostat
- Easy clean door and interior
- Chimney connection

Cookware



Russell Hobbs Microwave

RHM2063AH 500 x 400 x 320 mm

- Suitable for caravans
- 800 watt
- 20L capacity
- 5 power settings



Dometic MWO 240 Microwave Oven

9600028283 353 x 283 x 451 mm

- Five cooking levels & defrosting function
- Easy-to-clean ceramic plate
- LED display and cooking end signal
- 10.8 kg , 230v



Dometic CK155 Ventilator

9107300315 399 x 71 x 277 mm

- Compact fan is integrated into the roof dome and not into the unit itself
- Quickly draws cooking fumes, odours and moisture out of the cabin
- Two fan speeds equipped with 12V motor



Dometic CK500 Extractor

9106506287 530 x 60 x 204 mm

- Elegant and easy to clean control panel of heat resistant glass, plus timer based operation
- Set the fan speed, clock time and lighting
- Hygienic stainless steel surfaces and the 5-layer metal grease filter are easy to clean



Sterling Twin Induction Hob

IHFB 495 X 265 mm

- 230v (ac) | 50hz | 2800w
- Front 1200w max , Rear 1800w max
- Zinc alloy plated bottom
- A-grade black crystal plate
- Coil heating and Auto shut off



Sterling Induction Hob Fixed Twin Side by Side

IHSBS 365 x 575 mm

- 230v (ac) | 50hz | 2800w
- Left 1800w max , Right 1800w max
- Zinc alloy plated bottom
- A-grade black crystal plate
- Auto shut off



Sterling Induction Portable Hob

IHP 282 x 311 x72 mm

- 230v (ac) | 50hz | 1500w
- 8 settings 200w-1500w
- A-grade black crystal plate
- Double layered coil heating
- Housing material: pp+abs.



Sterling Induction Single Hob 1800W

IH1 288 x 82 mm

- 1800W Induction hob
- Intelligent cooking functions | Power light
- Over heat + voltage + current protection
- Auto shut off in1 minute without induction pan
- 1.5m cable & British standard plug



Sterling Induction Single Hob 1000W Max Lite

IH1L 195 x 82 mm

- 1000W induction hob
- Intelligent cooking functions | Power light
- Over heat + voltage + current protection
- Auto shut off in1 minute without induction pan
- 1.5m cable & British standard plug

THETFORD

Identifying what your serial number means is vitally important when ordering replacement parts for your Thetford products. The information below helps you to correctly identify the serial number and what year and date the product was produced on.

Example Serial : E**069**N1000333

ddmm

yyyy

Production date is : **Year N** = 2012 (which is a leap year)

Day = 70 (69 + 1 as it is a leap year)


Which gives a date of March 11 2012

For leap years (**marked in brown and highlighted in bold**) include the day marked in yellow and increment (= +1) all days past it by one. For non-leap years do not include the day marked in yellow and read all days past it as given.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	001	032	060	091	121	152	182	213	244	274	305	335
2	002	033	061	092	122	153	183	214	245	275	306	336
3	003	034	062	093	123	154	184	215	246	276	307	337
4	004	035	063	094	124	155	185	216	247	277	308	338
5	005	036	064	095	125	156	186	217	248	278	309	339
6	006	037	065	096	126	157	187	218	249	279	310	340
7	007	038	066	097	127	158	188	219	250	280	311	341
8	008	039	067	098	128	159	189	220	251	281	312	342
9	009	040	068	099	129	160	190	221	252	282	313	343
10	010	041	069	100	130	161	191	222	253	283	314	344
11	011	042	070	101	131	162	192	223	254	284	315	345
12	012	043	071	102	132	163	193	224	255	285	316	346
13	013	044	072	103	133	164	194	225	256	286	317	347
14	014	045	073	104	134	165	195	226	257	287	318	348
15	015	046	074	105	135	166	196	227	258	288	319	349
16	016	047	075	106	136	167	197	228	259	289	320	350
17	017	048	076	107	137	168	198	229	260	290	321	351
18	018	049	077	108	138	169	199	230	261	291	322	352
19	019	050	078	109	139	170	200	231	262	292	323	353
20	020	051	079	110	140	171	201	232	263	293	324	354
21	021	052	080	111	141	172	202	233	264	294	325	355
22	022	053	081	112	142	173	203	234	265	295	326	356
23	023	054	082	113	143	174	204	235	266	296	327	357
24	024	055	083	114	144	175	205	236	267	297	328	358
25	025	056	084	115	145	176	206	237	268	298	329	359
26	026	057	085	116	146	177	207	238	269	299	330	360
27	027	058	086	117	147	178	208	239	270	300	331	361
28	028	059	087	118	148	179	209	240	271	301	332	362
29	029	060	088	119	149	180	210	241	272	302	333	363
30	030		089	120	150	181	211	242	273	303	334	364
31	031		090		151		212	243		304		365
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec

Year	
A	2001
B	2002
C	2003
D	**2004**
E	2005
F	2006
G	2007
H	**2008**
I	18-01-2009
K	2009
L	2010
M	2011
N	**2012**
P	2013
Q	"2014 Only Porta Potti"
R	2014
S	2015
T	**2016**
U	2017
V	2018
W	2019
X	**2020**
Y	2021
Z	2022

Aspire 1 SCK13XXX Dual fuel



18.



SSPA0935



SSPA1201



SSPA1200


1	SSPA0230	Aspire Glass Lid Clear
	SSPA0231	Solid Black Aspire Glass Lid
2	SSPA0010	Glass Lid Hinges Small
3	SSPA0600	Hob Lid Shut off Switch
6	SSPA0116	SR Burner
7	SSPA0811	SRS353 Burner Assembly Small
8	SSPA0310	Type S Hob Electrodes (B4 October 2011))
	SSPA0320	Spares Kit - Hob Electrodes (After October 2011)
9	SSPA0675	250mm 7.7x0.8mm Hob Thermocouple (front L/R)
	SSPA0673	600mm 6.3x0.8mm Hob Thermocouple (front L/R or rear L/R with Auto shut off)
	SSPA0676	450mm 7.7x0.8mm Hob Thermocouple (rear L/R)
10	SSPA0040	Caprice Rubber Bump Stop Pack of 8
11	SSPA0380	Round Ignition switch
12	SSPA0510	Spinflo Fan Thermal Cut Out Sensors
13	SSPA0452	Type S 0.29 Oven Tap (Before October 2011)
	SSPA0450	Apsire 2 type C Oven Tap (After October 2011)
14	SSPA0472	0.45 Type S Gas Taps (Before October 2011)
	SSPA0470	Taps 45 White (After October 2011)
15	SSPA0432	Type S 0.34 Gas Tap (Before October 2011)
	SSPA0430	Thermostat Gas tap (After October 2011)
16	SSPA0580	Spinflo Aspire Hotplate Switch
17	SSPA0561	Spinflo LED Hotplate Indicator
18	SSPA0935.CR	Chrome Cooker Knob
	SSPA0935.SA	Cooker knobs satin
	SSPA1200.BK	Black Teardrop knob 5 pack
19	SMAO4120.BK6X	Spinflo Grill Door Aspire Black 5
	SMAO4120.BKX	Grill door, Aspire. Aspire. BK BNKV BSDC -SIDES- Assy
20	SMAO4130.BK6X	Oven door. Aapire. BK BK5. drop down
	SMAO4130.BK12X	Oven door. Aspire. BK.BNKM drop down Assy
22	SSPA0253	Spinflo Aspire 1 MK3 Glass inner Door
23	SSPA0062	Door Seal Midi Primi 445
24	SSPA0980	Oven Shelf
25	SSPA0991	Grill Pan set
26	SSPA0301	12v Spark Generator
27	SSPA0191	Caprice and Duplex XL Oven Burner
28	SSPA0623	Aspire Type C Oven Thermocouple & Electrode
29	SSPA0623	Aspire Type C Oven Thermocouple & Electrode
30	SSPA0625	Aspire Type C Grill Thermocouple and Electrode (Up to April 2015)
	SSPA0631	Aspire Type C3 Grill Thermocouple and Electrode (Current)
33	SSPA0521	Spinflo Fan Re-Work Kit
34	SSPA0550	Spinflo 800w Aspire 2 hotplate
35	SSPA0605	Type C Grill Shut off

Aspire 1 All GAS SCK12XXX

16.




SSPA0901



Aspire 1 All GAS SCK12XXX

1	SSPA0230	Aspire Glass Lid Clear
	SSPA0231	Solid Black Aspire Glass Lid
2	SSPA0010	Glass Lid Hinges Small
3	SSPA0964	Spares Kit - Pan Support Caprice 4B 496
4	SSPA0041	Pan Support Clips (4 Pack)
5	SSPA0116	SR Burner Medium (After October 2011)
6	SSPA0811	SRS353 Burner Assembly Small (After October 2011)
7	SSPA0114	SR SAB S2 Burner Cap Without Skirt (Before October 2011
	SSPA0812	SRS353 Burner Assembly Medium (After October 2011
8	SSPA0310	Type S Hob Electrodes (Before October 2011)
	SSPA0320	Spares Kit - Hob Electrodes (After October 2011)
9	SSPA0675	250mm 7.7x0.8mm Hob Thermocouple (front L/R)
	SSPA0673	600mm 6.3x0.8mm Hob Thermocouple (front L/R or rear L/R with shut off)
	SSPA0676	450mm 7.7x0.8mm Hob Thermocouple (rear L/R)
10	SSPA0040	Caprice Rubber Bump Stop Pack of 8
11	SSPA0452	Type S 0.29 Oven Tap (Before October 2011)
	SSPA0450	Apsire 2 type C Oven Tap (After October 2011)
12	SSPA0472	0.45 Type S Gas Taps (Before October 2011)
	SSPA0470	Taps 45 White (After October 2011)
13	SSPA0432	Type S 0.34 Gas Tap (Before October 2011)
	SSPA0430	Thermostat tap (After October 2011)
14	SSPA0380	round Ignition switch
15	SSPA0510	Fan Thermal Cut Out Sensors
16	SSPA0901.BK	Black Straight Knobs (6 pack)
	SSPA0901.BNK	Brushed Nickel Knobs Spare Kit - (6pk)
	SSPA0901.CR	Chrome Straight Knobs (6 pack)
	SSPA0901.GNK	Gloss Nickel Straight Knobs (6 pack)
	SSPA0901.MNK	Matt Nickel Straight Knobs 6 pack
17	SMAO4120.BK1	Grill Door Aspire Black
	SMAO4120.BK6X	Grill Door Aspire Black 5
	SMAO4120.BKX	GRILL DOOR. ASPIRE. BK BNKV BSDC -SIDES- Assy
18	SMAO4130.BK12X	OVEN DOOR. ASPIRE. BK.BNKM DROP DOWN Assy
	SMAO4130.BK13X	Drop Down Oven door Aspire BK CRD
	SMAO4130.BKX	Oven door Aspire Drop down
	SMAO4135.BK6RX	Aspire Oven Door Black, R/H side open
19	SMAO4161.BKX	Oven door Aspire, Lower Door, Large, Push. BK Assy
20	SSPA0253	Aspire 1 MK3 Glass inner Door
21	SSPA0062	Door Seal Midi Primi 445
22	SSPA0980	Oven Shelf
23	SSPA0991	Grill Pan set (pan, trivet & handle)
24	SSPA0301	12v Spark Generator
25	SSPA0191	Caprice and Duplex XL Oven Burner
26	SSPA0622	Aspire Type C Oven Thermocouple and Electrode (Before October 2011)
	SSPA0623	Aspire Type C Oven Thermocouple and Electrode (After October 2011)
27	SSPA0622	Aspire Type C Oven Thermocouple and Electrode (Before October 2011)
	SSPA0623	Aspire Type C Oven Thermocouple and Electrode (After October 2011)
29	SSPA0630	Aspire type c1 Grill Thermocouple and Electrode (Up to September 2012)
	SSPA0625	Aspire Type C Grill Thermocouple and Electrode (Up to April 2015)
	SSPA0631	Aspire Type C3 Grill Thermocouple and Electrode (Current)
30	SSPA0630	Aspire type c1 Grill Thermocouple and Electrode (Up to September 2012)
	SSPA0625	Aspire Type C Grill Thermocouple and Electrode (Up to April 2015)
	SSPA0631	Aspire Type C3 Grill Thermocouple and Electrode (Current)
31	SSPA0521	Spinflo Fan Re-Work Kit
32	SSPA0605	Type C Grill Shut off

ASPIRE 2 SCK23XXX



10.



SSPA0900



SSPA0902




SSPA0901



SSPA0993

1	SSPA0230	Aspire Glass Lid Clear
2	SSPA0010	Glass Lid Hinges Small
4	SSPA0041	Pan Support Clips (4 Pack)
5	SSPA0812	SRS353 Burner Assembly Medium
6	SSPA0811	SRS353 Burner Assembly Small
7	SSPA0680	250mm Hob Thermocouple (front L/R)
	SSPA0688	250/650/820mm Hob Thermocouple (front L/R with Shut Off)
	SSPA0682	460mm Hob Thermocouple (rear R)
	SSPA0689	Hob Thermocouple (rear R with Shut Off)
8	SSPA0320	Spares Kit - Hob Electrodes
9	SSPA0040	Caprice Rubber Bump Stop Pack of 8
10	SSPA0430	Thermostat Gas tap Hob Burners (Before October 2017)
	SSPA0433	Spares Kit - Taps, Straight - Hob Burners, 0.36 BYPO (After October 2017)
	SSPA0470	Gas Taps for Grill (Before October 2017)
	SSPA0474	0.40 C2 Gas Tap for Grill (After October 2017)
	SSPA0450	Apsire 2 type C Oven Tap (Before October 2017)
	SSPA0449	type C Oven 0.35 gas Tap (After October 2017)
11	SSPA0580	Spinflo Aspire Hotplate Switch
12	SSPA0900.BNK/BK	Black I-Drive Knobset 6 per pack
	SSPA0901.BK	Black Straight Knobs (6 pack)
	SSPA0901.BNK	Brushed Nickel Knobs Spare Kit - (6pk)
	SSPA0901.CR	Chrome Straight Knobs (6 pack)
	SSPA0901.GNK	Gloss Nickel Straight Knobs (6 pack)
	SSPA0901.MNK	Matt Nickel Straight Knobs 6 pack
	SSPA0902.CR	Chrome and Black Replacement knobs 2 pack
	SSPA0902.SA	Satin replacement knobs 6 pack
	SSPA0933.CR	Chrome Capped Knob 6 pack
13	SSPA0380	round Ignition switch
14	SSPA0099	Heat Deflector Pistons ASPIRE 2
15	SSPA0098	Spares Kit - Heat Deflector & Baffle ASPIRE 2
16	SMAO6750.BK01	Spinflo Grill Door Aspire 2 BK CRHJ Assy
	SMAO6750.BKX	Spinflo Grill door Aspire 2
17	SMAO6761.BK01X	Aspire 2 Drop down oven door
	SMAO6761.BK02X	OVEN DOOR. ASPIRE 2. BK CRHJ. DROP DOWN. Assy
	SMAO6761.BKX	Spinflo Drop down Oven door Aspire 2
	SMAO6767. BK04LX	Spinflo oven door (Left Hinged)
	SMAO6768. BK02RX	Spinflo Oven door Aspire 2 BK CRHJ SS (Right Hinged)
18	SSPA0060	Cooker Seal
19	SSPA0980	Oven Shelf
20	SSPA0990	Aspire 2 Grill Pan set
21	SSPA0301	12v Spark Generator
22	SSPA0190	Oven Burner kit
23	SSPA0158	Oven Thermocouple and Electrode for Aspire 2
24	SSPA0158	Oven Thermocouple and Electrode for Aspire 2
28	SSPA0550	Spinflo 800w Aspire 2 hotplate
29	SSPA0603	Spinflo Type C Lid Shut off Thermocouple

Thetford Caprice SOH72XXX Gas Only



16.




SSPA0901



SSPA0907

1	SSPA0234	Caprice Clear Glass Lid
	SSPA0233	Caprice Solid black Glass Lid
2	SSPA0010	Glass Lid Hinges Small
3	SSPA0600	Hob Lid Shut off Switch
4	SSPA0964	Spinflo Spares Kit - Pan Support Caprice 4B 496
5	SSPA0041	Pan Support Clips (4 Pack)
6	SSPA0040	Caprice Rubber Bump Stop Pack of 8
9	SSPA0675	250mm 7.7x0.8mm Hob Thermocouple (front L/R or rear R)
	SSPA0671	600mm 2.8x0.5mm Hob Thermocouple (front L/R or rear L with shut off)
	SSPA0676	450mm 7.7x0.8mm Hob Thermocouple (rear R
	SSPA0670	320mm 2.8x0.5mm Hob Thermocouple (rear R with Shut Off)
10	SSPA0310	Type S Hob Electrodes
11	SSPA0452	type S 0.29 Oven Gas Tap
12	SSPA0472	0.45 Type S Grill Gas Tap
13	SSPA0381	Spinflo ignition rocker switch
15	SSPA0432	Type S 0.34 Burner Gas Tap
16	SSPA0901.BK	Black Straight Knobs (6 pack)
	SSPA0901.BNK	Brushed Nickel Knobs Spare Kit - (6pk)
	SSPA0901.CR	Chrome Straight Knobs (6 pack)
	SSPA0901.GNK	Gloss Nickel Straight Knobs (6 pack)
	SSPA0901.MNK	Matt Nickel Straight Knobs 6 pack
	SSPA0907.CR	Chrome Hob knobs 6 Pack
17	SMAO3425.BK15X	Spinflo Grill Door Black CAP496 BNKJ Assy
	SMAO3425.MIR2X	Spinflo Grill Door Cap 496 MIR
	SMAO3425.BK6X	Spinflo Grill Door Black
18	SMAO3445.BK17X	Spinflo OVEN DOOR,CAP 496 D BK CRHV Assy Drop down
	SMAO3445.SS4X	Spinflo oven door CAP496 Drop down
	SMAO3445.BK12X	OVEN DOOR.CAP 496 D BK BNKJ Assy Drop Down
19	SMAO3460.BKX	Pan Door Caprice MK3 Black and stainless
20	SSPA0253	Spinflo Aspire 1 MK3 Glass inner Door
21	SSPA0062	Door Seal Midi Primi 445
22	SSPA0980	Oven Shelf
23	SSPA0991	Grill Pan set (pan, trivet & handle)
24	SSPA0560	Oven Lamp
25	SSPA0191	Caprice and Duplex XL Oven Burner
26	SSPA0642	1000mm 7.7 Type S Oven Thermocouple and Electrode
27	SSPA0321	Caprice Oven and Grill Electrodes
29	SSPA0643	Spares kit - Grill, Thermocouple & Elec, 600mm 7.7(S) (Before July 2021)
	SSPA0644	600mm Grill Thermocouple and Electrode (From August 2021)
30	SSPA0321	Caprice Oven and Grill Electrodes
31	SSPA0399	12v Spark Generator Box Kit

Thetford Caprice 73XXX Dual Fuel



19.



SSPA0933




SSPA0902



SSPA0901

1	SSPA0234	Caprice Clear Glass Lid
	SSPA0233	Caprice Solid black Glass Lid
2	SSPA0010	Glass Lid Hinges Small
3	SSPA0600	Hob Lid Shut off Switch
4	SSPA0969	SPARES KIT - PAN SUPPORT CAPRICE DF 496
5	SSPA0041	Pan Support Clips (4 Pack)
6	SSPA0040	Caprice Rubber Bump Stop Pack of 8
7	SSPA0550	Spinflo 800w Aspire 2 hotplate
	SSPA0551	Spinflo hotplate 1000w Caprice
10	SSPA0675	250mm 7.7x0.8mm Hob Thermocouple (front L/R)
	SSPA0671	600mm 2.8x0.5mm Hob Thermocouple (front L/R with Shut off)
	SSPA0676	450mm 7.7x0.8mm Hob Thermocouple (rear R)
	SSPA0670	320mm 2.8x0.5mm Hob Thermocouple (rear R with Shut Off)
11	SSPA0310	Type S Hob Electrodes
12	SSPA0452	type S 0.29 Oven Gas Tap
13	SSPA0472	0.45 Type S Grill Gas Tap
14	SSPA0381	Spinflo Spark ignition rocker switch
16	SSPA0432	Type S 0.34 Gas Tap
17	SSPA0580	Spinflo Aspire Hotplate Switch
18	SSPA0561	Spinflo LED Hotplate Indicator
19	SSPA0933.CR	Chrome Capped Knob 6 pack
	SSPA0901.BK	Black Straight Knobs (6 pack)
	SSPA0901.BNK	Brushed Nickel Knobs Spare Kit - (6pk)
	SSPA0901.CR	Chrome Straight Knobs (6 pack)
	SSPA0901.GNK	Gloss Nickel Straight Knobs (6 pack)
	SSPA0901.MNK	Matt nickel Straight Knobs 6 pack
	SSPA0902.CR	Chrome and Black Replacement knobs 2 pack
	SSPA0902.SA	Satin replacement knobs 6 pack
20	SMAO3425.BK15X	Spinflo Grill Door Black CAP496 BNKJ Assy
	SMAO3425.MIR2X	Spinflo Grill Door Cap 496 MIR
	SMAO3425.BK6X	Spinflo Grill Door Black
21	SMAO3445.BK17X	Spinflo OVEN DOOR,CAP 496 D BK CRHV Assy Drop down
	SMAO3445.SS4X	Spinflo oven door CAP496 Drop down
	SMAO3445.BK12X	OVEN DOOR.CAP 496 D BK BNKJ Assy Drop Down
22	SMAO3460.BKX	Pan Door Caprice MK3 Black and stainless
23	SSPA0253	Spinflo Aspire 1/ Caprice MK3 Glass inner Door
24	SSPA0062	Door Seal Midi Primi 445
25	SSPA0980	Oven Shelf
26	SSPA0991	Grill Pan set (pan, trivet & handle)
27	SSPA0560	Oven Lamp
28	SSPA0191	Caprice and Duplex XL Oven Burner
29	SSPA0642	1000mm 7.7 Type S Oven Thermocouple and Electrode
30	SSPA0321	Caprice Oven and Grill Electrodes
32	SSPA0643	Spares kit - Grill, Thermocouple & Elec, 600mm 7.7(S) (Before July 2021)
	SSPA0644	600mm Grill Thermocouple and Electrode (From August 2021)
33	SSPA0321	Caprice Oven and Grill Electrodes
34	SSPA0399	12v Spark Generator Box Kit

Thetford K1520 V2



15.



SSPA0900




SSPA0932



SSPA0933

1	SGL2115.BKX	Clear glass lid and profile
	SGL2115.BSX	glass smoked print black profile stainless steel
2	SSPA0010	Glass Lid Hinges Small
3	SSPA0610	SPARES KIT - LID S/O DF K1520 1SW
4	SSPA0044	Spinflo Bump Stops 2 pack
5	SSPA0952	Spares kit - Pan Support K1520, BK Metal wire
6	SSPA0800 THETFORD	Pan Support Grommets (pack of 6)
7	SSPA0110	Burner Assembly Medium
8	SSPA0811	SRS353 Burner Assembly Small
9	SSPA0688	250/650/820mm Hob Thermocouple (Front)
	SSPA0689	Hob Thermocouple (Rear)
	SSPA0687	SPARES KIT - TC. HOB. SOM. CO-AXIAL. 460/500/820mm
11	SSPA0300	Spares Kit - Spark Generator, 12v, ANSTOSS UBZ4 (With Hotplate)
	SSPA0301	12v Spark Generator (Without Hotplate)
12	SSPA0383	Spinflo Round switch Spark Ignition
13A	SSPA0433	Spares Kit - Burner Gas Tap, Straight, 0.36 BYPO, Blue Coaxial
13B	SSPA0447	Oven Gas Tap K1520
13C	SSPA0474	0.40 C2 Grill Gas Tap
15	SSPA0900.BNK/BK	Black I-Drive Knobset 6 per pack
	SSPA0901.BK	Black Straight Knobs (6 pack)
	SSPA0901.CR	Chrome Straight Knobs (6 pack)
	SSPA0901.GNK	Gloss Nickel Straight Knobs (6 pack)
	SSPA0901.MNK	Matt Nickel Straight Knobs 6 pack
	SSPA0933.CR	Chrome Capped Knob 6 pack
	SSPA0932.CR	Chrome Range Cooker Knob 6 pack
16	SMAO5060.BK07X	GRILL DOOR. BLACK. ARC. CHROME. V.2 K1520
	SMAO5060.BK09X	Grill Door Bk
17	SSPA0044	Spinflo Bump Stops 2 pack
18	SSPA2500	Wide Rectangle Grill Pan
19	SSPA0178	Burner electrode Thermocouple
20	SSPA0178	Burner electrode Thermocouple
21	SSPA0178	Burner electrode Thermocouple
22	SSPA0513	Spares Kit Thermal Switches Fan K1520
23	SSPA0518	Thermal Cut out sensor for K1520 Grill V2
24	SSPA0529	SPARES KIT - SCK42100 FAN REPLACEMENT
25	SSPA0553	SPARES KIT - HOTPLATE 1KW 145mm
27	SMAO5080.BK02X	OVEN DOOR. DROP DOWN. BLACK. V CUT. CHROME. V.2 K1520. Assy
	SMAO5080.BK05X	Oven door Drop Down - Brushed Nickel Handle
	SMAO5080.BK07X	Drop Down Door
29	SSPA0066	SCK421XX-K1520 OVEN DOOR SEAL
30	SSPA0980	Oven Shelf
31	SSPA0197	OVEN BURNER K1520
32	SSPA0197	OVEN BURNER K1520
33	SSPA0197	OVEN BURNER K1520
35	SSPA0560	Oven Lamp
36	SSPA0590	Spares Kit - LIGHT SWITCH. ROUND.

Thetford Caprice 44XXX



15.



SSPA0900




SSPA0901

1	SSPA0235	Spinflo Caprice and Triplex Clear Glass Lid
2	SSPA0010	Glass Lid Hinges Small
3	SSPA0961	Caprice and Triplex Pan Support
4	SSPA0041	Pan Support Clips (4 Pack)
5	SSPA0040	Caprice Rubber Bump Stop Pack of 8
6	SSPA0114	SR SAB S2 Burner Cap Without Skirt (Before May 2022
	SSPA0812	SRS353 Burner Assembly Medium (After May 2022)
7	SSPA0123	SAB S2 RPD Burner without Skirt (Before May 2022)
	SSPA0813	SPARES KIT - BURNER assembly LARGE (After May 2022)
8	SSPA0310	Type S Hob Electrodes
9	SSPA0676	450mm 7.7x0.8mm Hob Thermocouple (front L or rear R) Before May 2022
	SSPA0681	290mm Hob Thermocouple (front L) After May 2022
	SSPA0675	250mm 7.7x0.8mm Hob Thermocouple (front R) Before May 2022
	SSPA0680	250mm Hob Thermocouple (front R) After May 2022
	SSPA0682	460mm Hob Thermocouple (rear R) After May 2022
10	SSPA0452	type S 0.29 Oven Gas Tap (Before May 2022)
	SSPA0449	type C Oven 0.35 Oven gas Tap (After May 2022)
11	SSPA0472	0.45 Type S Grill Gas Tap (Before May 2022)
	SSPA0474	0.40 C2 Grill Gas Tap (After May 2022)
12	SSPA0381	Spinflo ignition rocker switch
14	SSPA0432	Type S 0.34 Burner Gas Tap (Before May 2022)
	SSPA0433	Spares Kit - Burner Gas Tap, Straight, 0.36 BYPO, Blue Coaxial (After May 2022)

15	SSPA0900.BNK/BK	Black I-Drive Knobset 6 per pack
	SSPA0901.BK	Black Straight Knobs (6 pack)
	SSPA0901.CR	Chrome Straight Knobs (6 pack)
	SSPA0901.GNK	Gloss Nickel Straight Knobs (6 pack)
	SSPA0901.MNK	Matt Nickel Straight Knobs 6 pack
16	SMAO3415.BK15X	GRILL DOOR.MPR445 BK BNV Assy
	SMAO3415.BK18X	Spinflo grill door MPRR45 Black
17	SMAO3435.BK/ SVS1X	OVEN DOOR.MPR445 D BK/SVS SS3 Assy
	SMAO3435.MIR6X	OVEN DOOR.MPR445 D MIR CRHM Assy
	SMAO3435.BK14X	Spinflo oven door MPR445 D BK BNKV assy
19	SSPA0253	Spinflo Aspire 1 MK3 Glass inner Door
20	SSPA0062	Door Seal Midi Primi 445
21	SSPA0980	Oven Shelf
22	SSPA0991	Grill Pan set
23	SSPA0560	Oven Lamp
24	SSPA0191	Caprice and Duplex XL Oven Burner
25	SSPA0642	1000mm 7.7 Type S Oven Thermocouple and Electrode (Before May 2022)
	SSPA0623	Aspire Type C Oven Thermocouple and Electrode (After May 2022)
26	SSPA0321	Caprice Oven and Grill Electrodes (Before May 2022)
	SSPA0623	Aspire Type C Oven Thermocouple and Electrode (After May 2022)
28	SSPA0644	600mm Grill Thermocouple and Electrode
29	SSPA0321	Caprice Oven and Grill Electrodes
30	SSPA0399	12v Spark Generator Box Kit

Thetford Triplex 76XXX



14.



SSPA0900



SSPA0901


1	SSPA0243	Spinflo Glass Lid
2	SSPA0010	Glass Lid Hinges Small
4	SSPA0967	Spinflo Spares Kit - Pan Support Caprice 3B 496
5	SSPA0041	Pan Support Clips (4 Pack)
6	SSPA0813	SPARES KIT - BURNER assembly LARGE
7	SSPA0812	SRS353 Burner Assembly Medium
8	SSPA0682	Thermocouples Rear L/R
	SSPA0681	Thermocouple Front
	SSPA0684	Thermocouples Rear left with shut off
	SSPA0687	Thermocouples Rear Right with shut off
	SSPA0685	Thermocouple Front with shut off
9	SSPA0320	Spares Kit - Hob Electrodes
10	SSPA0040	Caprice Rubber Bump Stop (8 pack)
11	SSPA0457	0.35 type C Oven & Grill Tap
12	SSPA0430	Thermostat tap
13	SSPA0470	Taps 45 White
14	SSPA0900.BNK/BK	Black I-Drive Knobset 6 per pack
	SSPA0901.BK	Black Straight Knobs (6 pack)
	SSPA0901.CR	Chrome Straight Knobs (6 pack)
	SSPA0901.GNK	Gloss Nickel Straight Knobs (6 pack)
	SSPA0901.MNK	Matt Nickel Straight Knobs 6 pack
15	SSPA0381	Spinflo ignition rocker switch
16	SSPA0590	Spares Kit - LIGHT SWITCH. ROUND.
17	SSPA0062	Thetford Door Seal Midi Primi 445
18	SMAO3445.BK17X	Spinflo OVEN DOOR,CAP 496 D BK CRHV Assy Drop down
	SMAO3445.SS4X	Spinflo oven door CAP496 Drop down
	SMAO3445.BK12X	Thetford OVEN DOOR.CAP 496 D BK BNKJ Assy Drop Down
19	SSPA0253	Spinflo Aspire 1 MK3 Glass inner Door
20	SSPA0982	Duplex & Triplex Oven Shelf
21	SSPA0993	Grill Pan Assembly Long
22	SSPA0399	Thetford 12v Spark Generator Box Kit
23	SSPA0626	Triplex and Duplex Oven Thermocouple and Electrode
24	SSPA0626	Triplex and Duplex Oven Thermocouple and Electrode
25	SSPA0627	Triplex and Duplex Oven Thermocouple & Electrode
28	SSPA0188	SLIMLINE GRILL BURNER
29	SSPA0191	Caprice and Duplex XL Oven Burner

Triplex SOH72XXX Gas only

14.




SSPA0939 SSPA0901 SSPA0904 SSPA0905 SSPA0936



Triplex SOH72XXX Gas only

1	SSPA0235	Spinflo Caprice and Triplex Clear Glass Lid
2	SSPA0242	Spinflo Spare Kit Triplex Glass Lid SBK SSPA0242
3	SSPA0600	Hob Lid Shut off Switch Dual Fuel
	SSPA0603	Spinflo Type C Lid Shutoff Thermocouple
4	SSPA0961	Caprice and Triplex Pan Support
5	SSPA0041	Pan Support Clips (4 Pack)
6	SSPA0123	SAB S2 RPD Burner without Skirt - Before June 2012
	SSPA0813	SPARES KIT - BURNER assembly LARGE - After June 2012
7	SSPA0110	Burner Assembly Medium
8	SSPA0675	250mm 7.7x0.8mm Hob Thermocouple Front Left - Before June 2012
	SSPA0675	250mm 7.7x0.8mm Hob Thermocouple Front Right - Before June 2012
	SSPA0676	450mm 7.7x0.8mm Hob Thermocouple Rear Right - Before June 2012
	SSPA0671	600mm 2.8x0.5mm Hob Thermocouple Front Left with Shut off switch - Before June 2012
	SSPA0671	600mm 2.8x0.5mm Hob Thermocouple Front Right with shut off switch - Before June 2012
	SSPA0670	320mm 2.8x0.5mm Hob Thermocouple Rear Right with shut off switch - Before June 12th
	SSPA0680	250mm Hob Thermocouple Front Left - After June 2012
	SSPA0681	290mm Hob Thermocouple Front Right - After June 2012
	SSPA0682	460mm Hob Thermocouple - Rear Right - After June 2012
	SSPA0685	290/500/600mm Hob Thermocouple Front Left - After June 2012 With lid shut off switch
	SSPA0685	290/500/600mm Hob Thermocouple Front Right - After June 2012 With lid shut off switch
	SSPA0684	520/250/600mm hob thermocouple Rear Right - After June 2012 With Lid shut off switch
9	SSPA0320	Spares Kit - Hob Electrodes
10	SSPA0040	Caprice Rubber Bump Stop Pack of 8
11	SSPA0457	0.35 type C Oven & Grill Tap - 2012- 2017 models
	SSPA0458	0.35 type C Oven and Grill Tap 2017 onwards
12	SSPA0430	Thermostat tap - 2012 - 2017
	SSPA0433	Spares Kit - Taps, Straight, 0.36 BYPO, Blue Coaxial - 2017 onwards
13	SSPA0470	Gas Tap Burner June 2012 - 2017
	SSPA0474	Gas Tap Burner June 2017 onwards
14	SSPA0939.BK	Thetford Control Knobs
	SSPA0901.BK	Black Straight Knobs (6 pack)
	SSPA0901.BNK	Brushed Nickel Knobs Spare Kit - (6pk)
	SSPA0901.CR	Chrome Straight Knobs (6 pack)
	SSPA0901.GNK	Gloss Nickel Straight Knobs (6 pack)
	SSPA0901.MNK	Matt Nickel Straight Knobs 6 pack
	SSPA0904.BK	SPARES KIT - TEARDROP KNOBS - BLACK (6pcs)
	SSPA0905.BK	2020 Black Knobs 6 pack
	SSPA0936.CR	OV Chrome Knobs 5 pack
	SSPA0936.SA	Spares kit - 2 part Knobs SA (5pcs - H/G, O/G, HT)
15	SSPA0381	Spinflo ignition rocker switch
16	SSPA0560	Oven Lamp
17	SSPA0062	Door Seal Midi Primi 445
18	SMAO3435.BKX	Black oven door
	SMAO3435.MIR6X	OVEN DOOR.MPR445 D MIR CRHM Assy
	SMAO3435.BK24X	OVEN DOOR.MPR445 D BK CRHJ BDSC ASSY
	SMAO3435.BK23X	OVEN DOOR.MPR445 D BK BNKM. ASSY
	SMAO3435.BK1X	Thetford Spinflo Oven Door Black
19	SSPA0253	Spinflo Aspire 1 MK3 Glass inner Door
20	SSPA0980	Duplex & Triplex Oven Shelf
21	SSPA0993	Grill Pan Assembly Long
23	SSPA0399	12v Spark Generator Box Kit
24	SSPA0626	Triplex and Duplex Oven Thermocouple and Electrode
25	SSPA0606	Duplex with Shut off Grill Thermocouple
26	SSPA0627	Triplex and Duplex Oven Thermocouple & Electrode - ELECTRODE,SPARK 600MM S/FIX / THERMOCOUPLE, 580mm M8
27	SSPA0695	SPARES KIT - SLIMLINE GRILL - Thermocouple & Electrode for Duplex
28	SSPA0605	Type C Grill Shut off
29	SSPA0188	Duplex SLIMLINE GRILL BURNER
30	SSPA0191	Caprice and Duplex XL Oven Burner

Triplex 71XXX Dual Fuel



Triplex 71XXX Dual Fuel

1	SSPA0235	Spinflo Caprice and Triplex Glass Lid - Clear
	SSPA0242	Spinflo Caprice and Triplex Glass Lid - Solid Black
2	SSPA0010	Glass Lid Hinges Small
3	SSPA0600	Hob Lid Shut off Switch (Before December 2016)
	SSPA0603	Spinflo Type C Lid Shutoff Thermocouple (After December 2016)
4	SSPA0972	Spares Kit- Pan Support Triplex DF
5	SSPA0041	Pan Support Clips (4 Pack)
6	SSPA0551	Spinflo hotplate 1000w Caprice
7	SSPA0110	Burner Assembly Medium
8	SSPA0675	Thermocouple Front Right - Before December 2016
	SSPA0676	Thermocouple Rear Right - Before December 2016
	SSPA0680	Thermocouple Front Right - After December 2016
	SSPA0682	Thermocouple Rear Right - After December 2016
	SSPA0671	Thermocouple Front Right - Before December 2016 with Shut off
	SSPA0670	Thermocouple Rear Right - Before December 2016 with Shut off
	SSPA0684	Thermocouple Front Right - After December 2016 with Shut off
	SSPA0685	Thermocouple Rear Right - After December 2016 with shut off
9	SSPA0310	Type S Hob Electrodes Before May 2015
	SSPA0320	Spares Kit - Hob Electrodes After May 2015
10	SSPA0040	Caprice Rubber Bump Stop (8 pack)
11	SSPA0457	0.35 type C Oven & Grill Gas Tap - Before October 2017
	SSPA0458	0.35 type C Oven and Grill Gas Tap
12	SSPA0430	Thermostat tap - Before October 2017
	SSPA0433	Spares Kit - Thermostat Taps, Straight, 0.36 BYPO, Blue Coaxial - After October 2017
13	SSPA0580	Spinflo Aspire Hotplate Switch
14	SSPA0936.CR	OV Chrome Knobs 5 pack
	SSPA0936.SA	Spares kit - 2 part Knobs SA (5pcs - H/G, O/G, HT)
	SSPA0901.BK	Black Straight Knobs (6 pack)
	SSPA0901.BNK	Brushed Nickel Knobs Spare Kit - (6pk)
	SSPA0901.CR	Chrome Straight Knobs (6 pack)
	SSPA0901.GNK	Gloss Nickel Straight Knobs (6 pack)
	SSPA0901.MNK	Matt Nickel Straight Knobs 6 pack
15	SSPA0381	Spinflo ignition rocker switch
16	SSPA0590	Spares Kit - LIGHT SWITCH. ROUND.
17	SSPA0062	Door Seal Midi Primi 445
18	SMAO3435.BKX	Black oven door
	SMAO3435.MIR6X	OVEN DOOR.MPR445 D MIR CRHM Assy
	SMAO3435.BK24X	OVEN DOOR.MPR445 D BK CRHJ BDSC ASSY
	SMAO3435.BK23X	OVEN DOOR.MPR445 D BK BNKM. ASSY
	SMAO3435.BK1X	Spinflo Oven Door Black
19	SSPA0253	Spinflo Aspire 1 MK3 Glass inner Door
20	SSPA0980	Duplex & Triplex Oven Shelf
21	SSPA0993	Grill Pan Assembly Long
22	SSPA0399	12v Spark Generator Box Kit
23	SSPA0626	Triplex and Duplex Oven Thermocouple and Electrode
24	SSPA0606	Duplex with Shut off Grill Thermocouple
25	SSPA0627	Triplex and Duplex Oven Thermocouple & Electrode - ELECTRODE,SPARK 600MM S/FIX / THERMOCOUPLE, 580mm M8
26	SSPA0627	Triplex and Duplex Oven Thermocouple & Electrode - ELECTRODE,SPARK 600MM S/FIX / THERMOCOUPLE, 580mm M8
27	SSPA0605	Type C Grill Shut off
28	SSPA0188	SLIMLINE GRILL BURNER
29	SSPA0191	Caprice and Duplex XL Oven Burner

Duplex Oven 7XXXX


2.


SSPA0916


SSPA0920


SSPA0911


3.



SSPA0380


SSPA0381


SSPA0382

18.


SSPA0300



SSPA0399


SSPA0301

1	SSPA0457	0.35 type C Oven & Grill Tap
2	SSPA0916.BNK	Control Knob (set of x3) Brushed Nickel
	SSPA0911.BK	Spares Kit - Straight Knob Black (3 pack)
	SSPA0911.MNK	Matt Nickel Straight Knob 3 pack
	SSPA0920.BK	Control knob
3	SSPA0380	round Ignition switch
	SSPA0381	Spinflo ignition rocker switch
	SSPA0382	Spinflo Piezo Ignition Kit Complete
5	SSPA0062	Door Seal Midi Primi 445
7	SMAO3435.BKX	Black oven door
	SMAO3435.MIR6X	OVEN DOOR.MPR445 D MIR CRHM Assy
	SMAO3435.BK24X	OVEN DOOR.MPR445 D BK CRHJ BDSC ASSY
	SMAO3435.BK23X	OVEN DOOR.MPR445 D BK BNKM. ASSY
	SMAO3435.BK1X	Spinflo Oven Door Black
8	SSPA0253	Spinflo Aspire 1 MK3 Glass inner Door


9	SSPA0982	Duplex & Triplex Oven Shelf
10	SSPA0993	Grill Pan Assembly Long
11	SSPA0191	Caprice and Duplex XL Oven Burner
12	SSPA0626	Triplex and Duplex Oven Thermocouple and Electrode
13	SSPA0626	Triplex and Duplex Oven Thermocouple and Electrode
14	SSPA0627	Triplex and Duplex Grill Thermocouple & Electrode
15	SSPA0695	Triplex and Duplex Grill Thermocouple & Electrode
16	SSPA0605	Type C Grill Shut off
17	SSPA0188	SLIMLINE GRILL BURNER
18	SSPA0300	Spares Kit - Spark Generator, 12v, ANSTOSS UBZ4
	SSPA0399	12v Spark Generator Box Kit
	SSPA0301	12v Spark Generator
19	SSPA0560	Oven Lamp for Duplex

Thetford Duplex XL



1	SSPA0383	Spinflo Round switch
2	SSPA0590	Spares Kit - LIGHT SWITCH. ROUND.
4	SSPA0938.BK	Teardrop Knob Bk (1pc)
6	SSPA0511	Spares Kit THERMAL CUT OUT SENSORS, FAN (DUP XL)
7	SMAO4230.BKX	Oven Door, XL Duplex,BK BNV BSDC "SIDES",Drop Down
9	SSPA0983	Duplex XL Oven Shelf
10	SSPA0993	Grill Pan Assembly Long
11	SSPA0191	Caprice and Duplex XL Oven Burner
12	SSPA0628	Duplex XL Grill Thermocouple and Electrode
13	SSPA0628	Duplex XL Grill Thermocouple and Electrode
14	SSPA0302	Spares Kit - Spark Generator, 12v, UBZ2 VAR4000
15	SSPA0185	Grill Burner
16	SSPA0629	Triplex and Duplex Grill Thermocouple and Electrode
17	SSPA0629	Triplex and Duplex Grill Thermocouple and Electrode
18	SSPA0522	Rework Kit - Fan SPCC0969,SPCC0979 Replacement
19	SSPA0560	Oven Lamp for Duplex

Midi Prima Series 3



1	SSPA0451	420 Oven type C Oven Tap
2	SSPA0470	Taps 45 White (Before October 2022)
	SSPA0474	Taps 45 Black (After March 2022)
3	SSPA0920.BK	Control knob
	SSPA0934.CR	Chrome Cooker Knobs
	SSPA0934.SA	Satin OV Knobs 2 pack
	SSPA0916.BNK	Control Knob (set of x3) Brushed Nickel
4	SSPA0381	Spinflo ignition rocker switch
6	SSPA0040	Caprice Rubber Bump Stop (8 pack)
7	SMAO3415.BK18X	Spinflo grill door MPRR45 Black
	SMAO3415.SSX	GRILL DOOR.MPR445 SS BKH5 Assy (Stainless Steel)
8	SMAO3435.BKX	Black oven door
	SMAO3435.MIR6X	OVEN DOOR.MPR445 D MIR CRHM Assy
	SMAO3435.BK24X	OVEN DOOR.MPR445 D BK CRHJ BDSC ASSY
	SMAO3435.BK23X	OVEN DOOR.MPR445 D BK BNKM. ASSY
	SMAO3435.BK1X	Spinflo Oven Door Black

10	SSPA0253	Spinflo Aspire 1 MK3 Glass inner Door
11	SSPA0062	Door Seal Midi Primi 445
12	SSPA0980	Oven Shelf
13	SSPA0993	Grill Pan Assembly Long
14	SSPA0560	Oven Lamp Suits Duplex/Midi Prima
15	SSPA0191	Oven Burner - Suits Caprice, Duplex XL, Midi Prima
16	SSPA0642	1000mm 7.7 Type S Oven Thermocouple and Electrode
17	SSPA0321	Caprice Oven and Grill Electrodes
18	SSPA0302	Spares Kit - Spark Generator, 12v, UBZ2 VAR4000 x2 Terminals
	SSPA0399	12v Spark Generator Box Kit (x6 Terminals, x2 Blanks)
20	SSPA0643	Spares kit - Grill Thermocouple & Elec 600mm 7.7(S) (Before March 2011)
	SSPA0645	Midi Prima Mk3 Grill Thermocouple (After March 2011)
21	SSPA0321	Caprice Oven and Grill Electrodes

MIRIAD QUEST LEISURE

QUEST ELITE® mql.co.uk

Liberty LEISURE OUTDOORS

QUEST leisure products

SKYPOD®



ncc member
www.thencc.org.uk

MQL.CO.UK

YOU TUBE

EMAIL

LINKED IN

X

FACEBOOK

WHATS APP

INSTAGRAM

Catalogue Version: 1.2